


MEDICAL LIBRARY

(MINISTRY OF HEALTH.)




30
0

EDICAL LIBRARY

m: Report
Births & Deaths,
890

Send Reminder Ret'd



22500993404

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.


The volume may be re-borrowed for a further period upon written request provided it is not required by another officer.

1694

SIXTEENTH
DETAILED ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

[ABSTRACTS OF 1870.]

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1874.

SIXTEENTH

DETAILED ANNUAL REPORT

OF THE

WELLcome INSTITUTE

BIRTHS, DEATHS, AND MARRIAGES

IN BOSTON

FOR THE YEAR 1870

Printed by MERRAY AND GIBB, 100 NASSAU ST., N.Y.

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOmec
Call	SW
No.	WA

EDINBURGH

PRINTED BY MERRAY AND GIBB

100 NASSAU ST., N.Y.

1871

1871

REPORT.

TO THE

RIGHT HON^{BLE}. ROBERT LOWE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, 8th December 1873.

SIR,

A GENERAL Abstract of the Births, Deaths, and Marriages registered in Scotland during the year 1870, was submitted to the Secretary of State for the Home Department shortly after the close of that year, together with a short explanatory statement relative to the same, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80.

Along with that I transmitted my Sixth Annual Report on Vaccination, conform to the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to transmit to you my Detailed Report on the Births, Deaths, and Marriages in Scotland for the year 1870, with relative Tables.

The extreme severity of the weather during the first half of the year had the effect of greatly increasing the mortality, which the low death-rate of the latter half of the year did not counteract, so that the annual death-rate was greatly above the average.

The general prosperity of the country, however, encouraged Marriages among the people, so that they exceeded those of the previous year by 1710 in number; while the high proportion of Marriages which had occurred for four consecutive years

caused the birth-rate to rise far above its average, and thus counterbalance the losses by death.

The facts ascertained for the year 1870 corroborate those of former years as to the influence of density of Population in increasing the proportion of Births, Deaths, and Marriages, showing that the higher losses by death in the more crowded Town Populations are made up by the increased proportion of Marriages and Births.

I have continued the series of Tables, begun a few years ago, which compare the ages of the persons who fall victims to the various Epidemic Diseases. The facts brought to light merit notice, for they prove that while these diseases are very fatal to the young, the proportion of adults cut off thereby is very much lower than that cut off by the ordinary diseases.

I have again the pleasure of stating that the success of the Vaccination Act has been as great as that of any Legislative enactment in reference to disease could be. Its chief fault is, that it makes no provision for the vaccination of grown children or adults, so that when an epidemic of Small-pox breaks out, the disease is kept up by the unvaccinated in the Population. Small-pox threatened to assume the Epidemic form in 1870, but only proved fatal to 114 persons in Scotland.

I also wish to direct your attention to the statement in the Report, p. 35, regarding the large number of children which escapes vaccination from the removal of the parents from their place of birth within six months, and who cannot therefore be traced. I have been in communication with the Board of Supervision and with the Lord Advocate on this subject more than once, and I believe that they are quite alive to its importance, but nothing can be done without the intervention of Parliament.

I have the honour to be,

SIR,

Your most obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Stark to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855-1870 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the years 1855-1870,	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Towns, Large Towns, Small Towns, and Rural Districts of Scotland, 1855 to 1870 inclusive,	xii
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1870,	xiii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1870,	xiv
Tables showing the Number and Proportion of Births, Deaths, and Marriages in Scotland in 1870, when it is divided into Four Groups of Districts, according to Density of Population,	xvi

BIRTHS.

Births in 1870, and their Proportion to the Population, with relative Tables,	xi
Tables showing particulars relative to the Births during each of the years 1855 to 1870 inclusive,	xv
Number and Proportion of Twins and Triplets,	xiii & xv

MARRIAGES.

Number of Marriages in 1870, and their Proportion to the Population,	xiii
Influence of Density of Population on the Marriages,	xiii
Proportion of Legitimate Children to the Marriages in Scotland and England,	xiv
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1870, and 1855-1870, with relative Tables,	xv & xvii
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xvii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xvii
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xviii & xxi

	Page
DEATHS.	
Number of Deaths in Scotland in 1870, and their Proportion to the Population,	xx
Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during each of the years 1855-1870, with relative Tables,	xxii
Death-rates in the Principal Towns, Large Towns, Small Towns, and Rural Districts of Scotland, 1855 to 1870 inclusive,	xxiii
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1858-1870,	xxiv
Series of Tables of the Deaths at different Ages in Scotland, its Three Great Groups of Districts, during the year 1870,	xxv
Mortality of Female lower than that of the Male at about every period of life,	xxiii
High Mortality in Towns at every period of life, as compared with that of the Rural Districts,	xxiv
Causes of Death in 1870, with relative Tables,	xxvi
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables,	xxix
Small-pox Deaths in Scotland for sixteen years,	xxxiv
Particulars relative to Vaccination in Scotland, with relative Tables,	xxxv
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths,	xxxvi
The Nineteen most fatal Diseases in England and Scotland in 1870,	xxxvii

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1870.

Weather, Weekly and Monthly, and its Influence on the Mortality,	xliii
Table showing the Meteorology of Scotland during each month of the year 1870, together with the Monthly and Daily Number of Births, Deaths, and Marriages,	xlii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1870,	xliii
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1870,	xliii
Influence of Season, etc., on the Mortality at different Ages	xlv
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1870, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland,	xlix

APPENDIX TABLE.

Vaccinations in the several Counties of Scotland during 1870,	li
---	----

A B S T R A C T S.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1870, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County,	1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1870, also of the Illegitimate Births, in every Registration District,	2-22
Summary Table of Population in 1861 and 1871; and of the Births, Deaths, and Marriages in 1870, in the Insular, the Mainland-Rural, and Town Districts of Scotland,	23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1870; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks,	24
Table of the Civil Condition of the Parties who married in 1870; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex,	25
Table of the Ages of all Males who married in Scotland and its Counties in 1870,	26
Table of the Ages of all Females who married in Scotland and its Counties in 1870,	28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1870, together with the Population of these Counties and Towns in 1861 and 1871,	30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1870, together with the Male Population of these Counties and Towns in 1861 and 1871,	32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1870, together with the Female Population of these Counties and Towns in 1861 and 1871,	34
Deaths at different Ages in both Sexes in each of the Small Towns of Scotland,	36-39
Do. Males,	40-43
Do. Females,	44-47
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1870,	48-51
Do. Males,	52-55
Do. Females,	56-59
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1870, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts,	60-63
Do. Males,	64-67
Do. Females,	68-71
Summary Table of the Causes of Death in both Sexes in each of the Small Towns of Scotland, whose respective Populations numbered from 3000 to 10,000 persons,	72-79
Do. Males,	80-87
Do. Females,	88-95
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life,	96-99
Do. Males,	100-103
Do. Females,	104-107
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life,	108-111
Do. Males,	112-115
Do. Females,	116-119
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life,	120-123
Do. Males,	124-127
Do. Females,	128-131
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life,	132-135
Do. Males,	136-139
Do. Females,	140-143
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life,	144-147
Do. Males,	148-151
Do. Females,	152-155
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life,	156-159
Do. Males,	160-163
Do. Females,	164-167

	Page
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life,	. 168-171
Do. Males, 172-175
Do. Females, 176-17
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, .	. 180-183
Do. Males, 184-187
Do. Females, 188-191
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life,	. 192-195
Do. Males, 196-199
Do. Females, 200-203
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, .	. 204-207
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life,	. 208-211
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, .	. 212-215
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, .	. 216-219
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1870, in each of the Divisions and Counties of Scotland,	220

Constitution of the Compound Districts,	221
Index to Districts,	222

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1870, to which this Report refers, was in many respects a peculiar one from its bearings on the Births, Deaths, and Marriages in Scotland. The previous harvest had been a good one, and when the year 1870 opened, food was abundant and cheap; and, in consequence of the commercial prosperity which prevailed, every one willing to work could find employment. The year, however, set in with severe frosts, which continued far into spring, injuring the crops, and greatly increasing the mortality among the people. Two months of drought followed this ungenial weather; but the weather during the remainder of the year was good, so that the crops turned out a fair average and of good quality, and the mortality during the latter half of the year did not rise above the average.

The year, however, will be noted in history as that in which deadly war broke out between France and Germany—war having been declared by

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1870, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Per-centage to Population.			Per cent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,068	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6

10,999 births in the Large Towns, 18,958 births in the Small Towns, and 44,981 births in the Rural Districts. This, in every ten thousand persons in each group of Districts, gives the proportion of 383 births in the Principal Towns, 359 births in the Large Towns, 352 births in the Small Towns, and 313 Births in the Rural Districts. (Tables VI. and VII.)

Of the 115,390 births, 104,282 were legitimate, and 11,108 illegitimate, showing that 9·6 per cent. of the births were illegitimate. This is very close on the usual Scottish proportion, and when the whole births are registered in England will be found to be not higher than the proportion in that country.

Of the 115,390 children born alive during the year, 58,959 were boys and 56,431 girls, giving the proportion of 104·4 boys to every 100 girls at birth. The proportion of boys to the girls was higher in the illegitimate

TABLE VI.—BIRTHS, DEATHS, and MARRIAGES in the PRINCIPAL TOWNS, LARGE TOWNS, SMALL TOWNS, and RURAL DISTRICTS of SCOTLAND, 1855-1870.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			RURAL DISTRICTS.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	28113	22706	6937	8374	5954	1980	16042	10015	3371	40820	25329	7392
1856	31719	22254	7507	9221	5374	1975	17289	9542	3428	43591	21359	7830
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	43506	22674	8338
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	44495	23855	7833
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	45438	23542	8086
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	45209	24992	8111
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	44510	22995	7838
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	44639	24736	7747
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	44851	26114	8083
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	45623	26145	7844
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	45084	24224	8181
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	45347	25167	8112
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	45203	24216	7985
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	45726	23303	7696
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	44324	25021	7389
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	44981	25848	7990

TABLE VII.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES in the PRINCIPAL TOWNS, LARGE TOWNS, SMALL TOWNS, and RURAL DISTRICTS of SCOTLAND, 1855-1870.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			RURAL DISTRICTS.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	3·3971	2·7436	0·8382	3·5250	2·5063	0·8334	3·3240	2·0751	0·6984	2·8852	1·6490	0·5225
1856	3·7872	2·6571	0·8963	3·8353	2·2352	0·8213	3·5545	1·9618	0·7048	3·0094	1·5089	0·5531
1857	3·8553	2·7566	0·8821	3·8584	2·4086	0·8685	3·6413	2·0420	0·7022	3·0720	1·6010	0·5887
1858	3·7974	2·7341	0·8006	3·7708	2·5037	0·7410	3·5791	2·0400	0·6343	3·1401	1·6835	0·5528
1859	3·8072	2·5766	0·8708	3·8330	2·3191	0·7702	3·7237	2·0183	0·7319	3·2050	1·6605	0·5703
1860	3·7560	2·9706	0·8761	3·6616	2·3987	0·7872	3·6371	2·2075	0·6866	3·1871	1·7619	0·5718
1861	3·8632	2·6034	0·8719	3·7975	2·2840	0·7598	3·6631	2·0577	0·6680	3·1318	1·6180	0·5515
1862	3·8094	2·7612	0·8544	3·7014	2·5210	0·7053	3·6214	2·1546	0·6481	3·1368	1·7382	0·5444
1863	3·8869	2·9291	0·9253	3·7241	2·5518	0·7672	3·6315	2·2405	0·6835	3·1435	1·8303	0·5665
1864	3·9389	3·0730	0·9456	3·6988	2·6314	0·8241	3·7512	2·3785	0·7255	3·1919	1·8291	0·5488
1865	3·9750	2·9065	0·9749	3·8310	2·4931	0·8332	3·7180	2·1703	0·7278	3·1494	1·6922	0·5715
1866	3·9449	2·8113	0·9676	3·7055	2·4481	0·8079	3·6993	2·2604	0·7348	3·1631	1·7554	0·5658
1867	3·9583	2·6908	0·9000	3·7009	2·3544	0·7491	3·6447	2·1961	0·6854	3·1490	1·6869	0·5562
1868	3·8926	2·7635	0·8663	3·6557	2·2766	0·7156	3·6905	2·1491	0·6544	3·1817	1·6215	0·5355
1869	3·8223	3·0436	0·8856	3·5451	2·4994	0·7348	3·5386	2·2288	0·6363	3·0812	1·7393	0·5136
1870	3·8360	2·7034	0·9230	3·5997	2·5240	0·7753	3·5247	2·2491	0·6994	3·1314	1·7953	0·5549

than in the legitimate births, for, while in the legitimate births there were only in the proportion of 104·3 males for every 100 females, in the illegitimate births there were 105·6 males for every 100 females.

During the year 1870, there were 1384 twin births, and 9 triplet births—indicating that one in every 82 mothers bare twins, and that one in every 12,665 mothers bare triplets. In one of the cases of triplet births, the mother had been married 19 years and 7 months before she bare children, and then three came at a birth. (Tables XI. and XII.)

MARRIAGES.

23,854 Marriages were registered in Scotland during the year 1870, being in the proportion of 71 marriages in every ten thousand persons of the corrected estimated population. The marriages were thus 1710 in number above those of the previous year, and the greatest number, though not the highest proportion, ever registered in Scotland.

As usual, the proportion of marriages was much higher in the Town than in the Rural or Insular Districts. Thus, for every ten thousand persons in each of the three groups of Districts into which Scotland is divided, there occurred in the proportion of 46 marriages in the Insular, 60 marriages in the Mainland-Rural, but 89 marriages in the Town Districts. (Table IX.)

A reference, however, to Tables VI. and VII. will show that, when Scotland is divided into four groups of Districts, according to the size of the Towns in each group, the proportion of marriages in each group is almost exactly proportioned to the density of the population in each, or, more correctly speaking, to the massing of the population in each group—being most numerous where the greatest number of human beings are massed together, and fewest where the population is most scattered. Thus in 1870, for every ten thousand persons in each group, there occurred in the proportion of 92 marriages in the Principal Towns, 77 marriages in the Large Towns, 69 marriages in the Small Towns, but only 55 marriages in the Rural Districts. These Tables show that ever since the Registration Act came into operation in Scotland, these four groups of Districts have maintained much the same proportion of marriages; so that it must be regarded

TABLE VIII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1870, and their Proportion to the estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Esti- mated Popula- tion, 1870.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Mar- riages.	Per cent. to Pop.
Glasgow .	471,478	19355	4·105	1846	9·5	13955	2·959	4619	0·980
Edinburgh .	198,443	6728	3·390	607	9·0	4715	2·376	1864	0·939
Dundee .	118,178	4350	3·681	491	11·2	3185	2·695	976	0·826
Aberdeen .	86,965	3193	3·671	393	12·3	1927	2·215	702	0·807
Greenock .	58,390	2483	4·252	125	5·1	1674	2·867	520	0·890
Paisley .	48,191	1716	3·561	145	8·4	1352	2·805	452	0·938
Leith .	45,537	1814	3·983	107	5·9	1059	2·325	420	0·922
Perth .	26,360	813	3·084	86	10·6	641	2·431	180	0·683

as a law of population that density or massing of the population powerfully influences the proportion of marriages.

The proportion of legitimate children born to each marriage during the year was larger in Scotland than in England. Thus, to the 23,854 marriages in Scotland during the year 1870, there were born 104,282 legitimate children, being in the proportion of 4·37 children to each marriage,

TABLE IX.—NUMBER OF BIRTHS, DEATHS, and MARRIAGES in 1870, and their Proportion to the estimated Population, in Scotland, its three Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population by Census 1871.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per-cent. to Pop.	No.	Per-cent. to Births.	No.	Per-cent. to Pop.	No.	Per-cent. to Pop.
SCOTLAND		3,360,018	115390	3·4582	11108	9·6	74165	2·2227	23854	0·7149
INSULAR DISTRICTS		157,755	4046	2·561	217	5·3	2568	1·625	727	0·4602
MAINLAND-RURAL DISTS. . .		1,823,542	59893	3·291	6204	10·3	35377	1·942	11025	0·6059
TOWN DISTRICTS		1,378,721	51451	3·786	4687	9·1	36220	2·665	12102	0·8904
DIVISIONS.										
I.	NORTHERN	127,191	3159	2·477	211	6·6	1844	1·446	580	0·454
II.	NORTH-WESTERN	166,351	4348	2·673	295	6·8	2687	1·614	751	0·451
III.	NORTH-EASTERN	393,199	13271	3·397	1987	14·9	6695	1·714	2427	0·621
IV.	EAST-MIDLAND	559,676	17686	3·180	1808	10·2	12173	2·189	3683	0·663
V.	WEST-MIDLAND	251,088	8042	3·214	655	8·1	5242	2·095	1519	0·608
VI.	SOUTH-WESTERN	1,183,218	46138	3·957	3816	8·2	31264	2·682	9988	0·857
VII.	SOUTH-EASTERN	470,206	16295	3·517	1449	8·8	10228	2·157	3716	0·784
VIII.	SOUTHERN	209,089	6451	3·077	887	13·7	4032	1·923	1190	0·568
COUNTIES.										
1	Shetland	31,608	753	2·381	21	2·7	429	1·357	150	0·475
2	Orkney	31,274	763	2·431	40	5·2	491	1·564	176	0·560
3	Caithness	41,011	1148	2·791	116	10·1	599	1·456	157	0·381
4	Sutherland	23,298	495	2·117	34	6·8	325	1·396	97	0·414
5	Ross and Cromarty	82,093	2148	2·614	120	5·5	1292	1·573	344	0·419
6	Inverness	84,258	2200	2·609	175	7·9	1395	1·654	407	0·482
7	Nairn	8,372	235	2·807	17	7·2	156	1·863	39	0·466
8	Elgin	44,549	1478	3·319	220	14·9	727	1·632	202	0·453
9	Banff	58,883	1894	3·232	343	18·1	951	1·623	358	0·611
10	Aberdeen	246,298	8503	3·484	1247	14·4	4316	1·772	1622	0·665
11	Kincardine	35,097	1161	3·311	160	13·8	545	1·545	206	0·588
12	Forfar	240,049	8207	3·460	909	10·9	5807	2·392	1753	0·722
13	Perth	128,550	3590	2·782	413	11·4	2772	2·148	736	0·571
14	Fife	160,924	4998	3·117	401	8·0	2991	1·865	1004	0·626
15	Kinross	7,918	205	2·562	23	11·2	124	1·550	41	0·512
16	Clackmannan	22,235	686	3·107	62	9·0	479	2·174	149	0·677
17	Stirling	93,345	3396	3·658	303	8·9	2044	2·202	711	0·766
18	Dumbarton	61,116	2165	3·583	144	6·6	1333	2·206	360	0·596
19	Argyll	79,661	2076	2·533	180	8·6	1492	1·863	357	0·446
20	Bute	16,966	405	2·396	28	6·9	373	2·206	91	0·539
21	Renfrew	195,305	7311	3·795	484	6·6	5047	2·613	1602	0·831
22	Ayr	200,908	7329	3·631	656	8·9	4754	2·368	1578	0·786
23	Lanark	787,005	31498	4·078	2676	8·5	21463	2·779	6808	0·882
24	Linlithgow	41,379	1737	4·221	138	7·9	984	2·391	263	0·639
25	Edinburgh	328,138	11362	3·521	981	8·6	7536	2·389	2839	0·880
26	Haddington	37,755	1209	3·203	134	11·1	687	1·820	246	0·652
27	Berwick	36,382	1117	3·069	105	9·4	591	1·624	192	0·528
28	Peebles	12,218	400	3·272	40	10·0	198	1·620	80	0·654
29	Selkirk	14,334	470	3·363	51	10·8	232	1·660	96	0·687
30	Roxburgh	53,558	1713	3·198	183	10·6	1015	1·894	317	0·606
31	Dumfries	74,842	2325	3·102	323	13·9	1516	2·022	457	0·610
32	Kirkcudbright	42,087	1286	3·051	207	16·1	805	1·924	229	0·544
33	Wigtown	38,602	1127	2·894	174	15·4	696	1·787	187	0·479

or 437 children to one hundred marriages. During the same year, in England there were 181,655 marriages, and 748,050 legitimate children, which gives a proportion of 4·12 children to each marriage, or 412 children to every hundred marriages.

Of the 23,854 marriages, 10,678 were contracted according to the rites of the Established Church of Scotland, 5465 according to those of the Free Church, 3422 according to those of the United Presbyterian Church, 2121

TABLE X.—BIRTHS in SCOTLAND, 1855–1870; with the Number and Proportion of Male and Female Births in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births, and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLT BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81

TABLE XI.—BIRTHS, 1870. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1870, distinguishing the Sexes. Also the Number of Twin and Triplet Births.

THREE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Insular	2057	1989	4046	1937	1892	3829	120	97	217	46	1
Mainland-Rural	30617	29276	59893	27461	26228	53689	3156	3048	6204	750	5
Town	26285	25166	51451	23856	22908	46764	2429	2258	4687	588	3
SCOTLAND . . .	58959	56431	115390	53254	51028	104282	5705	5403	11108	1384	9

TABLE XII.—PROPORTION OF BIRTHS in 1870. Per-centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland and its Three Groups of Districts, in 1870.

THREE GROUPS OF DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	2·561	5·3	103·4	102·3	123·7	86	3998
Mainland-Rural	3·291	10·3	104·5	104·7	103·5	79	11826
Town	3·786	9·1	104·4	104·1	107·5	86	16952
SCOTLAND . . .	3·458	9·6	104·4	104·3	105·6	82	12665

according to those of the Romish Church, 538 according to those of the Episcopal Church, 1496 according to the varying rites of the Smaller Religious Denominations, in 60 cases the name of the Religious Denomination was not given, and in 74 cases the marriage was what is termed in Scotland *irregular*—that is to say, without previous publication of banns. (Table XV.)

These facts indicate that 44·76 per cent. of the marriages in Scotland were contracted according to the rites of the Established Church of Scotland; 22·91 per cent. according to those of the Free Church; 14·35 per cent. according to those of the United Presbyterian Church; 8·89 per cent. according to those of the Romish Church; 2·26 per cent. according to those of the Episcopal Church; 6·26 per cent. according to those of the Smaller Religious Denominations; while in 0·26 per cent. the name of the Religious Denomination was not stated; and in 0·31 per cent. the marriage was irregular. These proportions afford the only means of guessing at the

TABLE XIII.—Births, Deaths, and Marriages in the Four Town and Rural Groups of Districts in Scotland in 1870.

FOUR GROUPS OF DISTRICTS.	BIRTHS.				DEATHS.			MAR-RIAGES.
	Males.	Females.	Total.	Ille-gitimate.	Males.	Females.	Total.	
Principal Towns . .	20699	19753	40452	3800	14234	14274	28508	9733
Large Towns . . .	5586	5413	10999	887	3858	3854	7712	2369
Small Towns . . .	9727	9231	18958	1773	5929	6168	12097	3762
Rural Districts . . .	22947	22034	44981	4648	12845	13003	25848	7990

TABLE XIV.—Proportion of Births, Deaths, and Marriages in each of the Four Town and Rural Groups of Districts in Scotland in 1870.

FOUR GROUPS OF DISTRICTS.	Per-centage to Population.							Per-cent. of Illegitimate to Total Births.	Ratio to Persons in the Population.		
	BIRTHS.			DEATHS.			MAR-RIAGES.		One Birth to every	One Death to every	One Mar-riage to every
	Males.	Fem.	Total.	Males.	Fem.	Total.					
Principal Towns .	4·187	3·532	3·836	2·880	2·552	2·703	0·923	9·4	26	37	108
Large Towns . .	3·832	3·387	3·599	2·647	2·411	2·524	0·775	8·1	27	39	129
Small Towns . .	3·805	3·270	3·525	2·319	2·185	2·249	0·699	9·3	28	44	143
Rural Districts .	3·376	2·960	3·124	1·847	1·747	1·795	0·555	9·7	32	56	180

TABLE XV.—MARRIAGES, 1870. Number of Marriages contracted in Scotland according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in 1870.

RELIGIOUS DENOMINATIONS.		Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND	Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND
Regular Marriages.	Established Church .	319	5963	4396	10678	43·87	54·09	36·49	44·76
	Free Church . . .	269	2554	2642	5465	37·00	23·16	21·84	22·91
	United Presbyterian Church	78	1438	1906	3422	10·73	13·04	15·76	14·35
	Roman Catholic Church	38	519	1564	2121	5·23	4·71	12·93	8·89
	Episcopal Church .	1	125	412	538	0·14	1·13	3·41	2·26
	Other Denominations .	21	420	1055	1496	2·89	3·81	8·52	6·26
	Denomination not stated	...	2	58	60	...	0·02	0·48	0·26
Irregular Marriages .		1	4	69	74	0·14	0·04	0·57	0·31
Total Marriages .		727	11025	12102	23854	100·00	100·00	100·00	100·00

proportion of the people of Scotland belonging to each Religious Denomination, seeing that when the Census was taken no one was required to state the Religious Denomination to which he professed to belong.

Of the 23,854 men who married in 1870, the exact age was ascertained in 23,833 cases. Of these 1744, or 7·32 per cent., were minors, or were under 21 years of age. Of the 23,854 women who married, the exact age was ascertained in 23,825 cases; and of these 5175, or 21·72 per cent., of the women were minors, or were under 21 years of age. (Tables XXI., XXII., and XXIII.)

Of the 23,854 marriages, the conjugal condition of the parties previous

TABLE XVI.—MARRIAGES, 1855–1870. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1870.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Per-centage to Population.	Established Church of Scotland.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74

TABLE XVII.—Proportion of MARRIAGES, 1855–1870. Proportion of Marriages contracted in Scotland, according to the Rites of the several Religious Denominations during the Years 1855–1870.

YEARS.	PER-CENTAGE of REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31

to their marriage was ascertained in 23,806 cases. Of these 23,806 marriages, 20,262 were between bachelors and spinsters, 653 between bachelors and widows, 2132 between widowers and spinsters, and 759 between widowers and widows. These numbers indicate that 85.11 per cent. of the marriages were between bachelors and spinsters, 2.74 per cent. between bachelors and widows, 8.96 per cent. between widowers and spinsters, and 3.19 per cent. between widowers and widows.

The state of elementary education among the people of Scotland, in so far as indicated by the ability to write their names in the Marriage Register during 1870, is shown for every County and Division of Scotland in Table XXIII. Thus it appears that of the 23,854 men who married in Scotland during the year, 21,403, being 89·73 per cent., signed their names in writing in the Marriage Register; while 2451, or 10·27 per cent., being unable to

TABLE XVIII.—MARRIAGES, 1870. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	—	1	—	—	—	1	—	—
15—16	—	5	—	1	—	2	—	2
16—17	1	72	—	1	—	34	1	37
17—18	13	312	—	3	8	138	5	171
18—19	130	947	1	9	50	425	79	513
19—20	494	1696	3	18	212	768	279	910
20—21	1106	2141	14	43	526	982	566	1116
21—25	7913	8548	147	234	3713	4055	4053	4259
25—30	7339	5901	246	241	3416	2750	3677	2910
30—35	3019	2030	150	90	1383	927	1486	1013
35—40	1498	1135	60	59	674	463	764	613
40—45	940	532	41	13	429	240	470	279
45—50	558	310	22	9	240	128	296	173
50—55	355	111	15	4	149	48	191	59
55—60	233	52	13	—	55	26	116	26
60—65	135	24	12	—	27	10	68	14
65—70	56	5	—	—	18	4	29	1
70—75	35	1	2	—	5	1	15	—
75—80	7	2	—	—	1	1	2	1
80—85	1	—	—	—	—	—	—	—
Not stated	21	29	1	2	15	22	5	5
TOTAL	23854	23854	727	727	11025	11025	12102	12102

TABLE XIX.—MARRIAGES, 1870. Per-centage of Men and Women at different Ages who contracted Marriage in Scotland in 1870.

[illegible]

write, were obliged to append their mark. Of the 23,854 women who married during the year, 19,194, being 80·46 per cent. of the women, signed their names in writing; while 4660, or 19·54 per cent., being unable to write, were obliged to append their mark. (Tables XXI. and XXII.)

The last two lines of Table XXIII. show the state of elementary education in Glasgow and Edinburgh, the two largest Towns of Scotland, and the contrast is certainly very great. In Edinburgh, 96·08 per cent. of the men who married were able to sign their names in writing; but in Glasgow, only 81·99 per cent. In Edinburgh, 92·37 per cent. of the women who married were able to sign their names in writing; but only 68·52 per cent. of the women in Glasgow. In Edinburgh, only 3·92 per cent. of the men who married, being unable to write, were obliged to sign by a mark; but in Glasgow, 18·01 per cent. of the men were forced to sign by mark. In Edinburgh, only 7·63 per cent. of the women who married, not being able to write, had to sign by a mark; but in Glasgow, 31·48 per cent. of the women had to sign by mark.

TABLE XX.—MARRIAGES, 1855–1870. Number and Proportion of Men and Women, at each quinquennial period of age, who contracted marriages in Scotland during the Years 1855–1870.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Per-centage at each Age. Total Marriages.	Number who married at each Age.	Per-centage at each Age. Total Marriages.
15–20 years	10044	2·89	43682	12·59
20–25	132541	38·16	158555	45·66
25–30	103742	29·87	84220	24·25
30–35	43437	12·51	30248	8·71
35–40	23047	6·64	15479	4·45
40–45	13807	3·98	7871	2·26
45–50	8715	2·51	3895	1·12
50 and above	11433	3·29	2364	0·68
Age not stated	545	0·15	997	0·28
TOTAL	347311	100·00	347311 .	100·00

TABLE XXI.—MARRIAGES in SCOTLAND, 1855–1870. Numbers.

YEARS.	Number who Married under 21 years of Age.		Number who Married				Number who Signed				Number of Marriages between					
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.		
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women						
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619		
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605		
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601		
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533		
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603		
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558		
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517		
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501		
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584		
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631		
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642		
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715		
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689		
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671		
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651		
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759		

D E A T H S.

74,165 Deaths were registered in Scotland during the year 1870, indicating a proportion of 222 deaths in every ten thousand persons, or 2·22 per cent. As the mean death-rate in Scotland during the ten previous years was 220 in every ten thousand persons, or 2·20 per cent., the mortality in 1870 has been very little above the average.

In England, during the same year, the deaths were in the proportion of 229 deaths in every ten thousand persons, or 2·29 per cent., the average death-rate of England during the ten previous years having been 224 deaths in every ten thousand persons, or 2·24 per cent. Both England and Scotland, therefore, during the year 1870 had a death-rate above the average.

When the Districts of Scotland were divided into three groups, it was found that the smallest proportion of deaths occurred in the Insular, and the highest in the Town Districts. Thus, in the Insular Districts, 2568 deaths were registered; in the Mainland-Rural Districts, 35,377 deaths; and in the Town Districts, 36,220 deaths. This indicates that in every ten thousand persons in each group of Districts, 162 deaths occurred in the Insular Districts, 194 deaths in the Mainland-Rural Districts, and 266 deaths in the Town Districts. The proportion of deaths in each group of Districts was, therefore, strictly proportioned to the massing of the population. (Tables XXIV. and XXV.)

It throws more light, however, on the causes which increase the mortality of our race, if Scotland be divided into four groups of Districts according to the sizes of the Towns in each. (Tables XXVI. and XXVII.) In the Principal Towns, 28,508 deaths were registered; in the Large Towns, 7712 deaths; in the Small Towns, 12,097 deaths; and in the purely Rural Districts, 25,848 deaths. These numbers indicate, that for every thousand persons in each of these groups of Districts, 27·03 deaths occurred during the year in the Principal Towns; 25·24 deaths in the Large Towns; 22·49 deaths in the Small Towns; and 17·95 deaths in the Rural Districts.

TABLE XXII.—MARRIAGES in SCOTLAND, 1855–1870. Proportions.

YEARS.	Per-centage who Married under 21 years.		Per-centage who Married				Per-centage who Signed				Proportion in every 100 Marriages between			
			Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·52	57·60	59·48	42·40	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19

The influence of density of population on the mortality is very clearly seen in these figures. But they can only be correctly shown when we have large numbers to deal with, for when we carry our examination into the

TABLE XXIII.—MARRIAGES, 1870. Per-centage of Men and Women who signed by Writing or by Mark, of Persons under 21 years of age, and of Marriages between Persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties, in 1870. Also in Edinburgh and Glasgow.

1870.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Per-centage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND		89·73	80·46	10·27	19·54	7·32	21·72	85·11	2·74	8·96	3·19
INSULAR		76·62	64·24	23·38	35·76	2·61	10·32	88·02	0·70	9·89	1·39
MAINLAND-RURAL . . .		92·10	85·63	7·90	14·37	7·22	21·32	87·44	2·11	8·27	2·18
TOWN		88·35	76·77	11·65	23·23	7·66	22·71	82·84	3·44	9·53	4·20
DIVISIONS.											
I.	NORTHERN	93·24	83·11	6·72	16·89	3·79	13·62	88·04	1·21	9·36	1·39
II.	NORTH-WESTERN . . .	74·70	59·13	25·30	40·87	2·53	11·14	88·05	1·61	9·27	1·07
III.	NORTH-EASTERN . . .	97·16	91·27	2·84	8·73	6·39	21·67	87·96	1·85	8·46	1·73
IV.	EAST-MIDLAND	94·98	85·73	5·02	14·27	8·07	17·94	86·09	2·12	8·78	3·01
V.	WEST-MIDLAND	88·55	81·31	11·45	18·69	5·40	20·27	84·67	3·17	9·65	2·51
VI.	SOUTH-WESTERN	84·51	72·17	15·49	27·83	8·50	25·61	83·36	3·22	9·13	4·29
VII.	SOUTH-EASTERN	94·89	90·13	5·11	9·87	6·40	19·91	85·15	3·22	8·88	2·75
VIII.	SOUTHERN	95·21	92·78	4·79	7·22	6·89	18·40	88·21	1·87	8·06	1·86
COUNTIES.											
1	Shetland	88·67	67·34	11·33	32·66	2·66	8·00	87·17	0·67	10·14	2·02
2	Orkney	98·87	94·59	1·13	5·41	6·24	18·98	86·93	0·00	11·37	1·70
3	Caithness	96·81	93·00	3·19	7·00	2·55	15·29	90·45	2·55	5·73	1·27
4	Sutherland	84·54	73·20	15·46	26·80	3·10	10·31	87·50	2·08	10·42	0·00
5	Ross & Cromarty . . .	72·97	55·53	27·03	44·47	2·32	10·46	89·25	1·16	8·72	0·87
6	Inverness	76·17	62·17	23·83	37·83	2·70	18·30	87·04	1·99	9·72	1·25
7	Nairn	82·05	79·50	17·95	20·50	5·12	10·25	74·36	0·00	23·08	2·56
8	Elgin	95·55	89·12	4·45	10·89	6·93	17·32	90·10	0·99	7·43	1·48
9	Banff	93·86	82·68	6·14	17·32	6·42	19·27	86·56	1·96	10·36	1·12
10	Aberdeen	98·40	93·67	1·60	6·33	6·60	23·92	88·90	1·85	7·60	1·67
11	Kincardine	97·57	91·74	2·43	8·26	4·37	14·61	83·50	2·91	10·19	3·40
12	Forfar	93·45	78·32	6·55	21·68	9·24	18·54	84·83	2·39	8·84	3·94
13	Perth	97·28	93·47	2·72	6·53	4·21	16·16	88·01	1·36	8·72	1·91
14	Fife	96·32	92·83	3·68	7·17	7·20	17·92	87·36	2·39	8·46	1·79
15	Kinross	92·68	92·68	7·32	7·32	2·44	9·75	90·24	2·44	2·44	4·88
16	Clackmannan	93·29	84·57	6·71	15·43	8·05	22·15	81·88	0·67	12·08	5·37
17	Stirling	89·31	82·42	10·69	17·58	7·60	25·17	84·77	3·81	8·18	3·24
18	Dumbarton	85·00	75·56	15·00	24·44	4·99	23·33	83·51	3·64	10·61	2·24
19	Argyll	89·64	83·20	10·36	16·80	2·52	9·24	84·51	1·97	11·55	1·97
20	Bute	92·30	87·92	7·70	12·08	1·10	13·19	89·01	1·10	9·89	0·00
21	Renfrew	85·71	72·16	14·29	27·84	6·86	25·84	82·70	4·38	8·84	4·08
22	Ayr	87·33	78·14	12·67	21·86	10·58	26·68	85·28	3·17	8·51	3·04
23	Lanark	83·58	70·79	16·42	29·21	8·40	25·31	83·06	2·97	9·34	4·63
24	Linlithgow	83·27	73·77	16·73	26·23	7·22	28·78	84·79	3·80	9·13	2·28
25	Edinburgh	95·99	91·12	4·01	8·88	6·30	19·55	84·11	3·49	9·34	3·06
26	Haddington	89·43	82·52	10·57	17·48	4·88	17·48	87·70	2·46	7·79	2·05
27	Berwick	98·96	98·96	1·04	1·04	8·33	17·19	93·62	0·53	4·79	1·06
28	Peebles	98·75	98·75	1·25	1·25	2·50	15·00	91·26	3·75	4·99	0·00
29	Selkirk	98·96	100·00	1·04	0·00	10·41	23·96	89·47	0·00	8·43	2·10
30	Roxburgh	96·85	92·75	3·15	7·25	7·94	21·13	87·98	2·21	7·29	2·52
31	Dumfries	96·50	94·75	3·50	5·25	7·22	18·38	91·13	1·54	5·76	1·55
32	Kirkcudbright	98·69	95·63	1·31	4·37	4·37	15·28	85·03	1·32	11·89	1·76
33	Wigtown	85·04	84·49	14·96	15·51	10·14	17·24	85·32	2·72	10·33	1·63
EDINBURGH		96·08	92·37	3·92	7·63	5·70	18·35	83·58	3·36	9·78	3·28
GLASGOW		81·99	68·52	18·01	31·48	8·23	23·94	82·32	3·12	9·54	5·02

various component parts of these Districts, local causes are found to exist which modify the influence of the law just referred to, seeing that a more insalubrious or damper site, a greater amount of overcrowding of the inhabitants, a virulent and passing epidemic, or a strike among the inhabitants, may cause a smaller town to exhibit a higher death-rate than a much larger one. This is exemplified in the case of the Eight Towns which constitute the group of Principal Towns.

Thus, the death-rate of the Eight Principal Towns of Scotland differed widely from each other in 1870, having been highest in Glasgow and lowest in Aberdeen. Thus, for every thousand persons in each town in 1870, there occurred 22·15 deaths in Aberdeen; 23·25 deaths in Leith; 23·76 deaths in Edinburgh; 24·31 deaths in Perth; 26·95 deaths in Dundee; 28·05 deaths in Paisley; 28·67 deaths in Greenock; and 29·59 deaths in Glasgow. (Tables XXXVIII. and XXIX.)

Of the 74,165 persons who died in Scotland during the year, 36,866 were males and 37,299 females; from which it appears that for every thousand of each sex there died in the proportion of 23·17 males and 21·37

TABLE XXIV.—DEATHS in SCOTLAND, and in its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1870, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16653	32992	17615	17796	35411
1866	35355	35993	71348	1305	1356	2661	16930	17385	34315	17120	17252	34372
1867	34363	34705	69068	1233	1350	2583	16589	16601	33190	16541	16754	33295
1868	34662	34754	69416	1156	1355	2511	15993	16191	32184	17513	17208	34721
1869	37868	38007	75875	1364	1420	2784	17113	17025	34138	19391	19562	38953
1870	36866	37299	74165	1252	1316	2568	17522	17855	35377	18092	18128	36220

TABLE XXV.—Per-centage of Deaths to the Population in Scotland, its Insular, Mainland-Rural, and Town Groups of Districts, during each of the Years 1855–1870, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1·577	1·644	1·828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·414	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·940	2·028	1·690	1·573	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·125	1·946	2·031	1·683	1·520	1·594	1·432	1·693	1·746	2·702	2·382	2·531
1862	2·260	2·087	2·174	1·972	1·756	1·855	1·895	1·802	1·847	2·873	2·555	2·702
1863	2·402	2·181	2·286	1·951	1·733	1·833	2·009	1·900	1·952	3·071	2·647	2·845
1864	2·470	2·256	2·358	1·757	1·656	1·702	2·054	1·952	2·001	3·197	2·769	2·968
1865	2·325	2·135	2·231	1·696	1·446	1·560	1·891	1·796	1·842	3·055	2·701	2·866
1866	2·313	2·134	2·219	1·793	1·569	1·671	1·952	1·869	1·914	2·908	2·573	2·730
1867	2·226	2·040	2·129	1·697	1·565	1·626	1·906	1·779	1·841	2·752	2·455	2·516
1868	2·222	2·025	2·120	1·594	1·574	1·588	1·831	1·730	1·779	2·853	2·478	2·654
1869	2·404	2·196	2·295	1·884	1·653	1·759	1·953	1·814	1·881	3·094	2·768	2·921
1870	2·317	2·137	2·222	1·732	1·535	1·625	1·994	1·897	1·942	2·827	2·521	2·665

females; so that, as in former years, the male death-rate exceeded that of the female. At almost all ages, excepting indeed from 3 to 5 years and from 10 to 20, when the proportion of female deaths slightly preponderated, the male death-rate was higher than that of the female. Thus, for every thousand infants of each sex under one year of age, there died 155·42 males, but only 126·45 females. For every thousand children from birth till 5 years of age, there died 62·28 males, but only 55·49 females. For every thousand persons from 5 to 10 years of age, there died 10·45 males, but only 9·82 females. For every thousand of each sex from 20 to 30 years of age, there died 10·40 males, but only 9·68 females. From 30 to 40 years of age, there died 12·21 males, but only 11·22 females. From 40 to 50 years of age, there died 16·20 males, but only 13·30 females. From 50 to 60 years of age, there died 24·75 males, but only 21·27 females. From 60 to 70 years of age, there died 44·93 males, but only 36·26 females. And from 70 to 80 years of age, there died 97·19 males, but only 89·33 females.

TABLE XXVI.—DEATHS in the Four Registration Groups of Scotland, its Principal Towns, Large Towns, Small Towns, and Rural Districts, 1855–1870, distinguishing the Sexes.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			RURAL DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	11189	11517	22706	2972	2982	5954	4963	5052	10015	11502	11827	23329
1856	11155	11099	22254	2703	2671	5374	4785	4757	9542	10775	10584	21359
1857	11692	11671	23363	2917	2943	5860	4911	5098	10009	11417	11257	22674
1858	11770	11675	23445	3034	3129	6163	5046	5030	10076	11802	12053	23855
1859	11075	11277	22352	2946	2829	5775	4975	5070	10045	11592	11950	23542
1860	12814	13252	26066	2972	3070	6042	5480	5590	11070	12344	12648	24992
1861	11464	11685	23149	2869	2962	5831	5150	5216	10366	11407	11588	22995
1862	12270	12690	24960	3286	3280	6566	5368	5565	10933	12255	12481	24736
1863	13624	13421	27045	3358	3422	6780	5862	5680	11542	12787	13327	26114
1864	14504	14341	28845	3544	3588	7132	6132	6162	12294	12830	13315	26145
1865	14263	14252	28515	3352	3544	6896	5598	5658	11256	11977	12247	24224
1866	13742	13724	27466	3378	3528	6906	5777	6032	11809	12458	12709	25167
1867	13219	13300	26519	3322	3454	6776	5786	5771	11557	12036	12180	24216
1868	14154	13883	28037	3359	3325	6684	5640	5752	11392	11509	11794	23303
1869	15744	15723	31467	3647	3839	7486	6022	5879	11901	12455	12566	25021
1870	14234	14274	28508	3858	3854	7712	5929	6168	12097	12845	13003	25848

TABLE XXVII.—Per-centage of Deaths to the Population in the Four Registration Groups of Scotland, viz. Principal Towns, Large Towns, Small Towns, and Rural Districts, 1855–1870.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			RURAL DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·9295	2·5845	2·7436	2·6441	2·3825	2·5063	2·1631	1·9954	2·0751	1·6832	1·6169	1·6490
1856	2·8866	2·4604	2·6571	2·3783	2·1069	2·2352	2·0704	1·8635	1·9618	1·5768	1·4455	1·5089
1857	2·9907	2·5562	2·7566	2·5387	2·2923	2·4086	2·1096	1·9808	2·0420	1·6708	1·5359	1·6010
1858	2·9763	2·5267	2·7341	2·6119	2·4070	2·5037	2·1521	1·9386	2·0400	1·7272	1·6425	1·6835
1859	2·7691	2·4120	2·5766	2·5091	2·1795	2·3191	2·1067	1·9385	2·0183	1·6966	1·6271	1·6605
1860	3·1682	2·8014	2·9706	2·3360	2·3045	2·3987	2·3042	2·1251	2·2075	1·8067	1·7205	1·7619
1861	2·7964	2·4385	2·6034	2·3860	2·1931	2·2840	2·1568	1·9236	2·0577	1·6664	1·5730	1·6180
1862	2·9314	2·6032	2·7612	2·6750	2·3836	2·5210	2·2312	2·0854	2·1546	1·7860	1·6937	1·7382
1863	3·1880	2·7063	2·9291	2·6758	2·4407	2·5518	2·3631	2·1137	2·2405	1·8593	1·8033	1·8303
1864	3·3241	2·8425	3·0730	2·7642	2·5118	2·6314	2·5104	2·2770	2·3785	1·8613	1·7992	1·8291
1865	3·2017	2·7768	2·9065	2·5592	2·4350	2·4931	2·2745	2·0762	2·1703	1·7344	1·6528	1·6922
1866	3·0212	2·6284	2·8113	2·5245	2·3791	2·4481	2·3295	2·1980	2·2604	1·8009	1·7131	1·7554
1867	2·8531	2·5038	2·6908	2·4301	2·2861	2·3544	2·3155	2·0881	2·1961	1·7371	1·6402	1·6869
1868	2·9852	2·5690	2·7635	2·4052	2·1595	2·2766	2·2401	2·0667	2·1491	1·6587	1·5867	1·6215
1869	3·2522	2·8600	3·0436	2·5561	2·4477	2·4994	2·3737	2·0976	2·2288	1·7927	1·6894	1·7393
1870	2·8799	2·5522	2·7034	2·6470	2·4117	2·5240	2·3194	2·1853	2·2491	1·8470	1·7471	1·7953

From 10 to 20 years of age the female death-rate, as above stated, was slightly higher than that of the male. Thus, in every thousand persons of each sex from 10 to 15 years of age, 5·54 females, but 5·59 males died; and from 15 to 20 years of age, 7·91 females and 7·81 males died.

Notwithstanding the facts which are annually published in these and other statistical Reports, many persons continue to assert that though a town residence be very destructive to infantile life as compared with a residence in the country, that adults are not cut off in a higher ratio in the towns than they are in Rural Districts. Table XXXI. is a complete answer to such unfounded assertions, and as the proportions there given for 1870 do not materially differ from those of former years, they may be quoted as proving how much less deadly to the population at all ages is a residence in the country as compared with a residence in town.

It matters little for a comparison of this kind whether the comparison of the death-rates at the different ages in the Rural and Town Districts be made with the males or the females, for both lead to the same conclusion; so let us take the males and compare their death-rates in the Mainland-Rural and Town Districts.

In the Mainland-Rural Districts, in every thousand persons under one year of age, 128·65 died, but 193·17 in the Town Districts. Of every thousand males in each District from birth to 5 years of age, 47·67 died in the Mainland-Rural, but 84·97 in the Town Districts. Of every thousand males from 15 to 20 years, 6·77 died in the Mainland-Rural, but 9·49 in the Town Districts. Of every thousand males from 20 to 30 years of age, 9·68 died in the Mainland-Rural, but 11·10 in the Town Districts. Of every thousand males from 30 to 40 years, 10·06 died in the Mainland-Rural, but 14·85 in the Town Districts. Of every thousand males from 40 to 50 years of age, 12·01 died in the Mainland-Rural, but 21·97 in the Town Districts. Of every thousand males from 50 to 60 years, 19·35 died

TABLE XXVIII.—TOWN DEATHS, 1860–1870. Annual Number of Deaths in the Eight Principal Towns of Scotland.

TOWNS.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.
Glasgow . . .	12436	10936	11565	13329	13674	13914	12829	12578	13832	15648	13955
Edinburgh . . .	4240	4168	4760	4593	4678	4858	4813	4765	4781	5406	4715
Dundee . . .	2903	2499	2599	2714	3105	3000	3130	2952	2917	3564	3185
Aberdeen . . .	2193	1780	1923	1750	2139	1981	2324	1824	2029	1787	1927
Greenock . . .	1255	1113	1370	1876	1929	1675	1488	1433	1658	1750	1674
Paisley . . .	1378	1207	1253	1218	1521	1410	1345	1335	1221	1449	1352
Leith . . .	987	766	872	913	928	948	924	1064	973	1169	1059
Perth . . .	664	665	618	652	871	729	613	569	626	694	641

TABLE XXIX.—Proportion of TOWN DEATHS, 1860–1870. Annual Per-centage of Deaths to the Population in each of the Principal Towns of Scotland.

TOWNS.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	Mean Annual Mortality.	1870.
Glasgow .	3·19	2·75	2·85	3·22	3·25	3·25	2·93	2·82	3·04	3·37	3·067	2·959
Edinburgh	2·50	2·43	2·73	2·59	2·60	2·65	2·58	2·52	2·48	2·77	2·585	2·376
Dundee .	3·20	2·71	2·74	2·78	3·09	2·91	2·95	2·71	2·60	3·09	2·878	2·695
Aberdeen	2·97	2·39	2·54	2·27	2·73	2·48	2·86	2·20	2·41	2·09	2·494	2·215
Greenock	2·90	2·52	3·00	3·99	3·97	3·34	2·88	2·69	3·01	3·09	3·139	2·867
Paisley .	2·90	2·54	2·63	2·55	3·19	2·95	2·81	2·78	2·54	3·01	2·800	2·805
Leith .	2·76	2·11	2·34	2·39	2·37	2·36	2·24	2·51	2·24	2·63	2·395	2·325
Perth .	2·64	2·54	2·36	2·49	2·94	2·77	2·33	2·16	2·38	2·62	2·523	2·431

in the Mainland-Rural, but 34·66 in the Town Districts. Of every thousand males from 60 to 70 years, 37·80 died in the Mainland-Rural, but 61·60 in the Town Districts. Of every thousand males from 70 to 80 years, 87·03 died in the Mainland-Rural, but 116·94 in the Town Districts. So that it is clearly proved, that at every stage of life the mortality in the country is very much lower than that in the towns.

The deaths at the different ages may, however, be looked at from another point of view—viz., for the purpose of ascertaining what proportion of the deaths occurred at each age. Table XXXII. is drawn up with the

TABLE XXX.—AGES of MALES and FEMALES who died in SCOTLAND, and its INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS, during the year 1870.

AGE.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7894	6272	216	145	3479	2748	4199	3379
— 2	3029	2783	65	61	1132	1077	1832	1645
— 3	1508	1500	24	18	642	641	842	841
— 4	1053	1056	17	18	439	459	597	579
— 5	784	784	10	24	348	345	426	415
0- 5 Years	14268	12395	332	266	6040	5270	7896	6859
5-10	2122	1954	40	39	1029	952	1053	963
10-15	997	1003	27	26	533	531	437	446
15-20	1298	1325	44	30	626	649	628	646
20-30	2628	2816	102	82	1210	1231	1316	1503
30-40	2240	2507	81	79	942	1037	1217	1391
40-50	2368	2323	61	76	959	960	1348	1287
50-60	2663	2562	79	85	1203	1102	1381	1375
60-70	3220	3376	129	157	1678	1673	1413	1546
70-80	3187	3977	184	239	2001	2402	1002	1336
80-90	1628	2580	138	185	1140	1714	350	681
90-100	212	444	30	44	148	315	34	85
100 and above	9	17	3	4	2	8	4	5
Not stated	26	20	2	4	11	11	13	5
ALL AGES	36866	37299	1252	1316	17522	17855	18092	18128

TABLE XXXI.—PER-CENTAGE of DEATHS to the POPULATION at each AGE, 1870.

AGE.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	15·542	12·645	11·530	7·864	12·865	10·409	19·317	15·830
— 2	6·888	6·504	3·787	3·785	4·696	4·604	10·096	9·251
— 3	3·296	3·449	1·297	0·994	2·498	2·622	4·627	4·610
— 4	2·343	2·400	0·878	0·952	1·743	1·827	3·351	3·297
— 5	1·792	2·667	0·490	1·293	1·410	1·442	2·500	2·482
0- 5 Years	6·228	5·549	3·533	2·951	4·767	4·295	8·497	7·484
5-10	1·045	0·982	0·424	0·437	0·883	0·842	1·364	1·252
10-15	0·529	0·554	0·291	0·293	0·490	0·518	0·620	0·640
15-20	0·781	0·791	0·625	0·379	0·677	0·744	0·949	0·898
20-30	1·040	0·968	1·152	0·646	0·968	0·858	1·110	1·116
30-40	1·221	1·122	1·048	0·726	1·006	0·913	1·485	1·408
40-50	1·620	1·330	0·958	0·850	1·201	1·039	2·197	1·757
50-60	2·475	2·127	1·400	1·413	1·935	1·531	3·466	2·709
60-70	4·493	3·626	2·907	2·706	3·780	3·089	6·160	4·654
70-80	9·719	8·933	6·570	6·541	8·703	8·019	11·694	9·013
80-90	20·079	19·773	15·933	14·308	19·748	19·926	23·406	21·415
90-100	45·779	36·573	36·099	35·719	37·271	38·586	32·278	30·540
100 and above	40·909	30·909	100·000	79·885	12·529	25·000	100·000	26·664
Not stated	—	—	—	—	—	—	—	—
TOTAL	2·3170	2·1376	1·7324	1·5354	1·9938	1·8978	2·8268	2·5210

view of showing this. It is by it seen that in all Scotland 38·70 per cent. of the male deaths and 33·23 per cent. of the female deaths occurred among persons under 5 years of age. If, however, we take the proportion of all persons under ten years of age, it will be seen that 44·45 per cent. of the male deaths and 38·48 per cent. of the female deaths were under that age. This Table, however, like the previous one, shows that the proportional death-rate to the total deaths is, in early life, much higher in the Town than in the Insular and Mainland-Rural Districts. Thus, the deaths of the male children under 10 years of age constituted 29·71 per cent. of the male deaths in the Insular, 40·34 per cent. of the male deaths in the Mainland-Rural, but 49·47 per cent. of the male deaths in the Town Districts; while the deaths of the females at the same age constituted 23·18 per cent. of the female deaths in the Insular, 34·85 per cent. of the female deaths in the Mainland-Rural, but 43·16 per cent. of the female deaths in the Town Districts.

All this is reversed at the ages above 60 years. Just in proportion to the healthiness of the District, fewer have been cut off at the earlier years of life, and consequently more have survived to die at the older ages. Hence the deaths of the males above 60 years of age constituted 38·80 per cent. of the male deaths in the Insular Districts, which are the healthiest in Scotland; 28·43 per cent. of the male deaths in the Mainland-Rural Districts; but only 15·55 per cent. of the male deaths in the Town Districts. The deaths of the females above 60 years of age, in like manner, constituted 48·10 per cent. of the female deaths in the Insular Districts; 34·28 per cent. of the female deaths in the Mainland-Rural Districts; but only 20·18 per cent. of the female deaths in the Town Districts.

CAUSES OF DEATH.

Of the 74,165 Deaths registered in Scotland during the year 1870, the cause of death was accurately recorded in 71,873 cases. In the remaining 2292 cases, being 3·09 per cent. of the whole, the causes of death were

TABLE XXXII.—PER-CENTAGE of DEATHS at each AGE to the TOTAL DEATHS, 1870.

[illegible]

stated in such indefinite terms that no use could be made of them; while in a few instances the disease of which the person died was not stated at all.

The Zymotic, or epidemic and contagious, class of diseases cut off 15,181 persons in Scotland during the year 1870, of whom 7435 were males and 7746 females. This class of diseases thus constituted 21·12 per cent. of the deaths, or cut off in the proportion of 469 in every ten thousand persons of the population, or at the rate of 483 deaths in every ten thousand males and 458 in every ten thousand females.

In seeking information relative to any class of diseases, and especially of such an important class as that of the zymotics, one of the most important facts to be ascertained is the age at which the chief mortality from each disease under that class occurred. With the view of directing special attention to this subject, Tables XXXIX. and XL. have been drawn up, which show

TABLE XXXIII.—DEATHS at different Ages in each of the Eight Principal Towns of Scotland during the Year 1870.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	2991	891	781	397	383	261	269	93
— 2	1569	328	324	156	189	121	111	45
— 3	725	152	142	72	118	57	61	18
— 4	472	133	112	54	60	37	40	16
— 5	323	86	76	42	36	25	21	17
0- 5 Years	6080	1590	1435	721	786	501	502	189
5-10	784	209	193	90	93	62	64	38
10-15	340	82	67	50	35	37	27	19
15-20	524	151	93	69	63	52	16	21
20-30	1136	375	250	130	136	99	75	48
30-40	1045	384	214	120	117	89	74	37
40-50	1090	410	217	107	98	92	61	56
50-60	1104	395	244	123	116	101	69	58
60-70	956	473	244	215	113	141	78	78
70-80	647	445	145	196	74	121	57	61
80-90	220	181	74	94	37	49	28	33
90-100	25	17	6	12	1	6	8	3
100 and above	2	3	—	—	—	2	—	—
Not stated	2	—	3	—	5	—	—	—
ALL AGES	13955	4715	3185	1927	1674	1352	1059	641

TABLE XXXIV.—PER-CENTAGE of DEATHS to the POPULATION at each AGE in each of the PRINCIPAL TOWNS of SCOTLAND, in 1870.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	19·04	15·67	21·82	14·88	18·93	18·08	17·46	14·00
— 2	12·40	6·91	10·83	6·55	10·97	9·85	8·40	7·07
— 3	5·78	3·11	4·34	3·17	7·04	4·52	4·40	2·84
— 4	3·92	2·86	3·53	2·26	3·58	2·94	3·04	2·48
— 5	2·83	1·91	2·48	1·96	2·25	2·06	1·77	2·90
0- 5 Years	9·45	6·49	8·92	5·99	9·04	7·83	7·44	5·98
5-10	1·51	1·02	1·41	0·89	1·35	1·09	1·18	1·30
10-15	0·72	0·46	0·54	0·55	0·61	0·68	0·58	0·70
15-20	1·09	0·73	0·73	0·80	0·54	0·98	0·39	0·83
20-30	1·19	0·96	1·13	0·90	1·20	1·25	0·90	1·14
30-40	1·61	1·40	1·36	1·11	1·08	1·51	1·14	1·08
40-50	2·34	2·08	1·80	1·30	1·80	1·99	1·39	1·93
50-60	3·71	2·78	3·20	1·92	3·31	2·97	2·38	2·77
60-70	5·73	5·15	5·30	4·69	5·48	5·98	4·62	5·23
70-80	11·05	10·92	8·46	9·29	9·49	11·50	5·35	7·90
80-90	20·95	23·24	25·11	18·25	24·76	23·90	23·21	9·31
90-100	28·46	28·23	21·89	29·67	9·09	35·29	100·00	18·75
100 and above	25·33	75·98	—	—	—	100·00	—	—

not only the general facts with regard to the zymotics, as contrasted with all other diseases, but the particulars also of the ages for each leading epidemic disease.

TABLE XXXV.—DEATHS, 1870. Proportion of Deaths from different Diseases to every hundred thousand Persons of the Population in 1870, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND- RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . . .	2222	2317	2137	1625	1732	1535	1942	1994	1898	2665	2827	2521
1. Zymotic Class . . .	469	483	458	323	254	215	394	398	391	594	624	569
2. Uncertain Seat . . .	73	60	85	62	55	68	73	60	85	76	64	86
3. Tubercular Class . . .	403	412	395	210	221	200	327	332	324	523	538	509
4. Brains, &c. . . .	183	202	167	117	143	94	161	174	150	220	246	199
5. Heart, &c. . . .	110	116	104	60	62	60	102	104	101	125	138	114
6. Respiratory Organs . . .	351	376	328	190	228	159	268	289	249	479	511	450
7. Organs of Digestion . . .	154	168	142	111	130	96	141	155	128	177	191	164
8. Urinary Organs . . .	34	47	22	34	52	18	30	42	19	39	53	26
9. Generative Organs . . .	16	—	31	16	—	29	14	—	27	19	—	37
10. Locomotive Organs . . .	14	15	13	10	8	13	13	14	10	15	17	14
11. Skin, etc. . . .	3	3	2	3	8	—	3	3	2	3	3	3
12. Malformation	8	11	6	—	—	—	8	10	7	9	13	6
13. Premature Debility . . .	109	129	91	43	55	33	92	103	80	139	169	112
14. Atrophy	14	14	15	7	4	9	11	10	11	20	19	21
15. Age	198	155	237	452	374	516	230	184	273	132	96	164
16. Sudden Deaths . . .	4	5	3	1	1	3	3	4	3	6	9	4
17. Violent Deaths . . .	73	119	33	69	127	21	66	106	30	82	130	40
Small-pox	3	4	2	1	1	—	2	2	1	6	8	4
Measles	26	27	24	15	13	17	23	23	22	30	34	27
Scarlatina	134	143	126	9	13	7	137	144	131	145	156	134
Diphtheria	19	20	19	20	24	17	17	17	16	23	23	24
Hooping-cough	55	50	59	44	39	49	34	32	44	84	76	93
Croup	26	31	18	28	40	18	20	23	18	34	40	36
DIARRHŒA	58	61	55	19	24	14	42	40	44	83	92	75
Dysentery	7	7	8	5	—	9	8	7	8	7	7	7
Cholera	4	5	4	1	1	—	3	4	2	6	7	5
Influenza	5	4	5	14	16	12	6	5	6	3	2	4
ALL FEVERS, viz.	97	102	94	58	61	54	75	76	73	132	141	125
Typhus	46	49	42	35	29	40	23	24	22	76	83	69
Enteric	37	37	38	14	18	10	41	40	42	35	35	35
Relapsing	6	7	6	1	1	0	2	2	1	13	14	12
Continued	4	5	4	6	11	3	5	6	4	3	3	4
Infantile	4	4	4	2	1	1	4	4	4	5	6	5
Metria	6	—	12	3	—	7	5	—	10	7	—	14
Erysipelas	10	9	10	3	6	1	9	8	9	12	12	13
Dropsy	19	16	21	22	16	26	17	14	19	21	20	28
Cancer	42	31	52	27	24	29	45	34	54	41	29	53
Scrofula	24	29	21	10	11	10	22	25	18	30	36	24
Tabes Mesenterica	32	37	27	10	11	9	23	25	20	46	56	37
PHTHISIS	283	270	294	169	179	161	236	227	245	357	339	372
Hydrocephalus	63	74	53	19	19	18	46	53	40	71	106	94
Apoplexy	43	47	40	23	34	14	40	44	37	49	52	47
Paralysis	55	56	54	51	66	38	52	52	53	59	62	58
Epilepsy	6	7	6	5	5	6	6	7	8	6	8	5
Convulsions	30	35	25	8	9	7	19	21	18	45	56	36
BRONCHITIS	240	249	237	117	133	104	172	175	167	343	348	338
Pneumonia	74	88	62	32	44	22	64	76	53	93	110	77
Teething	29	36	24	10	14	7	20	25	16	44	53	36
Enteritis	27	30	24	12	16	9	26	31	22	29	30	28
All Liver Diseases	34	37	32	31	31	30	33	28	30	37	41	34
CHILDBIRTH	11	—	22	13	—	24	9	—	19	14	—	27
Burns and Scalds	8	9	7	6	8	6	8	7	8	9	12	6
Drowning	15	27	4	46	93	8	14	27	3	12	22	5
Fracture & Contusion	29	51	9	10	16	6	26	47	7	34	60	11

The first point to note is the proportion of deaths from the zymotic and all other diseases at each selected age, and as shown in Table XL. From birth till 5 years of age, 32·0 per cent. of the deaths were from

TABLE XXXVI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in 1870.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2112	2080	2138	1433	1467	1401	2031	1996	2065	2231	2205	2256
2. Uncertain Seat . . .	332	266	397	384	319	444	378	304	451	285	226	343
3. Tubercular Class . . .	1812	1774	1850	1293	1279	1308	1686	1665	1706	1915	1905	2020
4. Nervous System . . .	826	871	783	723	847	609	832	872	793	828	872	789
5. Organs of Circulation . . .	495	501	490	379	358	383	529	522	535	471	491	451
6. Respiratory Organs . . .	1581	1626	1538	1171	1317	1036	1380	1449	1312	1797	1808	1786
7. Organs of Digestion . . .	695	727	664	546	754	627	728	779	677	664	676	653
8. Urinary Organs . . .	154	205	104	212	310	122	156	212	100	149	192	106
9. Generative Organs . . .	74	—	147	99	—	192	74	—	145	71	—	145
10. Locomotive Organs . . .	63	66	60	68	47	87	68	73	63	58	60	44
11. Skin, etc.	11	15	12	22	47	—	15	16	14	12	12	12
12. Malformation	38	46	30	—	—	—	44	50	38	35	46	25
13. Premature Debility . . .	493	559	427	212	319	217	475	530	421	523	600	447
14. Atrophy	65	60	71	45	28	61	57	54	75	75	67	82
15. Age	892	668	1113	2784	2163	3359	1185	923	1441	497	314	653
16. Sudden Deaths . . .	20	25	13	13	9	17	17	19	15	24	31	17
17. Violent Deaths . . .	328	502	157	337	734	139	342	532	158	309	461	158
Small-pox	16	20	10	4	9	—	10	11	8	21	29	15
Measles	116	117	114	95	75	113	118	117	119	115	120	110
Scarlatina	592	619	593	58	75	43	707	724	692	431	553	534
Diphtheria	85	86	89	126	41	113	85	86	84	87	82	92
Whooping-cough	248	223	277	275	225	322	220	162	187	315	269	361
Croup	119	133	105	176	235	122	105	115	96	128	143	113
DIARRHŒA	261	263	260	117	141	96	172	203	230	313	327	298
Dysentery	33	31	37	31	—	61	41	48	43	27	25	29
Cholera	20	22	17	4	9	—	13	24	14	24	26	22
Influenza	23	19	21	59	94	78	31	28	34	12	7	16
ALL FEVERS, viz.	440	441	439	357	357	357	384	384	386	497	498	495
Typhus	203	210	196	217	169	262	116	124	110	284	301	274
Enteric	168	159	177	86	104	70	211	198	224	133	122	138
Relapsing	28	30	27	4	9	—	8	9	6	49	50	49
Continued	21	23	19	41	66	17	28	34	23	13	10	16
Infantile	20	19	20	9	9	8	21	19	23	18	25	18
Metria	28	—	56	22	—	43	28	—	55	27	—	57
Erysipelas	46	42	50	22	37	8	46	40	50	47	43	51
Dropsy	85	71	98	135	94	174	86	69	103	80	71	89
Cancer	191	136	245	167	141	192	229	217	284	152	102	210
Scrofula	111	126	96	67	66	70	112	127	98	110	128	96
Tabes Mesenterica	144	161	126	63	66	61	117	129	105	174	198	149
PHTHISIS	1273	1167	1377	1044	1034	1053	1216	1138	1292	1371	1202	1478
Hydrocephalus	285	319	251	117	112	122	240	272	210	267	376	297
Apoplexy	195	203	188	144	197	96	208	221	194	195	184	189
Paralysis	249	244	254	316	386	252	271	263	279	225	218	231
Epilepsy	30	31	28	31	28	35	34	34	34	25	29	22
Convulsions	135	151	119	49	56	43	102	105	98	17	199	144
BRONCHITIS	1082	1053	1110	723	771	681	889	877	880	1286	1233	1064
Pneumonia	336	383	289	199	254	148	330	383	279	271	390	315
Teething	134	155	114	63	84	43	106	121	88	165	187	143
Enteritis	122	131	114	76	94	61	137	158	148	110	107	114
All Liver Diseases	155	161	150	189	179	200	169	177	162	140	145	135
CHILDBIRTH	53	—	105	81	—	157	50	—	100	53	—	106
Burns and Scalds	37	41	34	40	47	35	40	37	42	35	44	25
Drowning	69	118	20	284	536	52	77	136	19	47	77	18
Fracture & Contusion	131	220	33	63	94	35	137	187	40	128	214	43

zymotic diseases, and 68·0 per cent. from all other diseases and causes of death; from 5 to 10 years of age, 52·7 per cent. of all the deaths were caused by zymotics, and 47·3 per cent. from all other diseases; from 10 to 15 years of age, 30·1 per cent. of the deaths were caused by zymotics, and 69·9 per cent. by all other diseases; from 15 to 60 years of age, 12·2 per cent. of the deaths were caused by zymotics, and 87·8 per cent. by the other diseases; and above 60 years of age, only 5·8 per cent. of the deaths at that age arose from zymotics, while 94·2 per cent. were caused by all other diseases and causes of death.

This Table therefore shows us, that taking the whole annual deaths into consideration, the highest proportional mortality from zymotic diseases occurs from the fifth to the tenth year of life; and the next highest proportion, from birth to the fifth year of life.

This Table, however, distinctly shows that adults and the aged are cut off by zymotics at a very much lower rate than are all children under 15 years of life; for while the deaths from the zymotic class of diseases constituted 34·5 per cent. of the deaths under 15 years of age, they only caused 9·4 per cent. of the deaths from 15 to 105 years of age.

TABLE XXXVII.—TOWN DEATHS, 1870. Proportion of Deaths from different Diseases to the Population in the Principal Towns, Large Towns, and in each of the Eight Principal Towns of Scotland during the year 1870, allowing for causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths to every 100,000 Persons living.									
	Principal Towns.	Large Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS . . .	2703	2524	2959	2376	2695	2215	2867	2805	2325	2431
Zymotic Class . . .	584	630	629	442	692	426	775	626	528	524
Tubercular Class . . .	535	480	628	448	489	355	514	555	488	447
Brain, etc.,	224	208	224	231	210	283	188	213	192	194
Heart, etc.,	131	106	105	188	137	115	121	94	117	214
Respiratory Organs . . .	508	378	628	386	460	361	429	406	398	303
Organs of Digestion . . .	180	167	206	138	144	173	209	243	126	136
Premature Debility . . .	141	134	130	102	168	70	154	139	119	78
Old Age	120	175	100	127	119	143	137	198	80	229
Violent Deaths	85	72	85	84	75	75	119	88	99	89
Small-pox	6	3	4	—	1	3	61	9	2	—
Measles	29	34	25	9	21	1	144	112	—	43
Scarlatina	116	244	99	91	212	97	78	105	192	194
Diphtheria	25	15	25	49	9	26	19	21	15	9
Hooping-cough	95	46	120	40	138	70	105	30	77	70
Croup	35	31	36	52	11	23	28	43	39	27
Diarrhoea	82	86	77	62	148	68	110	69	97	43
Dysentery	6	9	5	5	11	16	5	10	2	4
Cholera	5	11	3	3	12	1	10	9	7	—
Fevers, viz.	139	110	189	81	87	80	183	179	61	86
Typhus	82	56	116	46	46	34	115	82	26	62
Enteric	33	41	35	29	33	36	48	43	17	16
Relapsing	15	7	26	3	3	1	14	28	9	—
Continued	4	3	5	1	2	1	2	9	7	4
Infantile	5	3	7	2	3	8	4	17	2	4
Dropsy	22	19	22	9	35	11	28	49	28	23
Cancer	41	41	30	61	42	49	30	43	46	70
Phthisis	363	335	435	284	361	244	358	354	242	331
Apoplexy	50	47	47	59	51	49	52	49	28	66
Paralysis	58	65	47	66	64	79	35	101	53	66
Bronchitis	365	265	473	250	358	268	220	288	256	202
Pneumonia	96	81	115	87	70	60	112	90	97	62
Teething	48	29	61	15	52	47	78	67	17	27

Table XXXIX., however, presents the mortality from the zymotic and the other diseases under a different aspect, not comparing them with each other at the different ages, but showing what per-centage at each age fell victims to the class of diseases, or to the particular zymotic diseases.

Thus, if we take the whole zymotic deaths in 1870, and reduce them to proportions, as is done in Table XXXIX., it is seen that no fewer than 56·3 per cent. of the persons who died from zymotic diseases were under 5 years of age; 14·2 per cent. were from 5 to 10 years; 3·9 per cent. were from 10 to 15 years; 18·4 per cent. were from 15 to 60 years; while 7·2 per cent were above 60 years of age. This fact shows that, when taken as a whole, and compared with itself, the zymotic class proves much most fatal during the first five years of life, much more than a half of all the deaths from that class of diseases having occurred before the fifth year of life.

It is still too commonly received as an axiom by parents, that a child cannot pass too soon through the usual epidemics which affect them. This Table should serve to convince all that this impression is a completely false one, seeing it distinctly proves that the younger the child is, the greater is its chance of dying under the malady. Thus, of epidemic diseases which chiefly affect children, Measles, Scarlatina, Diphtheria, Hooping-cough, and Croup, from 67 to 94 per cent. of all who died from these diseases in 1870 were under 5 years of age. Thus, of the persons who died from Measles,

TABLE XXXVIII.—TOWN DEATHS, 1870. Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in 1870.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths in every 10,000 Specified Causes of Death.									
	Principal Towns.	Large Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	2160	2494	2122	2344	2567	1921	2704	2229	2271	2153
Tubercular Class	1980	1905	2120	2377	1815	1603	1792	1977	2100	1834
Brain, etc.	829	824	759	970	780	1279	657	759	827	797
Heart, etc.	484	421	353	790	509	653	422	337	504	876
Respiratory Organs	1878	1497	2121	1623	1705	1592	1495	1448	1711	1244
Organs of Digestion	655	663	696	579	535	782	732	865	542	558
Premature Debility	521	533	553	430	685	319	540	498	513	319
Old Age	444	679	339	688	442	648	478	706	342	939
Violent Deaths	316	277	287	354	281	339	416	322	428	364
Small-pox	24	13	18	2	3	12	211	30	9	—
Measles	109	137	87	38	79	5	503	399	—	175
Scarlatina	428	947	337	382	786	439	273	375	827	797
Diphtheria	94	62	84	207	31	62	68	70	67	32
Hooping-cough	351	183	407	169	511	313	366	107	333	287
Croup	129	156	122	220	41	104	99	153	171	111
Diarrhœa	306	338	260	292	549	308	385	245	418	175
Dysentery	25	36	167	23	41	73	18	38	9	16
Cholera	18	43	12	15	47	5	37	30	28	—
Fevers, viz.	513	435	638	339	322	360	639	636	266	351
Typhus	301	221	394	194	171	152	403	293	115	255
Enteric	124	162	119	117	123	162	168	153	76	64
Relapsing	55	27	88	13	9	5	50	99	38	—
Continued	13	12	16	7	7	5	6	30	28	16
Infantile	20	13	21	8	12	36	12	61	9	16
Dropsy	82	75	75	35	130	52	99	176	124	96
Cancer	154	163	104	263	154	224	105	153	201	287
Phthisis	1346	1328	1468	1192	1338	1102	1247	1244	1065	1355
Apoplexy	186	185	159	256	186	224	180	176	124	171
Paralysis	215	260	160	276	237	355	124	406	228	171
Bronchitis	1351	1048	1596	1050	1326	1211	968	1027	1102	828
Pneumonia	357	321	390	365	259	271	390	322	418	255
Teething	171	114	204	66	193	214	273	237	76	111

87·4 per cent. were under 5 years of age, and 9·5 per cent. between 5 and 10 years of age ; of those who died from Scarlatina, 59·1 per cent. were under 5 years of age, and 30 per cent. between 5 and 10 years ; of those who died from Diphtheria, 67·7 per cent. were under 5 years of age, and 20·6 per cent. between 5 and 10 years ; of those who died from Hooping-cough, 93·8 per cent. were under 5 years, and only 5·8 per cent. between 5 and 10 years of age ; of those who died from Croup, 88·7 per cent. were under 5 years, and 11·2 per cent. from 5 to 10 years. Even Diarrhoea, or simple bowel complaint, was very fatal to infants. Of those who died from it, 69·6 per cent. were under 5 years, and only 1·4 per cent. from 5 to 10 years of age.

But a few epidemic diseases affect the adult in a higher proportion than children. Of these the most notable is Fever, including all its varieties—Typhus, Enteric, Relapsing, and Simple Continued Fever. Thus, of the persons who died from Fever, 16·1 per cent. died under 5 years of age, 10·2 per cent. between the ages of 5 and 10 years, and 7·3 per cent. between the ages of 10 and 15 years ; but 54·4 per cent. died from Fever between the ages of 15 and 60 years, and 12·0 per cent. above 60 years.

In the Table, Enteric and Infantile Fevers have been tabulated and their proportions given separately. They are the same disease, however, and ought to be combined to show the true proportions at the different ages of each of the separate forms of Fever ; when combined, it appears that of the persons who died from Enteric (Gastric, Typhoid, and Infantile) Fever, 23·7 per cent. were under 5 years of age, 14·6 per cent. between 5 and 10 years, 9·0 per cent. between 10 and 15 years, 41·9 per cent. between 15 and 60 years, and 10·8 per cent. above 60 years of age.

Another feature, however, in the zymotic diseases merits notice. It rarely happens that it is the same epidemic disease which takes the lead in all localities, but one here and another there, throwing the others so far into abeyance. This fact has often been pointed out in these Reports, and is often

TABLE XXXIX.—NUMBER and PROPORTION of DEATHS at different Ages from the Zymotic and Ordinary Diseases in SCOTLAND in 1870.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PER-CENTAGE AT EACH AGE.					
	0—5 yrs.	5—10	10—15	15—60	Above 60	Total.	0—5	5—10	10—15	15—60	Above 60	Total.
Small-pox . . .	46	13	5	50	—	114	40·3	11·4	4·4	43·9	0·0	100·00
Measles . . .	729	79	10	16	—	834	87·4	9·5	1·2	1·9	0·0	100·00
Scarlatina . . .	2576	1311	272	192	5	4356	59·1	30·0	6·2	4·4	0·3	100·00
Diphtheria . . .	426	130	29	42	3	630	67·7	20·6	4·6	6·7	0·4	100·00
Hooping-cough . .	1671	104	6	2	—	1783	93·8	5·8	0·3	0·1	0·0	100·00
Croup . . .	760	96	1	—	—	857	88·7	11·2	0·1	0·0	0·0	100·00
Diarrhoea . . .	1308	27	11	181	355	1882	69·6	1·4	0·6	9·6	18·8	100·00
Dysentery . . .	67	2	3	67	106	245	27·3	0·8	1·3	27·3	43·3	100·00
Cholera . . .	72	11	2	33	25	143	50·3	7·7	1·4	23·1	17·5	100·00
All Fevers, viz. .	511	323	231	1720	379	3164	16·1	10·2	7·3	54·4	12·0	100·00
Typhus . . .	119	92	81	992	176	1460	8·2	6·3	5·5	68·0	12·1	100·00
Enteric . . .	210	165	121	565	146	1207	17·4	13·7	10·0	46·8	12·1	100·00
Relapsing . . .	37	15	13	106	34	205	18·1	7·3	6·4	51·7	16·5	100·00
Simple Contd. .	36	19	16	57	23	151	23·9	12·5	10·6	37·8	15·2	100·00
Infantile . . .	109	32	—	—	—	141	77·3	22·7	0·0	0·0	0·0	100·00
Syphilis . . .	156	—	—	27	3	186	83·9	0·0	0·0	14·5	1·6	100·00
Erysipelas . . .	134	11	6	82	97	330	40·6	3·4	1·8	24·8	29·4	100·00
All Zymotics . .	8553	2145	603	2782	1098	15181	56·3	14·2	3·9	18·4	7·2	100·00
All other Diseases, } exclud'g Zymotics }	18110	1931	1397	19948	17598	58984	30·7	3·3	2·3	33·9	29·8	100·00
Total Deaths . .	26663	4076	2000	22730	18696	74165	35·9	5·5	2·7	30·7	25·2	100·00

very marked in the Eight Principal Towns, and in illustration thereof may be noticed the epidemic diseases which took the lead in each of these during 1870.

In Glasgow, by far the most fatal of the epidemics was Fever in its three leading forms—Typhus, Enteric, and Relapsing Fever—which caused 882 deaths, or 6·38 per cent. of the mortality in the town. After this came Hooping-cough, with 563 deaths, constituting 4·07 per cent. of the mortality; then Scarlatina, 466 deaths, constituting 3·37 per cent. of the mortality; then Diarrhœa, 359 deaths, constituting 2·60 per cent. of the deaths.

In Edinburgh, on the other hand, Scarlatina was the most fatal of the epidemics, and constituted 3·82 per cent. of the deaths in the town; Fever followed as the next most fatal, constituting 3·39 per cent. of the deaths; Diarrhœa followed, constituting 2·92 per cent. of the deaths; then Croup, and then Diphtheria.

In Dundee, Scarlatina was the most fatal of the epidemics, and constituted the very high proportion of 7·86 per cent. of the deaths; Diarrhœa was the next most fatal of the zymotic diseases, causing the very high proportion of 5·49 per cent. of the deaths; next came Hooping-cough, also with the high proportion of 5·11 per cent. of the deaths; then Fever, with the low average of 3·22 per cent. of the deaths.

Aberdeen, like Edinburgh and Dundee, had Scarlatina as the most fatal of the epidemics, but the proportion was only 4·39 per cent. of the deaths; then followed Fever, which constituted 3·60 per cent. of the deaths; then Hooping-cough, constituting 3·13 per cent. of the deaths; then Diarrhœa, constituting 3·08 per cent. of the mortality; Measles was almost in complete abeyance the whole year, only 1 death having been attributed to it.

In Paisley, as in Glasgow, the most fatal of the epidemics was Fever in its three forms—Typhus, Enteric, and Relapsing—which constituted 6·36 per cent. of the deaths in the town. Unlike all the other Principal Towns, Measles was the second most fatal of the epidemics, and constituted 3·99 per cent. of the deaths; after this followed Scarlatina, which caused 3·75 per cent. of the deaths; and then Diarrhœa, constituting 2·45 per cent. of the mortality. On the other hand, Hooping-cough, which had such a high mortality in most of the other towns, had a very low mortality, only constituting 1·07 per cent. of the deaths.

In Greenock, as in Glasgow and Paisley, Fever was by far the most fatal of the epidemics, and constituted 6·39 per cent. of the deaths; Measles was the second most fatal of the epidemics, and constituted the high proportion

TABLE XL.—Per-centage of Deaths from the ZYMOTIC and ORDINARY Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PER-CENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotics.	All other Diseases.
0—5	26,663	8,553	18,110	32·0	68·0
5—10	4,076	2,145	1,931	52·7	47·3
10—15	2,000	603	1,397	30·1	69·9
15—60	22,730	2,782	19,948	12·2	87·8
Above 60	18,696	1,098	17,598	5·8	94·2
0—15	32,739	11,301	21,438	34·5	65·5
15—105	41,426	3,880	37,546	9·4	90·6

of 5·03 per cent. of the deaths; after that came Diarrhœa and Hooping-cough, constituting respectively 3·85 and 3·66 per cent. of the deaths; after this came Scarlatina and Small-pox, constituting 2·73 and 2·11 per cent. respectively of the deaths.

In Leith, Scarlatina was by far the most fatal of the epidemics, constituting the very high proportion of 8·27 per cent. of the deaths. This was the second consecutive year when Leith showed such a high mortality from Scarlatina. Diarrhœa was the next most fatal of the epidemics, constituting 4·18 per cent. of the deaths. Next followed Hooping-cough, constituting 3·33 per cent. of the deaths. On the other hand, the mortality from Fever was low, and that of Measles only 1·75 per cent. of the deaths.

In Perth, Scarlatina was the leading epidemic, the deaths therefrom constituting 7·97 per cent. of the mortality. Next followed Fever, which only constituted 3·51 per cent. of the deaths, and Hooping-cough, constituting 2·87 per cent. of the deaths. Measles and all other epidemics were much below the average.

It is worthy of notice, from its strong bearings on one of the much agitated questions of the day—the sanitary state of towns—that Fever in its three distinct forms—Typhus, Enteric, and Relapsing—was the leading and most fatal epidemic in the three almost adjoining towns, Glasgow, Paisley, and Greenock. The close and constant intercourse between these towns sufficiently accounts for the fact of the same disease being prevalent in all at the same period; but it fails altogether to explain why it happened that the proportional deaths from Fever in these three Towns should have been almost the same. Thus, 6·36 per cent. of the deaths were from Fever in Paisley; 6·38 in Glasgow; and 6·39 in Greenock, and yet these several Towns are by no means alike as to the occupations or state of overcrowding of their populations, or of the sanitary condition of the Towns themselves.

Of the various diseases belonging to the zymotic class, Small-pox stands first in importance, but during the year 1870 only 114 deaths occurred in Scotland, of which 34 occurred in Greenock and 25 in Glasgow. It was suspected at the time when this apparently slight outbreak of Small-pox occurred in these Towns, that it was brought to them from the Continental ports where Small-pox was very prevalent. The large proportion of adults who fell victims to the disease gives some countenance to this supposition, 43·9 per cent. of the Small-pox deaths being in persons from 15 to 60 years of age.

Table XLI. show the number of Small-pox deaths in Scotland since the Registration Act came into operation; and no one can fail to remark

TABLE XLI.—SMALL-POX DEATHS in SCOTLAND.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,309	1863	1,646
1856	1,306	1864	1,741
1857	845	1865	383
1858	332	1866	200
1859	682	1867	100
1860	1,495	1868	15
1861	766	1869	64
1862	426	1870	114

the great diminution in the number of deaths from that disease since the Vaccination Act came into full operation in 1865. That Act unfortunately makes no provision for the vaccination of adults, so that when an epidemic of Small-pox comes, a large proportion of adults, who have never been protected by vaccination, falls victims to it. The unnecessary delay also of six months, before the Act enforces the vaccination of the child, exposes the nursing child to the disease at the very time of life when it is both most liable to take the disease and when the disease is most fatal to it. The Act however, as it exists, is well worked, and during the year 1870, of the 105,722 who survived till the period when they were vaccinated, 95·802 per cent. were successfully vaccinated; 0·669 per cent. had their vaccination postponed from teething or other causes; 0·669 per cent. were found insusceptible of vaccination from constitutional insusceptibility, and 0·155 per cent. from having previously had Small-pox, while 2·395 per cent. escaped vaccination, or were lost sight of, in consequence of removing from

TABLE XLII.—VACCINATIONS in SCOTLAND, 1864–1870, and proportion to the Births each Year.

Years.		Success-fully Vaccinated.	Vaccina-tion Post-poned.	Insusceptible of Vaccination.			Died before Vaccina-tion.	Removed from District before Vaccination, or otherwise not accounted for.	TOTAL BIRTHS.
				From Constitu-tional Insuscep-tibility.	From having had Small-pox.	From previous Vaccination.			
1864	Numbers .	95047	662	667	154	440	9180	2701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1864	Per-centage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Per-centage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Per-centage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Per-centage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Per-centage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Per-centage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Per-centage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000

TABLE XLIII.—VACCINATIONS in SCOTLAND, 1864–1870, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccina-tion Post-poned.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	TOTAL LIVING.
				From Constitu-tional Insuscep-tibility.	From having had Small-pox.	From previous Vaccination.		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1864	Per-centage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Per-centage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Per-centage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Per-centage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Per-centage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Per-centage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Per-centage	96·362	0·797	0·203	0·026	0·217	2·395	100·000

their district of birth before the six months had expired when vaccination could have been enforced.

Scarlatina was the most fatal of the zymotic diseases in Scotland during 1870, causing 4356 deaths, being 5·92 per cent. of the mortality, or 134 deaths in every hundred thousand persons. This disease, like most others in Scotland, was most fatal to males, causing 143 deaths in every hundred thousand males, but only 126 deaths in a like number of females. During the 10 yearly period, 1855–1864, Scarlatina caused 4·30 per cent. of the deaths, or 92 deaths in every hundred thousand persons, so that during 1870 the Scarlatina death-rate was far above the average.

Fever was the second most fatal of the epidemic diseases, causing 3164 deaths in Scotland, of which 1573 were male and 1591 female deaths. This indicates a proportion of 97 deaths in every hundred thousand persons of the population, and 4·40 per cent. of the deaths. Of these 3164 Fever deaths, 1460 were tabulated as Typhus, 1207 as Enteric, 205 as Relapsing, 151 as Simple Continued, and 141 as Infantile. As what is styled Infantile Remittent Fever is in reality Enteric Fever, this makes the deaths from Enteric Fever amount to 1348. Since attention in this country has been specially directed to the different distinct forms of Fever, a Table has been given in these Reports showing the comparative prevalence of these different forms in the Mainland-Rural and Town District. Table XLV. shows the facts for 1870; from which it will be seen that while Typhus is the leading type of Fever in the Towns, Enteric Fever is the leading and most prevalent form in the Rural Districts. Thus, while only 30·2 per cent. of the total deaths from Fever resulted from Typhus in the Rural Districts, 57·2 per cent. were from Typhus in the Town Districts. And, on the other hand, while only 26·5

TABLE XLIV.—DEATHS from FEVER in 1870.

FEVERS.	MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever.	Per-centage to Total Fever Deaths.	Deaths from each Fever.	Per-centage of Total Fever Deaths.
Typhus . . .	395	30·2	1017	57·2
Enteric . . .	716	54·9	472	26·5
Relapsing . . .	27	2·1	177	9·9
Simple Continued . .	96	7·3	46	2·6
Infantile . . .	72	5·5	67	3·8
ALL FEVERS . .	1306	100·0	1779	100·0

TABLE XLV.—Monthly Deaths from FEVER in the Eight Principal TOWNS of SCOTLAND during the Six Years 1865–1870; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January .	1049	780	235	July . .	767	555	164
February .	958	707	199	August .	656	442	170
March .	1038	779	207	September .	633	425	172
April .	920	692	177	October .	745	464	225
May .	887	641	199	November .	912	595	225
June .	820	608	174	December .	920	591	224

per cent. of the Town Fever deaths resulted from Enteric Fever, 59·4 per cent. were caused by that form of Fever in the Rural Districts; or, including the whole deaths from infantile Fever, while 30·3 per cent. of the Town Fever deaths resulted from Enteric Fever, 60·4 per cent., or double the proportion, were cut off by Enteric Fever in the Rural Districts.

It is worthy of being put on record, that the epidemic of Fever which broke out more especially in the western side of Scotland, and was especially extending its ravages in the populous towns of Glasgow, Paisley, and Greenock, contained a larger proportion of that form of Fever termed "Relapsing Fever" than has been witnessed since the notable epidemic of Relapsing Fever in 1847-48. During the last century, Relapsing Fever always constituted from a sixth to a fourth of the cases of Fever, when Pestilences, or Plagues, as they were often called, but in reality were epidemics of Fever, attacked the people in consequence of a famine. Hence, some medical men, not attending to the fact that Typhus and Enteric Fevers almost invariably constituted the bulk of the deaths during these pestilences, attempted to give to Relapsing Fever the title of "Famine Fever." Such a name is a complete misnomer. Nowhere in Scotland has the appearance of this form of Fever been traced to famine, or to anything approaching thereto; for during its progress, the working classes were in full employment, wages were high, and food of all kinds was abundant, good in quality, and moderate in price.

Before the accurate statistical facts regarding Fever were so well known as they are now, and when the medical men of this country were beginning to distinguish the different forms of Fever, much was written with the endeavour to prove that the types or forms of Fever had changed of late years—Typhus changing to Enteric, and both into Relapsing. No such change will be acknowledged by any one who has looked into the records of the pestilences of Fever which attacked Scotland and Ireland during the last century, chiefly during years of famine. By these records it appears that all the above-named forms of Fever which prevailed in Scotland during 1870, existed in these countries during the last, and most likely during previous, centuries; and, what is still more singular is, that in several of the epidemics the forms of Fever proved fatal very nearly in the same relative proportions as during that year. This is a most important fact, for it conclusively demonstrates that no change of type has occurred in these forms of Fever, nor in the relative proportions in which they prove fatal, when all occur in the same epidemic. It also conclusively shows how much the general sanitary condition of the population has improved, seeing that when these conjoined Fevers attack us now, their combined mortality only amounts to 4·4 per cent of the total deaths, or in the small proportion of 97 deaths in every hundred thousand persons, whereas they often decimated the population in previous centuries.

One important element to be taken into consideration relative to Fever, is the period of the year it is most prevalent, or during which it exhibits its increase or its decline. This cannot be shown for all Scotland. But Table XLV. shows the facts for the Eight Principal Towns of Scotland during the six years, 1865-1870. From that Table, it will be seen that Fever was most fatal during the months of January, February, and March, and next most fatal in November, December, and April. After April the mortality rapidly diminished till it attained its lowest point in September, after which it increased till January, when it attained its greatest mortality.

Measles prevailed only to a slight extent in Scotland in 1870, was generally of a mild type, and only caused 834 deaths, or constituted 1·16 per cent. of the mortality.

Diphtheria was not unusually prevalent, as it only caused 630 deaths, or in the small proportion of 19 deaths in every hundred thousand persons. But it was very prevalent and fatal in Edinburgh, causing in the proportion of 49 deaths in every ten thousand persons. It also exhibited in Edinburgh another peculiarity—that it did not prevail among the lowest class, but that its chief victims were among the middle and upper classes, living in the best houses, and surrounded with every comfort.

Hooping-cough had a low mortality in 1870, only causing 1783 deaths, or 2·48 per cent. of the mortality. It is one of the few diseases in which the death-rate is higher among females than males; and 50 males, but 59 females, died during the year in every ten thousand persons of each sex.

Diarrhœa caused 1882 deaths, being in the proportion of 58 deaths in every hundred thousand persons, or 2·61 per cent. of the deaths.

Of the other diseases put under the zymotic class, Croup caused 857 deaths; Thrush, 32; Dysentery, 245; Cholera, 143; Influenza, 168; Purpura, 36; Worms, 11; Metria, 202; Rheumatic Fever, 159; Erysipelas, 330; Pyæmia, 34; Syphilis, 186 (156 of which were congenital); Noma, 14; and Hydrophobia, 1.

Diseases of uncertain seat caused 2388 deaths, being 3·32 per cent. of the mortality, or 73 deaths in every hundred thousand persons. Cancer was the worst of the diseases in this class, having caused 1373 deaths, or 42 deaths in every hundred thousand persons, or 1·91 per cent. of the mortality. The mortality from Cancer fell most heavily on the female, for while 887 females died from that cause, only 486 males succumbed to it.

Of the other diseases under this class, Hæmorrhage, of which the seat was not specified, caused 71 deaths; Dropsy (otherwise unspecified), 612 deaths; Abscess, 141; Ulcer, 49; Fistula, 17; Mortification, 109; and Gout, 16.

The Tubercular class of diseases caused 13,027 deaths, 6327 of which were males and 6700 females. This gives the proportion of 403 deaths in every hundred thousand persons, or 18·12 per cent. of the deaths. As compared with the population, this class of diseases proved far more fatal to the inhabitants of the Town than to those of the Rural or Insular Districts. Thus, for every hundred thousand persons in each group of Districts, there occurred from Tubercular diseases, 210 deaths in the Insular, 327 deaths in the Mainland-Rural, but 523 deaths in the Town Districts.

Phthisis, or Consumption, belonging to this class, is the individual disease which causes more deaths than any other in Scotland. During 1870, 9148 persons, 4161 of whom were males and 4987 females, died from this disease, giving the proportion of 283 deaths in every hundred thousand persons, and thus constituted 12·73 per cent. of the deaths. This disease so far resembles Hooping-cough in that it proves more fatal to females than males, contrary to the rule which prevails with most other diseases. Thus, in every hundred thousand of each sex, it cut off 270 males but 294 females during the year, and these relative proportions are much the same year after year. The proportion of deaths from this disease varied greatly in the Town and Rural Districts. Thus, for every hundred thousand persons in each group of Districts, there died from this disease 169 persons in the Insular, 236 in the Mainland-Rural, and 357 in the Town Districts. Even the several Principal Towns of Scotland showed a great diversity in their proportional mortality from this disease, the proportion being lowest

in Leith, and highest in Glasgow. Thus, for every hundred thousand inhabitants in each town, there died from Consumption 242 in Leith, 244 in Aberdeen, 284 in Edinburgh, 331 in Perth, 354 in Paisley, 358 in Greenock, 361 in Dundee, and 435 in Glasgow.

Of the other diseases belonging to the Tubercular class, Scrofula caused 798 deaths; Tabes Mesenterica, 1034; and Hydrocephalus, 2047. The relative proportion of males who died from Hydrocephalus was very large, being as 74 males to 53 females in every hundred thousand of each sex.

Diseases of the Brain caused 5942 deaths, nearly the same number as during the previous year, thus constituting 8.26 per cent. of the deaths, or causing 183 deaths in every hundred thousand persons. A much larger proportion of males than of females died from Brain Diseases—202 males, but only 167 females, dying in every hundred thousand of each sex.

Diseases of the Heart and Blood-vessels caused 3560 deaths, of which 1789 were male and 1771 female deaths. This gives the proportion of 110 deaths from these diseases in every hundred thousand persons, and constituted 4.95 per cent. of the mortality; while the proportional mortality of males and females was not greatly different from the general proportion from all diseases.

Inflammatory Affections of the Respiratory Organs cut off 11,366 persons in Scotland in 1870, of whom 5796 were males and 5570 females. This gives the proportion of 351 deaths in every hundred thousand persons, or 15.81 per cent. of the deaths, and in the proportion of 376 male and 328 female deaths in every hundred thousand persons of each sex. It is a remarkable fact, as showing the much lower vitality of town populations, and their consequent much greater liability to fall victims to diseases which are chiefly attributable to atmospheric vicissitudes, that the town mortality from these diseases was nearly twice as great as that of the Rural Districts, and thrice as great as that in the Insular Districts. Thus, for every hundred thousand persons in each group of Districts, there died from Inflammatory Affections of the Respiratory Organs 190 persons in the Insular, and 268 in the Mainland-Rural Districts, but the high proportion of 479 in the Town Districts.

Of the Eight Principal Towns, Glasgow had the highest proportion of deaths from diseases of the Respiratory Organs, and Perth the lowest. Thus, for every hundred thousand persons in each town, Perth showed 303 deaths from diseases of the Respiratory Organs; Aberdeen, 361; Edinburgh, 386; Leith, 398; Paisley, 406; Greenock, 429; Dundee, 460; and Glasgow the very high proportion of 628 deaths.

Of the individual diseases belonging to this class, Bronchitis was the most fatal, causing 7777 deaths, or 240 deaths in every hundred thousand persons, or 10.82 per cent. of the mortality. Pneumonia, or Inflammation of the Lungs caused 2415 deaths; Laringitis, 136; Pleurisy, 213; Asthma, 486; and undefined Disease of the Lungs, 339 deaths.

Diseases of the Organs of Digestion caused 4997 deaths, 2593 being males and 2404 females. This gives a proportion of 168 male and 141 female deaths in every hundred thousand persons of each sex, or 154 deaths in every hundred thousand of both sexes, thus constituting 6.95 per cent. of the mortality. Of every hundred thousand persons in each of the three groups of Districts, these diseases cut off 111 in the Insular, 141 in the Mainland-Rural, and 177 in the Town Districts.

Of the diseases belonging to this class, Teething caused 965 deaths; Quinsey, 67; Gastritis, 185; Enteritis, 880; Peritonitis, 319; Ascites, 64; Ulceration of the Intestinal Canal, 191; Hernia, 116; Ileus, 293; Intussus-

ception, 49 ; Stricture of Intestines, 26 ; Stomach Disease, 685 ; Hepatitis, 154 ; Jaundice, 217 ; other Diseases of the Liver, 747 ; and Diseases of the Spleen, 39 deaths.

Kidney and Urinary Diseases caused 1107 deaths, being the proportion of 34 deaths in every hundred thousand persons, or 1·54 per cent. of the mortality. Males are twice as liable to these diseases as females, seeing that 731 males, but only 376 females, died from these in 1870, being in the proportion of 47 males to every 22 females in every hundred thousand persons of each sex. Of the individual diseases belonging to this class, 93 deaths were attributed to Nephritis, 339 to Nephria, 8 to Addison's disease (*viz.*, disease of the supra-renal capsules), 55 to Ischuria, 96 to Diabetes, 56 to Stone, 175 to Cystitis, 12 to Stricture of the Urethra, and 273 to Kidney Disease not otherwise specified.

The deaths from diseases of the Generative Organs were confined to females, 533 having fallen victims thereto in 1870. Of these, 381 were attributed to one or other of the accidents attending child birth, and if to these be added the 202 deaths from Metria (Child-bed Fever), it gives us 583 deaths from child birth, out of the 113,988 mothers who bare 115,390 living children during the year. This would indicate that one mother in every 194 fell a sacrifice to child-bearing during the year. But these proportions require a large correction which we have it not in our power to make. The accidents attending child birth are much more frequent among those who have miscarriages and still-births, than among those who bare living children. Only the living births are registered, and we have no means of ascertaining the number of women who have miscarriages or still-births. Before the Registration Act, however, came into operation, the still-births were regularly registered among the deaths in many of the towns of Scotland, and it was found that they averaged about 7 per cent. of the births. Assuming that 5 per cent. would be a fair average for all Scotland, this would give 5699 women who had born still-births, whose number must be added to the 113,988 women who bare living children, even not including those who had miscarriages. This would give 583 deaths, out of 119,687 women bearing living or dead children in 1870, or only one death from child-bearing in every 205 women. It may be remarked, however, that the deaths from Metria were high above the average in 1870, and that the average mortality of child-bearing in Scotland is much below that calculated for that year.

Diseases of the Organs of Locomotion caused 455 deaths, of which 112 were attributed to Bone Diseases, 170 to Rheumatism, and 173 to Diseases of the Joints.

Skin Diseases caused 100 deaths, of which 25 were attributed to Carbuncle, 20 to Phlegmon, and 55 to Disease of the Skin.

Malformation caused 276 deaths; Infantile Debility, chiefly arising from Premature Birth, 3543 deaths; Old Age, without marked disease, 6414 deaths; Atrophy, 471 deaths; while 150 deaths were sudden, and the exact cause not accurately ascertained.

2363 deaths were ascribed to Violent Causes, being 3·28 per cent. of the deaths, or 73 deaths in every hundred thousand persons. This proportion is very closely the same year after year. Of these deaths, 939 were ascribed to Fractures and Contusions, 495 to Drowning, 270 to Burns and Scalds, 167 to Suffocation, 114 to Want of Breast Milk, 98 to Intemperance, 7 to Privation, 2 to Neglect, 24 to Exposure to Cold, 49 to Poison, 1 to a Poisoned Wound, 55 to Hanging, 18 to Gunshot Wounds, 42 to Cuts and Stabs, and 82 to other violent causes not particularized above.

Of the violent deaths, 133 were registered as Suicides. Of these Suicides, the form of death was ascribed in 54 cases to Hanging, in 16 to Drowning, in 37 to Cut-throat, in 5 to Gunshot Wounds, in 18 to Poisons of various kinds—7 deaths being ascribed to Opium, Laudanum, or Morphia, 3 to Sulphuric Acid, 1 to Oxalic Acid, 1 to Cyanide of Potassium, 1 to Nitrate of Potash, and 5 in which the poison was not named. One suicide was caused by opening the veins of the arms and legs, and in 2 cases the form of death was omitted to be stated. It thus appears that during 1870 there was only one suicide for every 25,088 persons in the population—a proportion perhaps lower than in any other country of Europe.

Table XLVI. shows the nineteen most fatal diseases in England and in Scotland during the year 1870, arranged according to the order of their fatality in each country. That Table shows that the several diseases in each of these countries had different death-rates, though inhabited by the same races of men, and supposed, but erroneously, to be under the same meteorological conditions. That Table has been so often commented on, that it requires no separate notice in this Report.

Interesting facts are occasionally noticed by the Registrars, which merit being recorded. During the year a giant Irishman died at Hawick, who was seven feet eight inches in height, measured 58 inches round the chest, and weighed 22 stone. At Killin, Perthshire, an old man died at the age of 91 years, but five years before his death he cut six new teeth, which he said were quite serviceable and “as sharp as lancets.” From the imperfect manner in which the old Registers were kept, it is often impossible to procure satisfactory evidence of the ages of those who die at extreme old ages. It is, however, one of the peculiarities of the Scottish race, that they use every effort to ascertain the exact age of the diseased, so that, as a general rule, the age at death may be relied on as being correct. During the year 1870, there were 9 males and 17 females whose ages were entered on the Register as being above 100 years of age at death. Of the 9 males, two

TABLE. XLVI.—The Nineteen most fatal Diseases in Scotland and England in 1870, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Phthisis	283	Phthisis	243
Bronchitis	240	Bronchitis	209
Old Age	198	Atrophy, Debility, Premature } Birth }	178
Scarlatina	134	Scarlatina	146
Atrophy, Debility, Premature } Birth }	123	Old Age	129
Heart, etc., Diseases	110	Convulsions	119
All Fevers	97	Diarrhœa	113
Pneumonia	74	Heart, etc., Diseases	113
Hydrocephalus	63	Pneumonia	106
Diarrhœa	58	All Fevers	80
Hooping-cough	55	Hooping-cough	53
Paralysis	55	Apoplexy	52
Apoplexy	43	Paralysis	52
Cancer	42	Cancer	43
All Liver Diseases	34	All Liver Diseases	38
Tabes Mesenterica	32	Hydrocephalus	33
Convulsions	30	Measles	33
Teething	29	Tabes Mesenterica	31
Fractures and Contusions	29	Fractures and Contusions	29

had completed 100 years, one was 101 years, two were 102 years, one 103 years, one 104 years, one was 108 years, and one survived to his 110th year. Of the 17 females who died above 100 years, nine had completed their 100th year, two were 101 years of age, seven were 102 years, two were 103 years, one was 104 years, one was 107 years, one was 108 years, one was 110 years, and one was reported to be in her 115th year of life.

WEATHER, AND ITS INFLUENCE ON THE MORTALITY.

There is perhaps no country where the influence of weather on the mortality is more clearly traceable than in Scotland. This influence is not confined to the ordinary diseases, but is as strongly marked on those which are termed zymotic or epidemic. Heat and cold, drought and excess of rains, increase or diminish the mortality of the several diseases which attack our race; but the effect of heat in this country is rarely exhibited to any marked extent, seeing that it never rises so high as to generate those malarious exhalations which in other countries give rise to Intermittent, Remittent, and Yellow Fevers, and epidemics of Cholera and Diarrhœa. It is only in particular years that the influence of drought in increasing, and of heavy falls of rain in diminishing, the mortality is markedly seen. Still, they are occasionally sufficiently marked to attract attention.

Cold, therefore, is the agent which principally regulates the mortality in Scotland; and its deleterious action, in proportion to its intensity, is seen in almost every disease with the exception of the bowel-complaints. If, however, the cold sets in with intensity during the months of November or December, it does not in general cause such an increase in the deaths as the same amount of cold would do in the months of January, February, or March. The population seems to have a greater amount of vitality at the beginning of winter, which enables them the better to resist the depressing influence of the cold; but, if the same amount of severe cold weather occurs later in the winter, when the constitutions of the people have become somewhat weakened by the cold, they seem to be less able to resist its pernicious influence, and the mortality greatly increases. The hurtful influence of the cold, however, is greatly intensified by the occurrence of keen winds from the north and east, and from the north-west and north-east.

TABLE XLVII.—Monthly Mortality and Mean Temperature in Scotland during the Year 1870, compared with the mean of the Ten Years 1855–1864.

MONTHS.	YEAR 1870.				1855–1864.	
	Mean Temperature.	Actual Deaths.	Deaths when Months equalized to 31 Days.	Proportion to 12,000 per annum, or 1000 per Month.	Monthly Proportion of Deaths.	Mean Temperature.
January .	35°·9	7764	7764	1231	1134	37°·2
February .	35°·2	6958	7702	1221	1193	37°·4
March . .	39°·5	7476	7476	1186	1145	39°·8
April . .	46°·9	6416	6630	1051	1043	44°·1
May . . .	50°·5	6017	6017	954	1010	49°·5
June . . .	55°·6	5594	5780	917	956	55°·6
July . . .	59°·6	5328	5328	845	895	57°·6
August . .	58°·0	6083	6083	965	856	57°·3
September	53°·6	5162	5334	846	843	52°·8
October .	46°·3	5101	5101	809	858	47°·2
November	39°·1	5583	5769	915	954	40°·2
December	33°·5	6683	6683	1060	1073	38°·6
Year	46°·1	74,165	75,667	12,000	12,000	46°·7

The general influence of season and weather on the mortality may be traced in Tables XLVII. and XLVIII., and the first of these affords the opportunity of comparing the mean temperature and mortality during each month with that of the ten years, 1855–1864. That comparison shows us, that though the winter months of 1870 were colder, the summer months were warmer than the mean of the seasons 1855–1864, so that the mean temperature of the whole year only fell below that of the ten years' average by 0°·6—little more than half a degree of temperature—yet that greater cold during the winter months and greater heat during the summer had largely increased the proportion of deaths as compared with the respective populations during these periods. It will be seen by Table XLVII. that a lower mean temperature by about two degrees during the months of January and February produced a much higher mortality than during the corresponding months of the ten years, 1855–1864. It will also be observed that, although December 1870 had a mean temperature, five degrees below that of the corresponding month during the ten years, 1855–1864, yet the proportional mortality, though high above that of November, was somewhat below the December mean of those ten years. This striking fact is quite explicable. Mere dry cold, if not intensified by wind, is not nearly so deleterious to the human frame as the same amount of cold combined with wind. December is in general one of our windiest months; but December of 1870 stands out in strong contrast with its predecessors of previous years in this, that during the time when the frost continued, the small force of the wind was one of its most marked peculiarities; consequently, though the temperature was lower, its influence in increasing the mortality was less

TABLE XLVIII.—Meteorology of Scotland for the Year 1870, deduced from observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1870; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1870.

1870.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	55°·0	57°·0	59°·0	80°·0	77°·0	84°·2	89°·0	90°·0	72°·9	71°·8	59°·2	58°·0	90°·0
Lowest Temp. in do.	12°·0	3°·0	13°·0	25°·0	24°·0	32°·0	35°·0	32°·3	27°·5	25°·0	19°·0	0°·0	0°·0
Mean Day Temp. . .	40°·1	39°·7	45°·6	54°·8	57°·4	63°·0	67°·3	66°·9	61°·4	52°·7	44°·4	38°·4	52°·6
Mean Night Temp. .	31°·8	30°·5	33°·4	39°·2	43°·3	48°·1	51°·8	49°·0	45°·9	39°·9	33°·8	28°·7	39°·6
Daily Range	8°·3	9°·2	12°·2	15°·6	14°·1	14°·9	15°·5	17°·9	15°·5	12°·9	10°·7	9°·7	13°·0
Mean Temperature .	35°·9	35°·2	39°·5	46°·9	50°·5	55°·6	59°·6	58°·0	53°·6	46°·3	39°·1	33°·5	46°·1
Highest Temperature in sun	85°·0	99°·5	102°·1	119°·0	140°·8	148°·2	145°·3	137°·2	125°·6	119°·1	107°·0	90°·0	148°·2
Lowest on grass at night	5°·0	1°·0	5°·0	18°·0	12°·0	27°·0	31°·0	27°·0	21°·0	19°·0	14°·0	-5°·0	-5°·0
Wet-bulb Temperature	34°·4	33°·5	36°·9	43°·5	47°·4	52°·2	56°·1	54°·5	50°·8	44°·0	37°·1	32°·4	43°·6
Dew-point Temperature	32°·6	31°·5	34°·7	40°·5	44°·6	49°·6	53°·6	51°·8	48°·8	42°·0	35°·3	30°·2	41°·2
Humidity of Air . .	89	88	87	81	82	83	83	82	87	88	89	87	85
Elastic force of Vapour (inches)	·186	·178	·202	·251	·295	·357	·413	·387	·345	·268	·207	·168	·272
Number of Rainy Days	12	15	10	11	13	14	10	9	12	16	12	13	147
Amount of Rain (inch.)	3·08	3·89	1·24	1·58	2·61	1·91	1·88	1·55	3·32	4·63	2·58	3·54	31·81
Amount of Cloud . .	6·7	7·3	6·4	5·8	6·7	6·4	6·3	5·3	5·6	5·9	6·0	6·9	6·3
Hours of Sunshine . .	68	72	132	185	180	205	240	240	182	122	92	59	1777
Mean Barometer (in.)	29·842	29·856	30·052	29·993	29·906	30·031	29·945	30·014	29·937	29·614	29·725	29·937	29·904
Easterly Winds (num- ber of days) . . .	8	14	9	3	7	4	7	10	5	9	6	11	93
Westerly Winds (do.)	12	6	12	20	14	19	15	10	15	13	13	10	159
Births	9752	8696	10217	10225	10279	10132	9616	9387	9260	9512	9019	9295	115390
Deaths	7764	6958	7476	6416	6017	5594	5328	6083	5162	5101	5583	6683	74165
Marriages	2957	1368	1322	1277	1156	3337	2391	1543	1384	1649	2314	3156	23854
Daily Births	315	311	330	341	332	338	310	303	309	307	301	300	316
Daily Deaths	250	250	241	213	195	185	173	196	171	164	186	215	203

than it would have been had the winds blown with their accustomed strength.

The same Table, however, shows the effect of the higher temperature during July and August in increasing the mortality. By looking at the column of proportional deaths during the months of the ten years, 1855–1864, it will be seen that the proportional monthly mortality decreased steadily and pretty regularly from February, when it was highest, to September, when it was lowest. During 1870, however, it happened that the heat was greater than usual during the months of July and August; in fact, the mean temperature of these months was nearly two degrees higher than usual. This higher heat was, as usual, attended with a great increase in the ordinary bowel-complaints; consequently, instead of the mortality steadily declining through June, July, August, and September, there was a great rise of deaths in August, chiefly from these complaints, and the minimum mortality of the year was not attained till October.

Let us shortly review the character of the weather during each month of the year 1870, and point out its apparent influence on the general mortality.

The month of December 1869 had been colder than usual, having a mean temperature of 34°·9 or 3°·7 degrees below the average of former years. Dry frost prevailed during the greater part of the month, accompanied, however, by cutting northerly, north-easterly, and north-westerly winds, and under the influence of this ungenial weather, sickness prevailed to an extent rarely witnessed in Scotland, Affections of the Respiratory Organs being nearly universal among the population. The deaths over Scotland consequently rose to 7479 during the month, or at the high rate of 241 deaths daily.

The year 1870 opened with equally severe weather. During the whole of January and February, frost, with more or less heavy falls of snow, occurred, accompanied by keen east, north, north-east, and north-west winds. The cold periods, however, were not continuous, but were occasion-

TABLE XLIX.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and Classes of Disease in the Eight Principal Towns of Scotland, during each Month of the Year 1870.

1870.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature . . .	36°·5	35°·7	39°·9	48°·0	51°·3	56°·7	60°·2	58°·6	54°·2	46°·9	40°·2	34°·4
Highest Temperature . . .	46°·6	49°·0	56°·5	72°·7	72°·2	80°·5	85°·2	79°·2	71°·0	68°·0	59°·0	56°·0
Lowest Temperature . . .	22°·9	15°·6	22°·0	30°·5	30°·0	40°·7	42°·0	37°·5	33°·5	30°·6	19°·0	3°·0
Rainfall in inches . . .	3·25	4·14	0·92	1·09	2·72	1·63	2·26	1·44	2·62	4·14	1·80	3·22
Easterly Winds (days) . . .	9	6	10	4	8	6	8	12	6	9	5	10
Westerly Winds (days) . . .	15	8	14	20	15	18	17	12	15	14	16	13
Total Deaths	3081	2629	2759	2401	2223	2111	2025	2368	1911	1942	2254	2779
Daily Deaths	99	94	89	80	72	70	65	76	64	63	75	90
Zymotic Diseases	702	480	491	452	376	350	414	647	495	499	526	616
Measles	23	17	4	11	19	13	15	20	3	31	58	101
Scarlatina	200	103	110	91	78	67	56	56	81	127	115	121
Diphtheria	14	16	27	8	9	12	18	34	28	37	36	27
Hooping-Cough	146	115	96	112	91	68	70	77	55	64	50	69
Croup	33	26	35	26	21	12	20	28	38	36	42	49
All Fevers	182	136	150	131	84	89	96	86	72	105	129	148
Diarrhoea	32	20	21	28	32	55	104	288	163	54	36	27
Dysentery	6	4	5	5	6	2	3	12	10	5	4	4
Cholera	1	—	2	1	1	4	6	21	9	2	1	—
Consumption	323	353	345	341	345	343	286	317	214	242	257	335
Diseases Respiratory Organs	785	653	647	455	421	324	232	212	224	281	476	654
Heart, etc., Diseases . . .	129	135	117	109	112	105	88	81	89	96	118	126
Brain, etc., Diseases . . .	218	196	220	209	196	200	173	202	157	173	180	211
Debility and Premat. Birth	153	132	118	146	96	132	126	165	113	85	97	134
Age	157	124	155	89	92	86	93	79	83	83	105	124

ally broken in upon by periods of mild weather, when the southerly and south-westerly breezes regained the mastery, and caused the snow to melt with such rapidity that the overflow of the rivers, in many places, caused much damage. These sudden changes caused Influenza and Chest Affections to prevail nearly universally among the population, and the high temperature, which obtained during the prevalence of the mild weather, caused the mean temperature of these two months to afford no indication of the low temperature which prevailed for weeks at a time during at least half of the period. The mean temperature of January was $35^{\circ}9$; that of February, $35^{\circ}2$. Under this low temperature, 7764 deaths occurred during January and 6958 deaths during February, indicating the very high proportion of 250 deaths daily both during January and February.

March was also a stormy month, with alternate periods of frost with snow storms accompanied by easterly and northerly winds, and mild rainy weather attended with south-west and westerly winds. The sun's power, however, being greater, the mean temperature was 4° warmer—viz., $39^{\circ}5$, and the monthly deaths fell to 7476, still at the high rate of 241 deaths daily, or the same as during December 1869.

During the months of April, May, and June, the weather was exceptionally fine, and under such benign influence the sickness and mortality, which had been high above the average during the preceding month, rapidly declined. During these three months there was much less than the usual amount of keen northerly and easterly winds, and a much larger proportion of balmy breezes from the south-west and west. During each of these months, therefore, there was less cloud, a large amount of sunshine, and a higher mean temperature than in former years, as if to compensate for the greater severity of the weather and the lower temperature of the previous months. The mean temperature was $46^{\circ}9$ in April, $50^{\circ}5$ in May, and $55^{\circ}6$ in June; and the daily deaths were 213 in April, 195 in May,

TABLE L.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1870.

No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
1	January 8	792	39.6	46.7	30.7	1.793	27	July 9	475	58.6	74.0	42.0	0.699
2	15	650	35.6	45.0	26.4	0.977	28	16	427	60.1	74.0	47.0	0.759
3	22	690	35.7	46.7	26.0	0.212	29	23	496	62.4	87.0	49.0	0.234
4	29	760	33.8	47.5	22.0	0.010	30	30	499	61.9	86.0	40.0	0.000
5	February 5	654	40.2	48.0	25.0	0.502	31	August 6	474	61.9	79.0	51.0	0.449
6	12	668	35.9	50.5	24.5	0.909	32	13	528	63.1	84.0	48.0	0.003
7	19	687	34.6	44.0	26.0	0.187	33	20	530	58.2	81.0	40.0	0.198
8	26	608	32.6	49.0	15.6	0.959	34	27	520	54.9	70.5	37.5	0.469
9	March 5	667	38.7	51.0	24.0	1.571	35	September 3	522	54.1	71.0	38.0	1.154
10	12	580	39.2	53.0	22.0	0.024	36	10	496	53.6	64.7	39.0	1.400
11	19	622	40.8	56.0	22.0	0.379	37	17	429	52.5	68.0	33.5	0.695
12	26	603	38.9	53.0	25.0	0.348	38	24	427	55.3	70.2	38.5	0.001
13	April 2	649	43.8	57.0	27.0	0.125	39	October 1	397	54.6	69.8	38.5	0.009
14	9	602	44.7	60.2	30.5	0.219	40	8	433	48.3	67.5	34.0	0.150
15	16	522	48.9	68.0	34.0	0.227	41	15	423	44.2	55.9	30.0	1.176
16	23	570	50.8	72.7	34.0	0.342	42	22	470	48.0	59.7	36.0	1.718
17	30	521	48.3	66.5	33.8	0.205	43	29	442	46.7	62.4	33.9	0.852
18	May 7	525	47.3	67.0	30.0	0.074	44	November 5	455	45.4	56.0	32.0	0.169
19	14	500	50.4	66.0	36.0	0.920	45	12	482	37.9	53.0	19.0	0.194
20	21	459	53.5	66.5	42.2	0.795	46	19	563	38.6	45.2	29.0	0.782
21	28	494	53.8	75.0	39.0	0.156	47	26	566	40.3	51.2	29.7	0.775
22	June 4	488	54.8	71.0	42.9	0.857	48	December 3	591	37.8	46.0	25.0	0.023
23	11	538	57.2	80.0	41.2	0.132	49	10	561	37.3	46.0	25.0	0.743
24	18	484	57.1	71.0	43.0	0.452	50	17	625	36.7	53.0	26.2	1.766
25	25	481	57.3	80.5	44.0	0.268	51	24	608	33.9	56.0	5.0	0.752
26	July 2	478	56.1	79.7	44.0	0.617	52	31	709	27.8	36.5	7.5	0.287

and 185 in June. The deaths, therefore, rapidly and continuously decreased with the improved geniality of the weather.

July and August were excessively fine, genial, and warm months, with a temperature above the average. They were also months of extreme drought, the rainfall being much below the mean. The mean temperature of July was 59°·6, and that of August 58°·0. Under this high temperature, bowel-complaints became very prevalent; but as they take some time to prove fatal, it was not till August that the deaths from that class of diseases materially augmented the mortality. July, accordingly, still showed a lowering of the death-rate as compared with June, seeing that only 173 deaths occurred daily. But the additional deaths from bowel-complaints during August raised the daily deaths to 196 during that month.

During the months of September, October, and November, the weather was much as usual, and the deaths were not much out of their usual proportions; but this anomaly happened, that the minimum mortality did not occur as usual during September, but during October. This was caused by the mortality of September being kept higher than usual from the deaths of persons suffering from the bowel-complaints induced by the hot weather of August. Those dying from this cause in September had their deaths

TABLE LI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during 1870, and Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1870.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5-20.	20-60.	60 and above.	Total Deaths.	Under 5 years.	5-20.	20-60.	60 and above.	Total.
January . . .	1327	276	942	536	3081	43·07	8·96	30·57	17·40	100·00
February . . .	1097	251	849	432	2629	41·73	9·55	32·29	16·43	100·00
March	1050	313	865	531	2759	38·06	11·34	31·35	19·25	100·00
April	931	296	795	379	2401	38·78	12·32	33·11	15·79	100·00
May	872	285	689	387	2233	39·05	12·76	30·86	17·33	100·00
June	829	288	652	342	2111	39·27	13·64	30·89	16·20	100·00
July	856	238	599	332	2025	42·27	11·75	29·58	16·40	100·00
August	1187	242	601	338	2368	50·13	10·22	25·38	14·27	100·00
September . . .	837	222	518	334	1911	43·80	11·62	27·11	17·47	100·00
October	806	218	587	331	1942	41·51	11·22	30·23	17·04	100·00
November . . .	912	229	726	387	2254	40·46	10·16	32·21	17·17	100·00
December . . .	1140	281	840	518	2779	41·02	10·11	30·23	18·64	100·00
YEAR	11,844	3,139	8,663	4,847	28,493	41·57	11·02	30·40	17·01	100·00

TABLE LII.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during every Month of the Year 1870.

MONTHS.	Relative Number of Deaths, 1870.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5-20.	20-60.	60 and above.	Total.	
January	1327	276	942	536	3081	1272
February	1214	278	939	477	2908	1201
March	1050	313	865	531	2759	1139
April	962	306	821	392	2481	1024
May	872	285	689	387	2233	922
June	856	298	674	353	2181	901
July	856	238	599	332	2025	836
August	1187	242	601	338	2368	978
September	865	229	535	345	1974	815
October	806	218	587	331	1942	802
November	942	237	750	400	2329	962
December	1140	281	840	518	2779	1148
YEAR	12,077	3,201	8,842	4,940	29,060	12,000

registered that month, so that the minimum monthly mortality for the year fell in October. The mean temperature of September was $53^{\circ}6$; of October, $46^{\circ}3$; and of November, $39^{\circ}1$; and the daily deaths were 171 in September, 164 in October, and 186 in November.

December presented the peculiarity of having a mean temperature low beyond that of any previously recorded year—viz., $33^{\circ}5$, or $5^{\circ}7$ below the average December temperature of former years. Yet the influence of this greatly lower temperature in increasing the mortality was not found to be greater than during the average of former years, and apparently for the reasons given above—viz., *First*, the population at the beginning of winter are better able to resist the evil effects of low temperature than when it occurs later in the season; and, *secondly*, during the period when the keen frosts prevailed, there was an unusual absence of the cold high winds from the north and east; for though these were the prevailing atmospheric currents during the period of the frost, instead of being strong or high winds, they were gentle breezes, wanting in that velocity which causes such winds to be disagreeable and cutting. The daily deaths, therefore, during December averaged 215 only.

The monthly Reports on the diseases causing death in the Eight Prin-

TABLE LIII.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856–1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856–1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January . . .	11066	2305	7003	4337	24711	44.78	9.33	28.34	17.55	100.00
February . . .	10190	2145	6235	3802	22372	45.54	9.59	27.87	17.00	100.00
March	10359	2271	6809	3865	23304	44.45	9.75	29.22	16.58	100.00
April	9609	2131	6095	3625	21460	44.77	9.94	28.40	16.89	100.00
May	9058	2214	5899	3180	20351	44.51	10.88	28.98	15.63	100.00
June	9395	2086	5559	3111	19151	43.84	10.89	29.03	16.24	100.00
July	9052	2121	5287	2886	19346	46.79	10.96	27.33	14.92	100.00
August	8889	1929	4988	2698	18504	48.05	10.42	26.95	14.58	100.00
September . . .	8370	1870	4572	2454	17266	48.48	10.83	26.48	14.21	100.00
October	9078	2120	4936	2679	18813	48.25	11.26	26.24	14.25	100.00
November . . .	10121	2148	5690	3549	21508	47.05	9.99	26.45	16.51	100.00
December . . .	10590	2258	6344	3893	23085	45.87	9.78	27.49	16.86	100.00
TEN YEARS . .	114,777	25,598	69,417	40,079	249,871	45.93	10.25	27.78	16.04	100.00

TABLE LIV.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	11066	2305	7033	4337	24711	1164
February	11165	2348	6833	4165	24511	1155
March	10359	2271	6809	3865	23304	1098
April	9929	2202	6298	3746	22175	1045
May	9058	2214	5899	3180	20351	959
June	8675	2155	5744	3215	19789	933
July	9052	2121	5287	2886	19346	912
August	8889	1929	4988	2698	18504	872
September	8649	1932	4724	2536	17841	841
October	9078	2120	4936	2679	18813	886
November	10458	2220	5879	3668	22225	1047
December	10590	2258	6344	3893	23085	1088
TEN YEARS . . .	116,968	26,075	70,744	40,868	254,655	12,000

Principal Towns of Scotland enable us to trace the influence of weather and season on each of the diseases which cut off our race. Thus, by Table XLIX. it is seen that in the Eight Towns the influence of cold on the diseases of the Respiratory Organs was to increase the deaths therefrom from 224 in September to 281 in October, to 476 in November, and to 654 in December; while January, February, and March, the coldest months of the year, furnished respectively 785, 653, and 647 deaths from these diseases. Even the zymotic diseases obeyed this almost universal law in Scotland—that the mortality of diseases is generally increased by cold. Thus, while only 499 deaths from these diseases occurred during September, 616 deaths occurred in December and 702 in January. Measles had 31 deaths in October, but 101 in December. Fever had 72 deaths in September, but 148 in December, and 182 in January. Even Phthisis, whose greatest mortality usually occurs in spring, on the setting in of the keen, arid, easterly breezes, strongly showed the influence of cold on its mortality; for while only 214 died from it in September, 335 deaths occurred therefrom in December. As usual, however, the highest number of deaths from that disease occurred in spring, during the prevalence of the parching cold easterly winds. Consequently, the deaths from Consumption during the months of March, April, May, and June, the months when these winds prevail, was singularly alike, being 345 deaths in March, 341 in April, 345 in May, and 343 in June. Aged people felt the effects of the cold, for while the deaths from Old Age were 83 in September and October, they rose to 124 in December and to 157 in January.

This Table strikingly shows the effect of high temperature on the mortality of certain diseases. By an unfortunate arrangement, the bowel-complaints are considered as zymotic diseases; and, consequently, looking at their mortality, it is seen that while the deaths therefrom in the Eight Towns were only 350 in June, they rose to 414 in July and to 647 in August. When we look down the Table, however, it is seen that this increase during these months was solely caused by the increased mortality of the bowel-complaints, Diarrhœa, Dysentery, and Cholera; while all the ordinary and true epidemics had a lower mortality during these months than during either previous or subsequent months. Thus, as the warm weather increased, the deaths from Diarrhœa, Dysentery, and Cholera increased—rising from 39 deaths in May to 61 in June, 113 in July, and 321 in August. As the weather cooled, the deaths from these diseases declined, so that 182 deaths only occurred in September, 61 in October, 41 in November, and 31 in December.

Similar facts may be traced in Table L., which gives a summary of the weekly Reports of the deaths, temperature, and rainfall in the Eight Principal Towns of Scotland. The influence of cold on the mortality, for instance, is strikingly shown in the progressively increasing number of deaths from the week ending 26th November, when the mean temperature was $40^{\circ}3$, and the weekly number of deaths, 566, till the week ending 31st December, when the mean temperature had fallen to $27^{\circ}8$, and the weekly deaths had increased to 709. The effect of the hot weather in increasing the deaths is also markedly shown in that Table; for while, during the first two weeks of July the weekly deaths amounted respectively to 475 and 427, they increased to 528, 530, and 520 during the second, third, and fourth weeks of August under the influence of a mean temperature ranging from $61^{\circ}9$ to $63^{\circ}1$.

Inasmuch as little is as yet known regarding the influence of season on the mortality of our race at different ages, we have continued the series of

Tables bearing on this subject which we have published since 1868. Tables LI. and LII. show the influence of season and of weather on the deaths at four periods of life in the Eight Principal Towns of Scotland during the year 1870—Table LI. giving the actual and proportional deaths at each age during every month; while Table LII. affords the means of comparing the monthly deaths at each age with each other, as it equalizes all the months to 31 days and brings up the deaths at each age to the 31 days.

It is Table LII., therefore, which most clearly indicates the effect of season on the mortality at each age. By that Table, it appears that to children under 5 years of age January was the most fatal month, causing 1327 deaths; after which came February, with 1214 deaths; then August, with 1187 deaths; and then December, with 1140 deaths. Excess of cold and excess of heat were therefore the two conditions which proved most fatal to children under 5 years of age—the cold by increasing those bronchial and other affections of the respiratory organs which are so fatal to young children, besides increasing the fatality of all diseases; the heat by inducing those bowel complaints to which children at that age are so prone. The lowest mortality among children under 5 years of age occurred in October, when only 806 deaths occurred; then June and July, each with 856 deaths; and then September, with 865 deaths.

Season had quite a different action on those who were between 5 and 20 years of age. Persons of that age died in the highest proportion during March, 313 deaths; then April, 306 deaths; then June 298, deaths; and then May, 285 deaths. In fact, persons at these ages died in the highest proportion during those months which in Scotland proved most fatal to the consumptive. This striking fact shows that the conditions of life, as influenced by the seasons, had changed for persons between 5 and 20 years of age, from what they had been for those who were under 5 years of age. For those who were between 5 and 20 years, the healthiest month was October, 218 deaths; then September, 229 deaths; then November, 237 deaths; and August, 238 deaths.

TABLE LV.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Sixteen Years 1855–1870.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	<i>s.</i> <i>d.</i>		<i>s.</i> <i>d.</i>
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 3	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,348	89 6
1867	64 5	69,068	138 0
1868	63 9	69,416	137 6
1869	48 2	75,875	99 6
1870	46 10	74,165	104 6

Persons between 20 and 60 years of age were cut off in the highest proportion during the coldest months, and only showed an extremely slight increase in mortality during the heats of August. Thus, for them the most fatal month in 1870 was January, when 942 deaths occurred; then February, with 939 deaths; then March, with 865 deaths; then December, with 840 deaths; then April, with 821 deaths. For persons between 20 and 60 years of age, the healthiest month was September, with 535 deaths at that age; then October, with 587 deaths; then July, with 599 deaths; and August, with 601 deaths.

For aged people, above 60 years of age, the cold months were the most fatal. Thus, for them the most fatal month was January, 536 deaths; then March, 531 deaths; then December, 518 deaths; then February, 477 deaths; and then November, 400 deaths. The least fatal months for persons above 60 years of age, were October, 331 deaths; then July, 332 deaths; then August, 338 deaths; then September, 345 deaths; and then June, 353 deaths.

Tables LIII. and LIV. are added to allow all the facts given for 1870 in Tables LI. and LII. being compared with the mean for the ten years, 1856–1865. This comparison will confirm all that has been above stated as to the exceptional nature of the weather in 1870, and its influence on the mortality.

In former Reports it has been shown that in Scotland we have been unable to trace any connection between the price of provisions and the mortality, or, perhaps it should be called, between the scarcity and bad quality of the food and the mortality. Being an industrial people, with an extensive foreign commerce, the people are, to a very great extent, independent of the nature of the harvest within the country; and, provided trade is brisk, commerce active, and all hands engaged in work, foreign supplies can always be got in sufficient quantity to prevent the disastrous effects of a famine being experienced. To allow, however, every one an opportunity of judging for himself in this matter, in Table LV. is given the average price of wheat and of potatoes, and the number of deaths in Scotland, during each year, from 1855 to 1870; and that Table requires no comment.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 11th February 1873.

VACCINATIONS IN SCOTLAND—1870.

		Success- fully Vaccina- ted.	Vacci- nation Post- poned.	Insusceptible of Vaccine Disease.			Died before Vaccina- tion.	Removed from District before Vaccina- tion, or otherwise unaccount- ed for.	Total Births for 1870.
				On the ground of Constitu- tional Insuscep- tibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccina- tion.			
	SCOTLAND, -	101875	843	215	28	229	9724	2532	115446
	DIVISIONS.								
1	NORTHERN, . . .	2689	169	15	0	0	173	106	3152
2	NORTH-WESTERN, . . .	3590	219	25	1	7	386	150	4378
3	NORTH-EASTERN, . . .	12159	67	20	0	3	895	75	13219
4	EAST-MIDLAND, . . .	15742	103	35	0	66	1520	237	17703
5	WEST-MIDLAND, . . .	7233	51	8	1	11	590	154	8048
6	SOUTH-WESTERN, . . .	40328	99	71	26	131	4243	1275	46173
7	SOUTH-EASTERN, . . .	14333	91	24	0	5	1435	426	16314
8	SOUTHERN, . . .	5801	44	17	0	6	482	109	6459
	I. NORTHERN.								
1	Shetland, . . .	599	34	0	0	0	38	74	745
2	Orkney, . . .	696	20	5	0	0	37	6	764
3	Caithness, . . .	939	111	6	0	0	73	18	1147
4	Sutherland, . . .	455	4	4	0	0	25	8	496
	II. NORTH-WESTERN.								
5	Ross and Cromarty, . . .	1738	128	18	0	7	193	65	2149
6	Inverness, . . .	1852	91	7	1	0	193	85	2229
	III. NORTH-EASTERN.								
7	Nairn, . . .	210	0	0	0	1	20	4	235
8	Elgin or Moray, . . .	1284	20	10	0	0	103	8	1425
9	Banff, . . .	1751	13	7	0	0	113	12	1896
10	Aberdeen, . . .	7824	30	2	0	2	598	46	8502
11	Kincardine, . . .	1090	4	1	0	0	61	5	1161
	IV. EAST-MIDLAND.								
12	Forfar, . . .	7159	20	26	0	61	843	109	8218
13	Perth, . . .	3255	30	4	0	5	253	46	3593
14	Fife, . . .	4524	48	4	0	0	349	75	5000
15	Kinross, . . .	191	1	0	0	0	10	3	205
16	Clackmannan, . . .	613	4	1	0	0	65	4	687
	V. WEST-MIDLAND.								
17	Stirling, . . .	3057	14	2	0	8	277	39	3397
18	Dumbarton, . . .	1944	12	2	1	3	159	45	2166
19	Argyll, . . .	1874	22	3	0	0	135	45	2079
20	Bute, . . .	358	3	1	0	0	19	25	406
	VI. SOUTH-WESTERN.								
21	Renfrew, . . .	6337	26	17	10	25	687	216	7318
22	Ayr, . . .	6631	24	12	0	1	584	92	7344
23	Lanark, . . .	27360	49	42	16	105	2972	967	31511
	VII. SOUTH-EASTERN.								
24	Linlithgow, . . .	1527	4	2	0	0	163	41	1737
25	Edinburgh, . . .	9938	64	14	0	1	1010	346	11373
26	Haddington, . . .	1100	6	1	0	3	86	19	1215
27	Berwick, . . .	1000	8	5	0	0	96	10	1119
28	Peebles, . . .	354	2	2	0	1	36	5	400
29	Selkirk, . . .	414	7	0	0	0	44	5	470
	VIII. SOUTHERN.								
30	Roxburgh, . . .	1547	8	5	0	0	140	14	1714
31	Dumfries, . . .	2093	19	9	0	5	163	37	2331
32	Kirkcudbright, . . .	1151	15	1	0	1	94	25	1287
33	Wigtown, . . .	1010	2	2	0	0	80	33	1127

ABSTRACTS FOR 1870.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1870.

1870.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Males.	Fem.	Total.			
SCOTLAND, - -		3,062,294	3,360,018	58959	56431	115390	5705	5403	11108	36866	37299	74165	23854	41225	19,639,377
DIVISIONS.															
1	NORTHERN, . . .	130,422	127,191	1563	1596	3159	116	95	211	875	969	1844	580	1315	2,261,662
2	NORTH-WESTERN, .	167,329	166,544	2258	2143	4401	148	156	304	1818	1401	2719	751	1682	4,739,876
3	NORTH-EASTERN, .	366,783	393,006	6728	6490	13218	1012	966	1978	3245	3418	6663	2427	6555	2,429,594
4	EAST-MIDLAND, .	523,822	559,676	9107	8579	17686	918	890	1808	5991	6182	12173	3683	5513	2,790,492
5	WEST-MIDLAND, .	242,487	251,088	4077	3965	8042	327	328	655	2664	2578	5242	1519	2800	2,693,176
6	SOUTH-WESTERN, .	1,008,273	1,183,218	23567	22571	46138	2000	1816	3816	15743	15521	31264	9988	14874	1,462,397
7	SOUTH-EASTERN, .	408,962	470,206	8426	7869	16295	736	713	1449	5184	5044	10228	3716	6067	1,192,524
8	SOUTHERN, . . .	214,216	209,089	3233	3218	6451	448	439	887	1846	2186	4032	1190	2419	2,069,696
COUNTIES.															
I. NORTHERN.															
1	Shetland, . . .	31,670	31,608	383	370	753	11	10	21	183	246	429	150	324	} 598,726
2	Orkney, . . .	32,395	31,274	360	403	763	22	18	40	254	237	491	176	272	
3	Caithness, . . .	42,200	41,011	574	574	1148	63	53	116	289	310	599	157	549	
4	Sutherland, . . .	24,157	23,298	246	249	495	20	14	34	149	176	325	97	170	
II. NORTH-WESTERN.															
5	Ross and Cromarty, .	82,427	82,093	1112	1036	2148	59	61	120	625	667	1292	344	856	2,016,375
6	Inverness, . . .	84,902	84,451	1146	1107	2253	89	95	184	693	734	1427	407	826	2,723,501
III. NORTH-EASTERN.															
7	Nairn, . . .	8,347	8,372	110	125	235	8	9	17	72	84	156	39	79	137,500
8	Elgin (or Moray), .	44,218	44,356	742	683	1425	108	103	211	353	342	695	202	730	340,000
9	Banff, . . .	56,020	58,883	960	934	1894	158	185	343	470	481	951	353	943	439,219
10	Aberdeen, . . .	223,417	246,298	4334	4169	8503	652	595	1247	2095	2221	4316	1622	4187	1,260,625
11	Kincardine, . . .	34,781	35,097	582	579	1161	86	74	160	255	290	545	206	616	252,250
IV. EAST-MIDLAND.															
12	Forfar, . . .	206,750	240,049	4192	4015	8207	462	447	909	2828	2979	5807	1753	2400	568,750
13	Perth, . . .	133,198	128,550	1855	1735	3590	208	205	413	1385	1387	2772	736	818	1,814,063
14	Fife,* . . .	155,021	160,924	2578	2420	4998	205	196	401	1502	1489	2991	1004	2007	328,427
15	Kinross,* . . .	8,731	7,918	106	99	205	10	13	23	50	74	124	41	81	49,812
16	Clackmannan, . . .	20,122	22,235	376	310	686	33	29	62	226	253	479	149	207	29,440
V. WEST-MIDLAND.															
17	Stirling, . . .	88,138	93,345	1698	1698	3396	150	153	303	1039	1005	2044	711	1352	295,875
18	Dumbarton, . . .	54,179	61,116	1122	1043	2165	73	71	144	658	675	1333	360	832	204,800
19	Argyll, . . .	83,859	79,661	1064	1012	2076	87	93	180	782	710	1492	357	584	2,083,126
20	Bute, . . .	16,311	16,966	193	212	405	17	11	28	185	188	373	91	32	109,375
VI. SOUTH-WESTERN.															
21	Renfrew,* . . .	168,746	195,305	3768	3543	7311	255	229	484	2550	2497	5047	1602	2264	158,268
22	Ayr,* . . .	199,083	200,908	3749	3580	7329	349	307	656	2418	2336	4754	1578	2575	735,262
23	Lanark,* . . .	640,444	787,005	16050	15448	31498	1396	1280	2676	10775	10688	21463	6808	10035	563,867
VII. SOUTH-EASTERN.															
24	Linlithgow,* . . .	39,045	41,379	879	858	1737	71	67	138	539	445	984	263	753	81,113
25	Edinburgh,* . . .	273,792	328,138	5832	5530	11362	485	496	981	3757	3779	7536	2839	3826	234,925
26	Haddington,* . . .	37,626	37,755	652	557	1209	76	58	134	351	336	687	246	522	179,142
27	Berwick,* . . .	36,488	36,382	604	513	1117	56	49	105	301	290	591	192	526	302,951
28	Peebles,* . . .	11,264	12,218	217	183	400	23	17	40	102	96	198	80	202	227,869
29	Selkirk,* . . .	10,747	14,334	242	228	470	25	26	51	134	98	232	96	238	166,524
VIII. SOUTHERN.															
30	Roxburgh,* . . .	53,722	53,553	858	855	1713	88	95	183	449	566	1015	317	698	428,494
31	Dumfries,* . . .	75,904	74,842	1168	1157	2325	161	162	323	702	814	1516	457	809	702,953
32	Kirkcudbright,* . .	42,680	42,087	637	649	1286	112	95	207	368	437	805	229	481	610,343
33	Wigtown,* . . .	41,910	38,602	570	557	1127	87	87	174	327	369	696	187	431	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	I. NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay	915	902	13	14	27	—	—	—	1	10	11	1
	(2) Burra and Quarff,	890	952	16	16	32	—	—	—	6	4	10	13
2	Delting,	1975	1862	21	25	46	—	1	1	17	19	36	15
3	Dunrossness, etc.—												
	(1) Dunrossness,	2113	1970	29	32	61	—	—	—	9	10	19	113
	(2) Sandwick and Cunningsburgh,	2337	2326	30	28	58	—	—	—	10	20	30	19
	(3) Fair Isle,	380	226	4	3	7	—	—	—	1	2	3	—
4	Fetlar, etc.—												
	(1) Fetlar,	548	517	6	5	11	—	—	—	1	1	2	11
	(2) North Yell,	932	893	7	9	16	—	—	—	6	8	14	44
5	LERWICK (incl. Town),	3631	4180	62	45	107	—	—	—	28	38	66	399
6	Mid and South Yell,	1784	1843	19	18	37	—	2	2	13	10	23	44
7	Nesting, etc.—												
	(1) Nesting,	855	868	8	8	16	2	—	2	5	14	19	66
	(2) Lunnasting,	880	822	8	17	25	—	1	1	6	7	13	—
	(3) Whalsay and Skerries	848	989	16	14	30	—	—	—	3	4	7	22
8	Northmavine,	2585	2602	24	23	47	1	1	2	17	20	37	77
9	Sandsting and Aithsting,	2670	2806	34	32	66	4	2	6	13	18	31	166
10	Tingwall, etc.—												
	(1) Tingwall,	1554	1442	12	17	29	1	—	1	7	13	20	100
	(2) Whiteness & Weisdale	1143	1049	11	10	21	—	2	2	6	9	15	7
11	Unst,	3060	2780	32	28	60	1	1	2	16	20	36	122
12	Walls, etc.—(1) Walls,	1365	1325	16	13	29	—	—	—	10	8	18	88
	(2) Sandness,	606	646	12	7	19	2	—	2	5	6	11	11
	(3) Papa-Stour,	366	351	2	6	8	—	—	—	—	4	4	22
	(4) Foula,	233	257	1	—	1	—	—	—	3	1	4	—
	Total,	31670	31608	383	370	753	11	10	21	183	246	429	1500
	2. ORKNEY.												
13	Birsay,	1774	1597	17	17	34	—	1	1	24	21	45	99
14	Deerness,	813	863	13	8	21	—	—	—	3	4	7	33
15	Eday and Pharay,	979	905	8	16	24	—	1	1	6	6	12	55
16	Evie and Rendall,	1408	1340	10	15	25	1	—	1	11	11	22	55
17	Firth and Stennes,	1493	1434	15	15	30	—	2	2	12	7	19	60
18	Harray,	819	727	4	8	12	—	—	—	4	5	9	44
19	Holm and Paplay,	834	935	14	14	28	—	—	—	8	8	16	60
20	Hoy and Græmsay,	556	581	6	6	12	1	—	1	1	2	3	22
21	KIRKWALL & ST OLA (incl. Burgh),	4422	4261	57	63	120	5	4	9	45	43	88	311
22	North Ronaldshay,	532	539	9	9	18	—	—	—	2	3	5	44
23	Orphir,	1133	1040	8	13	21	1	—	1	8	7	15	33
24	Rousay and Egilsay,	1152	1101	8	8	16	2	1	3	7	3	10	8
25	St Andrews,	868	870	9	11	20	—	—	—	8	8	16	44
26	Sanday,	2145	2053	27	28	55	—	1	1	26	14	40	60
27	Sandwick,	1225	1153	10	18	28	—	—	—	11	8	19	77
28	Shapinshay,	973	949	9	12	21	—	1	1	10	5	15	3
29	South Ronaldshay and Burray,	3282	3228	42	48	90	5	3	8	31	18	49	29
30	Stromness,	2540	2403	25	24	49	3	1	4	10	31	41	8
31	Stronsay,	1228	1305	21	13	34	1	—	1	6	4	10	4
32	Walls, etc.—(1) Walls,	1254	1107	8	15	23	—	1	1	5	11	16	8
	(2) Flotta,	420	423	5	7	12	2	2	4	3	4	7	4
33	Westray, etc.—(1) Westray	2153	2090	29	30	59	1	—	1	12	14	26	17
	(2) Papa-Westray,	392	370	6	5	11	—	—	—	1	—	1	—
	Total,	32395	31274	360	403	763	22	18	40	254	237	491	176

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: THURSO.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
3. CAITHNESS.													
34	Bower,	1746	1700	21	25	46	3	1	4	7	13	20	12
35	Canisbay,	2730	2729	47	33	80	7	2	9	25	16	41	15
36	Dunnet,	1861	1661	17	18	35	—	2	2	11	15	26	7
37	Halkirk,	2864	2664	32	41	73	2	4	6	16	16	32	12
38	Latheron,	8571	7400	98	92	190	13	6	19	49	63	112	33
39	Olrig,	2059	2028	25	21	46	2	1	3	16	18	34	1
40	Reay,	2476	2331	21	35	56	2	2	4	13	23	36	7
41	THURSO (incl. Town), . .	5561	5754	81	78	159	9	7	16	43	40	83	25
42	Watten,	1491	1453	23	17	40	2	3	5	10	6	16	2
43	WICK (incl. Burgh), . .	12841	13291	209	214	423	23	25	48	99	100	199	43
Total,		42200	41011	574	574	1148	63	53	116	289	310	599	157
4. SUTHERLAND.													
44	Assynt—(1) Kirkton, . .	553	487	3	6	9	1	—	1	2	1	3	3
	(2) Stoer,	2625	2519	21	26	47	2	1	3	22	27	49	12
45	Clyne,	1886	1733	15	13	28	2	—	2	19	23	42	9
46	Creich—(1) Bonar, . . .	1982	1854	17	16	33	1	—	1	7	9	16	7
	(2) Rosehall,	539	670	6	3	9	1	—	1	5	3	8	2
47	DORNOCH (incl. Burgh), .	2885	2764	35	33	68	2	—	2	18	14	32	15
48	Durness,	1109	1049	12	13	25	1	—	1	3	5	8	2
49	Eddrachillis—(1) Scourie, .	727	648	5	5	10	—	—	—	5	5	10	3
	(2) Kinlochbervie, . .	914	882	9	12	21	—	1	1	6	3	9	5
50	Farr—(1) Kirkton, . . .	1251	1190	12	19	31	—	3	3	8	9	17	5
	(2) Strathy,	852	829	8	7	15	2	2	4	2	10	12	1
51	Golspie,	1615	1804	23	24	47	1	1	2	9	13	22	9
52	Kildonan,	2132	1916	19	20	39	1	1	2	10	17	27	9
53	Lairg,	961	978	11	13	24	—	2	2	6	6	12	2
54	Loth,	610	583	6	4	10	1	1	2	5	3	8	6
55	Rogart,	1439	1341	16	14	30	4	—	4	10	5	15	—
56	Tongue,	2077	2051	28	21	49	1	2	3	12	23	35	7
Total,		24157	23298	246	249	495	20	14	34	149	176	325	97
II. NORTH-WESTERN.													
5. ROSS AND CROMARTY.													
Mainland.													
57	Alness,	1178	1053	13	18	31	3	1	4	12	14	26	2
58	Applecross—												
	(1) Applecross,	1064	1129	14	9	23	2	—	2	12	8	20	3
	(2) Shieldaig,	1480	1341	17	22	39	—	3	3	7	9	16	8
59	Avoch,	1788	1828	31	28	59	1	1	2	11	19	30	6
60	Contin,	1509	1550	23	12	35	1	2	3	12	13	25	13
61	CROMARTY (incl. Burgh) .	2300	2180	29	31	60	2	1	3	12	18	30	7
62	DINGWALL (incl. Burgh) .	2412	2443	37	30	67	5	2	7	20	17	37	11
63	Edderton,	836	860	7	12	19	—	1	1	5	3	8	1
64	Fearn,	2083	2135	32	26	58	—	—	—	17	26	43	13
65	Fodderty,	2247	2121	20	26	46	2	3	5	10	23	33	7
66	Gairloch—												
	(1) Northern District, .	1927	1669	25	18	43	2	1	3	9	7	16	9
	(2) Southern District, .	3522	3379	41	31	72	2	1	3	21	27	48	8
67	Glenshiel,	485	463	10	3	13	2	—	2	3	4	7	2
68	Killlearnan,	1494	1272	20	16	36	1	4	5	15	11	26	9
69	Kilmuir-Easter,	1295	1281	19	11	30	1	—	1	11	12	23	5
70	Kiltearn,	1634	1496	18	14	32	3	2	5	10	17	27	2
71	Kincardine—												
	(1) Kincardine,	1346	1299	16	14	30	2	3	5	9	12	21	6
	(2) Strathyokel,	400	386	7	5	12	—	—	—	4	4	8	1
72	Kintail,	890	753	5	6	11	1	—	1	6	3	9	2
73	Knockbain,	2485	2155	25	22	47	1	3	4	12	19	31	10

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
74	Lochalsh,	2413	2319	22	30	52	1	2	3	17	19	36	8
75	Lochbroom—												
	(1) Lochbroom, . . .	3577	3167	35	43	78	1	4	5	29	28	57	10
	(2) Coigach,	1285	1239	17	22	39	1	—	1	15	8	23	—
76	Lochcarron,	1592	1629	16	19	35	1	2	3	19	9	28	12
77	Logie-Easter,	932	912	8	14	22	1	1	2	3	8	11	6
78	Nigg,	1253	1201	12	13	25	1	2	3	11	6	17	8
79	Resolis,	1568	1527	15	13	28	—	1	1	18	10	28	8
80	Rosemarkie (incl. Burgh of FORTROSE), . . .	1545	1441	18	15	33	2	1	3	18	10	28	8
81	Roskeel,	3766	3808	45	51	96	—	3	3	32	31	63	17
82	TAIN (incl. Burgh), . . .	3294	3221	45	37	82	5	4	9	28	40	68	11
83	Tarbat,	2269	2182	34	31	65	2	1	3	16	15	31	10
84	Urquhart & Logie Wester, . . .	3147	2863	39	31	70	2	3	5	20	29	49	6
85	Urray,	2355	2308	16	25	41	1	1	2	10	14	24	11
	Insular.												
a86	Barvas,	4609	4950	72	74	146	1	2	3	38	53	91	24
b86	Carloway,	2204	2702	54	39	93	2	1	3	13	15	28	14
87	Lochs,	3568	4162	66	57	123	1	—	1	28	22	50	19
88	STORNOWAY (incl. Town), . . .	8668	9510	159	143	302	6	4	10	78	74	152	44
89	Uig,	2007	2159	30	25	55	—	1	1	14	10	24	3
	Total,	82427	82093	1112	1036	2148	59	61	120	625	667	1292	344
	6. INVERNESS.												
	Mainland.												
90	Alvie,	833	882	11	12	23	3	2	5	7	3	10	4
91	Ardersier,	1239	1284	25	23	48	1	—	1	12	12	24	8
92	Boleskine & Abertarff—												
	(1) Boleskine,	813	681	9	8	17	1	1	2	8	7	15	3
	(2) Fort-Augustus or Abertarff,	930	897	5	5	10	1	—	1	7	7	14	4
93	Cromdale—(1) Cromdale, }	3990	{1647	20	10	30	2	1	3	7	14	21	6
	(2) Inverallan, }		{2296	34	38	72	6	12	18	22	21	43	23
94	Croy and Dalcross,	1873	1841	26	26	52	4	2	6	8	14	22	7
95	Daviot and Dunlichty, . . .	1741	1598	18	28	46	1	1	2	12	7	19	4
96	Dores,	1506	1401	19	12	31	3	—	3	7	14	21	3
97	Glenelg—(1) Glenelg, . . .	800	714	7	6	13	—	1	1	8	7	15	1
	(2) Knoydart,	574	499	6	8	14	—	—	—	1	5	6	—
	(3) North Morar,	469	440	4	10	14	—	—	—	2	3	5	2
98	INVERNESS (incl. Burgh), . . .	16162	18552	272	283	555	26	32	58	215	184	399	124
99	Kilmonivaig—												
	(1) Glengarry,	625	550	11	4	15	—	—	—	1	4	5	—
	(2) Lochaber,	1651	1417	11	19	30	1	1	2	11	14	25	4
100	Kilmorack,	2852	2728	29	37	66	4	6	10	27	33	60	11
101	Kiltarlity,	2839	2537	28	28	56	—	2	2	15	16	31	20
102	Kingussie and Insh,	2033	2101	22	25	47	—	1	1	14	13	27	12
103	Kirkhill,	1757	1582	18	22	40	3	3	6	8	8	16	6
104	Laggan,	986	950	10	9	19	—	2	2	6	6	12	4
105	Moy and Dalarossie,	1026	1005	8	9	17	1	—	1	1	6	7	3
106	Petty,	1671	1549	28	13	41	—	4	4	11	15	26	6
107	Urquhart, etc.—												
	(1) Urquhart,	2294	2215	26	30	56	2	1	3	13	16	29	6
	(2) Glenmoriston,	617	565	5	8	13	1	—	1	3	6	9	—
	Insular.												
108	Barra,	1853	1997	31	34	65	1	1	2	26	31	57	13
109	Bracadale,	1335	1113	10	12	22	—	—	—	6	12	18	1
110	Duirinish,	4775	4422	51	54	105	2	4	6	30	38	68	21
111	Harris—(1) Harris,	3769	3668	56	53	109	2	2	4	27	28	55	18
	(2) Bernera,	336	381	11	8	19	—	—	—	2	3	5	4
	(3) St Kilda,	78	71	2	2	4	—	—	—	1	—	1	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
112	Kilmuir—(1) Kilmuir, . .	1561	1362	17	17	34	1	1	2	9	17	26	4
	(2) Stenscholl,	1311	1228	18	11	29	—	1	1	7	14	21	1
113	North Uist,	3959	4107	73	61	134	7	4	11	39	27	66	12
114	Portree—(1) Portree, . .	2579	2328	25	29	54	3	2	5	20	18	38	9
	(2) Raasay,	580	600	11	9	20	1	1	2	2	2	4	3
115	Sleat,	2330	2233	34	23	57	4	1	5	12	14	26	4
116	Small Isles,	567	522	6	8	14	—	—	—	3	2	5	2
117	Snizort—(1) North, . .	961	803	7	8	15	—	—	—	5	2	7	—
	(2) South,	1652	1500	28	18	46	4	1	5	18	12	30	8
118	South Uist—												
	(1) Benbecula,	1544	1651	23	24	47	1	1	2	11	16	27	13
	(2) Howmore,	1763	1818	29	20	49	1	1	2	15	31	46	17
	(3) Boisdale,	2051	2280	28	18	46	—	2	2	18	15	33	2
119	Strath,	2664	2562	34	25	59	2	1	3	16	17	33	12
	— Total,	84902	84451	1146	1107	2253	89	95	184	693	734	1427	407
III. NORTH-EASTERN.													
7. NAIRN.													
120	Ardclach,	1330	1197	7	15	22	—	1	1	4	13	17	—
121	Auldearn,	1328	1279	18	23	41	1	2	3	7	14	21	10
122	Cawdor,	1203	1027	15	15	30	1	2	3	12	9	21	6
123	NAIRN (incl. Burgh), . .	4486	4869	70	72	142	6	4	10	49	48	97	23
	Total,	8347	8372	110	125	235	8	9	17	72	84	156	39
8. ELGIN (OR MORAY).													
124	Abernethy & Kincardine, .	1928	1752	24	25	49	3	9	12	13	19	32	5
125	Alves,	1010	1018	11	20	31	1	1	2	6	4	10	2
126	Bellie,	1967	2013	26	26	52	1	3	4	14	8	22	10
127	Birnie,	411	375	10	6	16	—	1	1	4	2	6	3
128	Boharm,	1412	1337	20	22	42	4	5	9	11	6	17	8
129	Dallas,	1102	1060	22	15	37	3	2	5	7	7	14	10
130	Drainy,	3028	3293	64	77	141	2	9	11	20	28	48	12
131	Duffus,	3308	3716	72	53	125	8	3	11	32	25	57	20
132	Duthil, etc.—(1) Duthil, .	1493	1609	18	15	33	4	1	5	7	5	12	5
	(2) Rothiemurchus,* . .	295	319	9	8	17	—	1	1	5	6	11	—
133	Dyke,	1247	1238	18	11	29	4	1	5	7	7	14	6
134	Edinkillie,	1303	1286	20	18	38	1	—	1	11	8	19	4
135	ELGIN (incl. Burgh), . .	9866	9703	158	147	305	29	29	58	97	101	198	51
136	New Spynie,	518	573	11	9	20	2	2	4	6	11	17	2
137	FORRES (incl. Burgh), . .	4112	4562	75	60	135	13	11	24	56	42	98	20
138	Kinloss,	1315	1112	12	23	35	—	4	4	6	10	16	4
139	Knockando,	1736	1909	24	32	56	3	—	3	11	10	21	4
140	Rafford,	1055	1101	26	22	48	4	—	4	3	5	8	3
141	Roths,	2407	2148	48	31	79	13	12	25	13	14	27	12
142	St Andrews-Lhanbryde, . .	1344	1286	26	20	46	4	3	7	9	6	15	4
143	Speymouth,	689	634	12	13	25	2	2	4	2	4	6	2
144	Urquhart,	2532	2368	36	30	66	7	4	11	13	14	27	15
	Total,	44218	44356	742	683	1425	108	103	211	353	342	695	202
9. BANFF.													
145	Aberlour,	1520	1632	21	21	42	4	3	7	11	6	17	6
146	Alvah,	1467	1436	25	19	44	4	6	10	5	7	12	11
147	BANFF (incl. Burgh), . .	7740	8425	133	151	284	22	32	54	80	102	182	56
148	Botriphnie,	867	785	15	7	22	1	1	2	4	6	10	4
149	Boyndie,	1711	1854	39	34	73	3	5	8	13	17	30	11
150	CULLEN (pt. of Burgh), . .	1821	2056	29	35	64	5	1	6	15	17	32	16
151	Deskford,	1031	972	17	16	33	2	6	8	8	11	19	10
152	Enzie,	2072	2251	43	26	69	7	6	13	22	10	32	6

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
153	Fordyce,	4145	4150	73	61	134	10	10	20	37	49	86	27
154	Forglen,	783	845	10	12	22	—	2	2	5	5	10	4
155	Gamrie,	3019	3151	56	55	111	7	8	15	27	21	48	24
155	Glenrinnes,	439	466	3	1	4	—	—	—	2	2	4	6
156	Grange,	1909	1876	34	24	58	11	6	17	5	26	31	11
157	Inveravon—(1) Inveravon, (2) Glenlivat,	868 1771	890 1718	8 27	20 17	28 44	1 8	2 2	3 10	8 10	6 11	14 21	7 12
158	Inverkeithny,	880	1000	17	21	38	4	5	9	8	6	14	2
159	KEITH,	5943	5891	98	95	193	23	28	51	51	43	94	39
160	Kirkmichael, etc.— (1) Kirkmichael, (2) Tomintoul,	551 960	477 799	4 11	3 11	7 22	— 2	1 3	1 5	4 6	— 11	4 17	— —
161	Marnoch,	3289	3294	55	64	119	13	23	36	36	23	59	13
162	Mortlach,	2801	2737	35	33	68	10	8	18	27	25	52	13
163	Ordiquhill,	764	761	13	11	24	3	3	6	7	6	13	1
164	Rathven (incl. BUCKIE, Town),	4922	6659	115	127	242	12	13	25	49	31	80	48
165	Rothiemay,	1414	1370	14	23	37	2	4	6	12	19	31	8
166	St Fergus,	1608	1633	36	20	56	1	4	5	6	11	17	10
167	Seafeld (pt. of CULLEN, Burgh),	1725	1755	29	27	56	3	3	6	12	10	22	13
	Total,	56020	58883	960	934	1894	158	185	343	470	481	951	358
	10. ABERDEEN.												
168	ABERDEEN— (1) St Nicholas (Burgh), (2) Old Machar (Burgh), (3) Do. (Landward),	41962 31938 1298	47077 41104 1373	925 714 18	929 625 25	1854 1339 43	127 76 2	115 75 3	242 151 5	561 386 10	577 403 2	1138 789 12	369 333 7
169	Aberdour,	1837	1945	37	34	71	9	4	13	14	12	26	8
170	Aboyne,	1160	1351	16	24	40	2	—	2	9	9	18	5
171	Alford,	1264	1396	31	19	50	9	1	10	9	10	19	9
172	Auchindoir,	1593	1545	26	23	49	9	4	13	14	15	29	5
173	Auchterless,	2010	2174	33	43	76	9	6	15	5	8	13	14
174	Belhelvie,	1807	1833	24	28	52	3	3	6	8	11	19	12
175	Birse,	1284	1198	15	16	31	2	3	5	13	12	25	8
176	Bourtie,	547	499	6	8	14	2	2	4	1	3	4	1
177	Cabrach,	794	775	12	11	23	3	1	4	3	5	8	3
178	Cairney,	1490	1525	20	14	34	6	4	10	14	6	20	9
179	Chapel of Garioch,	2023	1928	35	24	59	2	2	4	9	18	27	5
180	Clatt,	511	483	5	6	11	—	1	1	3	1	4	1
181	Cluny,	1254	1366	19	18	37	2	3	5	3	5	8	3
182	Coull,	792	824	14	12	26	4	2	6	7	6	13	3
183	Crathie and Braemar,	1574	1566	28	18	46	4	2	6	14	21	35	7
184	Crimond,	892	887	16	19	35	7	2	9	9	6	15	12
185	Cruden,	2743	3124	52	40	92	5	6	11	26	22	48	18
186	Culsamond,	1165	896	10	15	25	3	1	4	8	8	16	6
187	Daviot,	614	597	10	7	17	1	—	1	3	2	5	2
188	Drumblade,	926	931	5	7	12	1	—	1	12	1	13	5
189	Drumoak,	996	1032	14	18	32	4	2	6	6	6	12	5
190	Dyce,	585	945	19	17	36	3	4	7	8	6	14	6
191	Echt,	1287	1259	16	16	32	4	1	5	10	15	25	11
192	Ellon,	3239	3036	69	43	112	10	11	21	18	13	31	28
193	Fintray,	1003	1108	17	29	46	1	5	6	5	6	11	2
194	Forgue,	2686	2623	26	21	47	4	2	6	7	9	16	2
195	Foveran,	1891	1859	37	30	67	1	3	4	18	14	32	12
196	FRASERBURGH (incl. Twn.),	4511	5301	105	112	217	8	11	19	35	55	90	31
197	Fyvie,	3264	3306	49	56	105	9	7	16	17	18	35	22
198	Gartly,	1029	972	11	8	19	2	1	3	6	9	15	2
199	Glass,	1049	1061	18	20	38	8	3	11	3	8	11	11
200	Glenbucket,	552	570	7	6	13	1	1		1	3	4	6

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
201	Glenmuick, Tullich, and Glengairn,	1668	2160	34	33	67	5	6	11	19	21	40	6
202	HUNTLY (incl. Town), . .	4329	4374	69	62	131	16	13	29	46	46	92	15
203	Insch,	1565	1596	30	36	66	9	9	18	15	13	28	10
204	INVERURIE (including part of Burgh),	2668	2970	56	60	116	16	9	25	33	33	66	25
205	Keig,	811	886	15	10	25	1	3	4	3	1	4	2
206	Keithhall,	933	874	10	6	16	—	—	—	2	8	10	3
207	Kemnay,	832	1300	28	24	52	4	1	5	10	8	18	7
208	Kildrummy,	590	660	10	8	18	1	—	1	8	3	11	2
209	Kincardine O'Neil, . . .	2186	2000	29	30	59	9	7	16	25	15	40	10
210	King-Edward,	2843	3111	57	62	119	12	14	26	13	28	41	18
211	Kinnellar,	691	601	9	5	14	1	—	1	2	3	5	2
212	Kinnethmont,	1187	1062	18	12	30	6	4	10	4	10	14	7
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE),	1895	2158	46	35	81	2	3	5	24	17	41	13
214	Leochel-Cushnie,	1173	1232	23	18	41	4	2	6	9	7	16	8
215	Leslie,	577	532	9	2	11	1	—	1	4	—	4	2
216	Logie-Buchan,	762	808	15	19	34	3	3	6	6	9	15	4
217	Logie-Coldstone,	932	900	11	12	23	2	2	4	5	10	15	5
218	Longside,	3008	3321	69	57	126	9	9	18	16	25	41	20
219	Lonmay,	2142	2245	39	36	75	8	5	13	16	17	33	16
220	Lumphanan,	1251	1239	22	15	37	2	1	3	12	6	18	6
221	Methlic,	2157	2084	22	32	54	4	5	9	15	22	37	11
a222	Midmar,	1091	1127	16	16	32	—	3	3	6	7	13	4
b222	Millbrex,	1357	1484	25	21	46	5	4	9	9	8	17	5
223	Monquhitter,	2303	2670	46	46	92	8	11	19	15	17	32	14
224	Monymusk,	988	996	11	17	28	—	1	1	1	7	8	2
225	New Deer,	3736	4147	66	70	136	15	18	33	38	31	69	28
226	Newhills,	3463	4210	69	70	139	8	9	17	26	42	68	26
a227	New Machar,	1556	1520	23	21	44	3	2	5	6	9	15	13
b227	New Pitsligo,	2609	3090	62	55	117	10	11	21	23	29	52	25
228	Old Deer,	4392	4434	65	75	140	12	13	25	25	39	64	26
229	Old Meldrum,	2343	2330	42	50	92	11	9	20	19	26	45	12
230	Oyne,	1127	1050	14	15	29	3	4	7	11	8	19	4
231	Peterculter,	1483	1668	23	19	42	5	—	5	7	13	20	10
232	PETERHEAD (incl. Burgh),	9796	1506	252	244	496	26	22	48	112	95	207	70
233	Pitsligo,	1890	12218	50	45	95	8	8	16	15	12	27	20
234	Premnay,	916	997	18	20	38	6	4	10	7	9	16	16
235	Rathen,	2554	2850	52	51	103	6	6	12	21	16	37	22
236	Rayne,	1514	1409	12	25	37	4	2	6	18	22	40	9
a237	Rhynie,	1061	1195	25	14	39	5	1	6	11	7	18	6
b237	Savoch,	2061	1961	21	36	57	3	9	12	7	17	24	5
238	Skene,	1831	1842	28	19	47	5	1	6	12	15	27	10
239	Slains,	1266	1355	17	22	39	4	5	9	9	11	20	5
240	Strathdon,	1735	1761	24	29	53	—	8	8	7	14	21	9
241	Strichen,	2409	2254	53	38	91	8	15	23	13	27	40	13
242	Tarland,	970	983	21	17	38	—	—	—	10	6	16	4
243	Tarves,	2377	2288	31	32	63	5	8	13	24	17	41	15
244	Tough,	874	760	14	17	31	5	—	5	10	8	18	4
245	Towie,	839	798	13	14	27	4	3	7	6	8	14	11
246	Tullynessle and Forbes, .	957	970	18	10	28	2	3	5	5	6	11	8
247	Turriff,	3693	4348	81	58	139	12	9	21	36	32	68	25
248	Tyrie,	833	869	10	18	28	3	3	6	4	10	14	4
a249	Udny,	1623	1626	25	35	60	4	7	11	12	12	24	12
b249	Ythan Wells,	1517	1494	27	35	62	4	9	13	8	14	22	10
Total,		223417	246298	4334	4169	8503	652	595	1247	2095	2221	4316	1622

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
11. KINCARDINE.													
250	Arbuthnot,	932	924	12	14	26	2	2	4	3	5	8	6
251	Banchory-Devenick— (1) Ban.-Devenick (incl. pt. of ABERDEEN),	1159	1263	23	18	41	1	1	2	8	11	19	9
	(2) Portlethen,	1687	1789	22	35	57	5	7	12	14	12	26	15
252	Banchory-Ternan,	2947	2875	39	47	86	7	10	17	22	26	48	11
253	Benholm,	1574	1569	34	31	65	7	4	11	13	16	29	10
254	BERVIE (incl. Burgh),	1561	1843	41	35	76	2	3	5	17	16	33	9
255	Dunnottar (incl. part of STONEHAVEN, Town),	1828	2102	30	42	72	7	5	12	17	13	30	14
256	Durris,	1109	1021	23	22	45	2	4	6	7	8	15	8
257	Fettercairn,	1700	1539	26	21	47	2	—	2	13	15	28	6
258	Fetteresso— (1) Fetteresso (incl. pt. of STONEHAVEN, Town),	3575	3585	55	63	118	6	8	14	37	37	74	17
	(2) Cookney,	1952	2080	31	35	66	4	5	9	18	16	34	15
259	Fordoun,	2297	2113	38	26	64	5	3	8	17	18	35	9
260	Garvock,	458	476	9	3	12	2	—	2	3	3	6	2
261	Glenbervie,	1219	1073	15	18	33	3	1	4	8	10	18	7
262	Kinneff and Catterline,	1054	1062	21	14	35	2	—	2	3	10	13	4
263	Laurencekirk,	2110	2174	37	33	70	7	5	12	16	14	30	12
264	Maryculter,	1055	1110	10	16	26	2	2	4	3	8	11	3
265	Marykirk,	2068	1771	30	24	54	5	4	9	13	18	31	14
266	Nigg,	2074	2348	47	42	89	8	6	14	15	18	33	24
267	St Cyrus,	1552	1585	27	27	54	4	4	8	7	7	14	7
268	Strachan,	870	795	12	13	25	3	—	3	1	9	10	4
Total,		34781	35097	582	579	1161	86	74	160	255	290	545	206
IV. EAST-MIDLAND.													
12. FORFAR.													
269	Aberlemno,	1054	1007	21	20	41	4	1	5	11	7	18	4
270	Airlie,	845	778	14	19	33	—	1	1	9	12	21	5
271	Arbirlot,	960	919	13	23	36	2	2	4	5	8	13	6
272	ARBROATH (incl. Bur.),	17831	20169	331	329	660	31	34	65	271	285	556	136
273	Auchterhouse,	706	721	10	10	20	—	—	—	2	6	8	3
274	Barry,	2465	3008	47	48	95	5	1	6	30	34	64	14
275	BRECHIN (incl. Burgh),	8810	9514	146	134	280	22	21	43	80	103	183	72
276	Carmylie,	1286	1309	17	13	30	3	3	6	12	10	22	10
277	Careston,	225	209	4	3	7	1	—	1	1	—	1	4
278	Cortachy and Clova,	653	554	5	8	13	1	—	1	5	6	11	3
279	Coupar-Angus,	2642	2797	54	44	98	9	3	12	48	45	93	15
280	Craig (incl. part of MON- TROSE, Burgh),	2177	2402	28	49	77	—	3	3	9	19	28	23
281	Dun,	552	565	11	12	23	—	2	2	5	6	11	4
282	DUNDEE— (1) St Peter,	91664	22894	373	411	784	27	39	66	240	281	521	207
	(2) St Mary,		23582	446	395	841	69	66	135	367	383	750	149
	(3) St Clement,		25090	494	445	939	80	64	144	290	323	613	256
	(4) St And. (in. Land.),		38082	726	676	1402	49	57	106	550	501	1051	286
	(5) Lochee,		11076	188	196	384	23	17	40	120	130	250	78
283	Dunnichen,	1932	1536	31	27	58	5	4	9	12	22	34	8
284	Eassie and Nevay,	748	586	8	12	20	1	1	2	11	3	14	6
285	Edzell,	1025	976	10	18	28	2	3	5	4	9	13	9
286	Farnell,	703	580	7	8	15	3	—	3	7	3	10	5
287	Fearn,	439	348	7	4	11	1	—	1	1	2	3	5
288	FORFAR (incl. Burgh),	10838	12585	230	215	445	41	31	72	193	201	394	82
289	Glammis,	1980	1813	35	27	62	2	4	6	14	13	27	9
290	Glenisla,	1008	925	10	7	17	—	1	1	8	7	15	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
291	Guthrie,	476	404	7	3	10	—	—	—	2	2	4	6
292	Inverarity,	961	888	14	15	29	—	3	3	7	10	17	10
293	Inverkeillor,	1792	1521	26	25	51	1	1	2	15	14	29	14
294	Kettins,	962	855	17	14	31	3	1	4	4	5	9	7
295	Kingoldrum,	473	409	6	8	14	—	1	1	5	2	7	2
296	Kinnell,	816	766	14	16	30	2	2	4	8	7	15	5
297	Kinnettles,	447	405	8	3	11	3	1	4	1	—	1	4
298	Kirkden,	1862	1623	26	28	54	3	2	5	21	19	40	13
299	KIRRIEMUIR (incl. Town),	7359	6420	101	97	198	18	13	31	88	85	173	30
300	Lethnott and Navar, . .	446	318	6	5	11	—	—	—	1	2	3	3
301	Liff, Benvie, and Inver- gowrie,	1430	1357	17	21	38	1	3	4	10	11	21	10
302	Lintrathen,	898	756	7	13	20	—	2	2	3	10	13	5
303	Lochlee,	495	424	5	5	10	2	2	4	3	7	10	3
304	Logie-Pert,	1483	1251	18	17	35	3	1	4	4	8	12	3
305	Lunan,	259	248	1	5	6	—	—	—	2	2	4	1
306	Lundie,	442	400	5	8	13	—	1	1	—	3	3	1
307	Mains, etc.—(1) Mains, .	1392	1927	38	31	69	2	2	4	12	10	22	9
	(2) Strathmartine, . .	789	822	17	8	25	2	2	4	7	5	12	2
308	Marytown,	417	396	6	4	10	1	4	5	1	6	7	—
309	Menmuir,	796	761	18	9	27	1	1	2	2	1	3	4
310	Monifieth (including part of BROUGHTY FERRY),	5052	7252	142	129	271	7	7	14	80	83	163	49
311	Monikie,	1460	1397	22	20	42	3	1	4	11	13	24	7
312	MONTROSE (incl. part of Burgh),	15668	15783	262	227	489	17	22	39	158	191	349	106
313	Murroes,	763	751	14	15	29	—	1	1	4	5	9	2
314	Newtyle,	1139	931	10	16	26	1	2	3	15	9	24	5
315	Oathlaw,	399	452	8	6	14	1	1	2	3	2	5	—
316	Panbride,	1299	1331	17	16	33	2	2	4	12	8	20	10
317	Rescobie,	747	748	10	13	23	1	1	2	2	8	10	2
318	Ruthven,	265	247	7	6	13	1	—	1	4	2	6	2
319	St Vigean,	2553	2513	39	39	78	1	4	5	20	13	33	17
320	Stracathro,	546	503	10	11	21	3	3	6	—	6	6	4
321	Tannadice,	1438	1286	21	20	41	—	1	1	13	7	20	6
322	Tealing,	883	879	7	9	16	2	2	4	5	4	9	7
	Total,	206750	240049	4192	4015	8207	462	447	909	2828	2979	5807	1753
13. PERTH.													
323	Aberdalgie,	295	342	4	4	8	—	1	1	1	3	4	3
324	Aberfeldy,	2402	2286	23	22	45	2	7	9	38	33	71	5
325	Aberfoyle,	565	432	4	7	11	1	3	4	3	2	5	1
326	Abernethy,	1960	1744	20	28	48	3	4	7	12	18	30	14
327	Abernyte,	310	253	3	7	10	—	—	—	5	2	7	1
328	ALYTH (incl. Town), . .	3198	3151	45	46	91	7	8	15	30	38	68	12
329	AUCHTERARDER (includ- ing Town),	4208	3795	55	44	99	8	9	17	53	48	101	27
330	Auchtergaven,	2562	2141	30	30	60	6	8	14	28	34	62	10
331	Balquhider,	746	743	7	7	14	1	—	1	13	6	19	2
332	Bendochy,	549	474	6	7	13	—	1	1	3	—	3	2
333	Blackford,	2084	1876	26	26	52	5	2	7	10	13	23	7
334	Blair-Athol,	1553	1718	25	26	51	2	5	7	14	21	35	5
335	BLAIRGOWRIE (incl. Town),	4423	4832	81	69	150	8	11	19	58	63	121	29
336	Callander,	1676	1870	22	22	44	1	1	2	16	19	35	16
337	Caputh,	1728	1571	12	21	33	—	1	1	12	12	24	4
338	Cargill,	1647	1411	18	20	38	3	3	6	20	13	33	6
339	Clunie,	699	603	10	12	22	1	2	3	4	3	7	4
340	Collace,	534	456	7	5	12	1	2	3	6	11	17	3
341	Comrie,	2226	1911	27	25	52	2	3	5	14	17	31	14
342	CRIEFF (incl. Town), . .	4490	4598	63	58	121	10	9	19	61	77	138	36

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
343	CULROSS (incl. Burgh),	1423	1354	20	15	35	1	—	1	13	7	20	10
344	Dowally,	486	461	7	9	16	—	1	1	8	5	13	3
345	Dron,	376	343	4	4	8	1	—	1	1	3	4	3
346	Dull,	753	677	13	2	15	—	1	1	3	12	15	1
347	Dunbarney,	1035	913	13	15	28	1	1	2	5	15	20	3
348	Dunblane,	3096	3292	55	43	98	8	6	14	37	43	80	27
349	Dunkeld,	1086	881	11	14	25	2	1	3	6	7	13	4
350	Dunning,	2084	1832	28	30	58	5	4	9	15	17	32	14
351	Errol,	2759	2504	40	45	85	2	2	4	12	24	36	12
352	Findo-Gask,	399	369	7	8	15	1	—	1	6	2	8	1
353	Forgandenny,	739	632	7	14	21	1	1	2	10	6	16	3
354	Forteviot,	595	567	10	10	20	2	—	2	3	—	3	3
a355	Fortingall,	1244	1014	18	12	30	5	2	7	14	11	25	8
b355	Foss,	381	270	2	—	2	1	—	1	3	7	10	4
356	Fowlis-Easter,	317	291	7	6	13	—	—	—	1	5	6	1
357	Fowlis-Wester,	1276	1028	19	18	37	4	2	6	13	11	24	6
358	Glendevon,	138	105	1	2	3	—	—	—	2	1	3	—
359	Inchtute,	659	659	11	10	21	—	—	—	7	4	11	3
360	Kenmore,	1515	1215	16	18	34	—	2	2	21	7	28	4
361	Killin,	1681	1977	15	18	33	—	2	2	10	13	23	7
362	Kilmadock,	3312	3170	45	43	88	3	4	7	30	24	54	24
363	Kilspindie,	665	679	20	16	36	4	—	4	2	4	6	5
364	Kincardine,	1778	1484	18	22	40	4	2	6	17	18	35	12
365	Kinclaven,	758	607	7	7	14	—	1	1	2	8	10	6
366	Kinfauns,	657	578	9	5	14	1	2	3	7	9	16	1
367	Kinloch-Rannoch,	1147	921	12	9	21	1	—	1	4	9	13	6
368	Kinnaird,	318	299	8	4	12	—	—	—	4	3	7	3
369	Kinnoull,	796	723	13	5	18	—	1	1	6	—	6	4
370	Kirkmichael—												
	(1) Kirkmichael,	812	657	4	8	12	—	4	4	6	6	12	3
	(2) Glenshee,	334	241	3	—	3	—	—	—	3	—	3	—
371	Lecropt,	538	535	7	7	14	—	—	—	2	5	7	1
372	Lethendy and Kinloch—												
	(1) Lethendy,	235	179	5	2	7	—	1	1	1	1	2	2
	(2) Kinloch,	295	251	2	2	4	—	—	—	6	—	6	1
373	Little Dunkeld,	2089	2352	30	29	59	2	2	4	27	33	60	5
374	Logie (including part of STIRLING),	3483	4553	45	45	90	4	3	7	34	42	76	24
375	Logiealmond,	815	646	5	5	10	2	—	2	10	12	22	6
376	Logierait,	1902	1739	26	19	45	2	4	6	18	14	32	8
377	Longforgan,	1823	1753	35	29	64	4	5	9	28	18	46	11
378	Madderty,	536	523	10	14	24	2	4	6	4	4	8	5
379	Meigle,	1122	1003	17	15	32	3	1	4	10	10	20	6
380	Methven,	2290	2073	26	28	54	2	2	4	27	24	51	6
381	Moneydie,	252	244	2	1	3	—	—	—	1	1	2	3
382	Monzie,	461	413	4	—	4	—	—	—	2	1	3	1
383	Monzievaird,	782	744	11	11	22	—	1	1	6	6	12	3
384	Moulin,	1605	1561	25	15	40	2	1	3	13	12	25	10
385	Muckhart,	615	612	9	6	15	1	1	2	5	9	14	3
a386	Muthill,	2808	2665	39	25	64	7	1	8	34	31	65	8
b386	Persie,	839	820	10	10	20	1	2	3	14	8	22	7
387	PERTH (incl. Burgh),	26094	26382	414	399	813	49	37	86	325	316	641	180
388	Port of Menteith,	1375	1243	11	17	28	3	1	4	12	7	19	3
389	Ratray,	2234	2586	37	28	65	4	7	11	29	27	56	10
390	Redgorton,	1596	1401	16	18	34	2	3	5	16	11	27	7
391	Rhynd,	297	327	6	1	7	—	—	—	2	1	3	1
392	St Madoes,	280	290	3	7	10	—	1	1	—	1	1	—
393	St Martins,	904	735	13	5	18	1	—	1	8	7	15	4
a394	Scone,	2153	2185	38	27	65	3	2	5	20	19	39	13
b394	Strathfillan,	411	342	3	1	4	1	—	1	2	1	3	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
c394	Tenandry,	595	530	6	8	14	—	1	1	5	7	12	3
395	Tibbermore,	1182	1128	21	16	37	1	1	2	12	7	19	5
396	Trinity-Gask,	488	415	6	11	17	—	1	1	2	4	6	3
397	Tulliallan (including KIN- CARDINE),	2410	2184	40	31	71	4	4	8	36	32	68	13
398	Weem,	215	186	2	5	7	—	—	—	2	2	4	—
	Total,	133198	128550	1855	1735	3590	208	205	413	1385	1387	2772	736
	14. FIFE.												
399	Abbotshall,	808	674	11	9	20	—	—	—	4	6	10	4
400	Abdie,	1257	1057	18	13	31	1	2	3	9	19	28	5
401	Aberdour,	1874	1697	20	23	43	—	—	—	14	17	31	9
402	ANSTRUTHER- EASTER (pt. of Burgh),	1155	1239	23	20	43	1	1	2	6	18	24	4
403	ANSTRUTHER- WESTER (incl. Burgh),	438	545	8	12	20	—	—	—	2	2	4	5
404	Arngask,	705	565	6	6	12	—	1	1	1	6	7	1
405	Auchterderran,	3457	4017	85	67	152	3	7	10	54	27	81	32
406	AUCHTERMUCHTY (incl. Burgh),	3285	2958	36	47	83	3	10	13	35	37	72	11
407	Auchtertool,	609	529	8	11	19	2	1	3	2	5	7	5
408	Ballingry,	736	982	17	21	38	2	2	4	17	3	20	4
409	Balmerino,	815	717	11	7	18	—	2	2	7	6	13	4
410	Beath,	2390	3534	85	75	160	6	4	10	43	23	66	15
411	BURNTISLAND (incl. Burgh),	3670	3872	51	65	116	7	—	7	23	35	58	26
412	Cameron,	1362	1158	22	13	35	2	1	3	3	4	7	8
413	Carnbee,	1157	1088	9	21	30	1	1	2	7	6	13	6
414	Carnock,	2925	1764	33	26	59	3	2	5	18	13	31	13
415	Ceres,	2723	2381	45	33	78	5	4	9	19	14	33	19
416	Collessie,	1530	1703	29	20	49	2	3	5	17	11	28	3
417	CRAIL (incl. Burgh), . .	1931	1864	24	23	47	2	2	4	17	24	41	7
418	Creich,	377	387	5	9	14	—	1	1	3	4	7	2
419	Cults,	800	767	10	11	21	—	1	1	6	9	15	4
420	CUPAR (incl. Burgh), . .	6750	7102	81	89	170	6	10	16	67	84	151	49
421	Dairsie,	638	687	9	12	21	4	—	4	4	8	12	5
422	Dalgetty,	1569	1310	22	21	43	3	—	3	13	8	21	13
423	Dunbog,	414	395	11	9	20	—	1	1	3	5	8	1
424	DUNFERMLINE— (1) Burgh,	13506	14963	209	202	411	11	17	28	143	152	295	146
	(2) Landward,	7609	8293	152	158	310	10	10	20	80	75	155	30
425	Dunino,	370	325	3	3	6	—	—	—	2	1	3	1
426	DYSART (incl. Burgh),	8842	9682	159	168	327	12	12	24	70	92	162	73
427	Elie,	826	775	13	7	20	—	3	3	6	6	12	3
428	FALKLAND (incl. Burgh)	2937	3069	41	36	77	3	4	7	30	34	64	24
429	Ferry-Port-on-Craig, . .	2013	2674	43	33	76	5	3	8	21	30	51	11
430	Flisk,	230	212	1	2	3	—	—	—	2	1	3	1
431	Forgan,	1326	2243	27	27	54	1	3	4	19	18	37	7
432	INVERKEITHING (incl. Burgh),	3196	3131	59	47	106	7	5	12	28	17	45	21
433	Kemback,	896	1056	19	10	29	1	1	2	13	9	22	10
434	Kennoway,	2012	1703	18	21	39	—	3	3	16	13	29	7
435	Kettle,	2474	2323	29	34	63	3	4	7	26	20	46	11
436	Kilconquhar (including EARLSFERRY),	2431	2018	29	28	57	1	2	3	21	21	42	16
437	Kilmany,	656	651	7	4	11	—	—	—	4	4	8	3
438	KILRENNY (incl. Burgh and part of AN- STRUTHER-EASTER),	2534	2945	65	51	116	6	2	8	21	21	42	6
439	KINGHORN (incl. Burgh)	2349	2602	42	49	91	4	4	8	29	24	53	23

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
440	Kinglassie,	1266	1082	24	18	42	1	1	2	8	6	14	4
441	Kingsbarns,	937	922	12	15	27	4	1	5	7	5	12	7
442	KIRKCALDY (including Burgh),	11117	12835	216	210	426	22	19	41	117	106	223	98
443	Largo,	2626	2318	31	38	69	2	1	3	25	33	58	11
444	LESLIE (incl. Town), .	4332	4294	62	60	122	11	6	17	39	46	85	38
445	Leuchars,	1903	1727	28	21	49	3	2	5	17	14	31	13
446	Logie,	410	402	2	11	13	1	1	2	2	6	8	—
447	Markinch,	5375	5413	92	78	170	8	5	13	59	49	108	24
448	Monimail,	1054	918	14	15	29	—	1	1	7	7	14	5
449	Moonzie,	179	154	2	4	6	—	1	1	3	1	4	1
450	NEWBURGH (including Burgh),	2693	2529	42	36	78	5	2	7	55	45	100	10
451	Newburn,	374	362	7	6	13	1	1	2	1	4	5	1
452	PITTENWEEM (incl. Burgh),	1710	1803	31	28	59	2	3	5	15	16	31	5
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews), . .	7605	8592	107	94	201	6	11	17	78	76	154	59
454	St Monance (or Aber- crombie),	1498	1761	44	28	72	4	—	4	25	24	49	5
455	Saline,	1610	1259	20	15	35	4	2	6	17	11	28	8
456	Scoonie (incl. LEVEN), .	3257	3178	51	44	95	6	—	6	22	29	51	20
457	Strathmiglo,	2261	2267	41	22	63	6	3	9	19	21	40	8
458	Torryburn,	1229	1051	23	18	41	—	3	3	14	8	22	7
459	Wemyss,	6003	6400	134	116	250	2	4	6	47	50	97	32
	Total,	155021	160924	2578	2420	4998	205	196	401	1502	1489	2991	1004
	15. KINROSS.												
460	Cleish,	649	539	6	8	14	—	2	2	3	7	10	1
461	Fossoway and Tulliebole,	1584	1461	25	23	48	2	3	5	11	10	21	8
462	KINROSS (incl. Town), .	2649	2477	22	32	54	5	4	9	16	32	48	14
463	Orwell,	2399	2248	35	24	59	2	3	5	10	17	27	12
464	Portmoak,	1450	1193	18	12	30	1	1	2	10	8	18	6
	Total,	8731	7918	106	99	205	10	13	23	50	74	124	41
	16. CLACKMANNAN.												
465	ALLOA (incl. Town), .	8867	9940	174	140	314	16	10	26	125	125	250	74
466	Clackmannan,	4425	4653	87	68	155	7	3	10	40	53	93	33
467	Dollar,	1776	2524	26	25	51	3	5	8	11	16	27	11
468	TILlicOUNTRY (including Town),	5054	5118	89	77	166	7	11	18	50	59	109	31
	Total,	20122	22235	376	310	686	33	29	62	226	253	479	149
	V. WEST-MIDLAND.												
	17. STIRLING.												
469	Airth,	1194	1396	26	25	51	—	2	2	10	12	22	12
470	ALVA (incl. Town), .	3283	4296	74	91	165	11	7	18	40	35	75	32
471	Baldernock,	718	616	11	6	17	—	—	—	4	6	10	4
472	Balfron,	1517	1502	30	26	56	4	5	9	15	15	30	7
473	Bothkennar,	1722	2455	49	59	108	3	4	7	15	11	26	27
474	Buchanan,	705	591	8	9	17	2	—	2	2	7	9	3
475	Campsie (including LEN- NOXTOWN),	6483	6739	109	121	230	8	11	19	55	73	128	60
476	DENNY (incl. Town), .	4988	4993	89	110	199	6	11	17	57	42	99	42
477	Drymen,	1619	1405	23	13	36	—	1	1	11	7	18	4
478	Dunipace,	1731	1733	28	34	62	4	4	8	12	19	31	12
479	FALKIRK—(1) Burgh, .	9030	9547	174	159	333	12	18	30	119	128	247	47
	(2) Landward,	7996	8504	167	169	336	16	11	27	66	69	135	79

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
480	Fintry,	685	499	5	10	15	1	3	4	3	8	11	6
481	Gargunnoch,	728	675	16	6	22	5	—	5	9	3	12	2
482	Killearn,	1171	1111	14	16	30	1	2	3	10	7	17	6
483	KILSYTH (incl. Town), . .	6112	6313	126	158	284	12	16	28	63	71	134	59
484	Kippen,	1722	1568	17	30	47	2	3	5	16	20	36	10
485	Larbert,	4999	5280	96	82	178	6	12	18	85	66	151	48
486	Muiravonside,	2660	2653	58	37	95	1	1	2	23	28	51	20
487	Polmont,	4111	3910	90	66	156	9	5	14	41	29	70	31
488	St Ninians (includ. BAN- NOCKBURN, Town), . .	6648	7570	138	117	255	6	8	14	108	91	199	46
489	Slamannan,	2916	4164	97	86	183	10	6	16	55	46	101	32
490	STIRLING (incl. Burgh), .	14012	14590	237	252	489	30	23	53	212	205	417	113
491	Strathblane,	1388	1235	16	16	32	1	—	1	8	7	15	9
Total,		88138	93345	1698	1698	3396	150	153	303	1039	1005	2044	711
18. DUMBARTON.													
492	Arrochar,	629	525	7	6	13	—	1	1	4	4	8	3
493	BONHILL (includ. Town, & ALEXANDRIA, Town), .	9059	9593	144	148	292	7	11	18	105	120	225	70
494	Cardross (incl. RENTON), .	4168	4405	87	76	163	3	6	9	61	47	108	23
495	Cumbernauld,	3513	3602	71	67	138	8	6	14	34	39	73	25
496	DUMBARTON (incl. Burgh)	8268	11423	271	236	507	11	13	24	138	148	286	75
497	Kilmaronock,	1085	978	11	12	23	—	1	1	11	9	20	2
498	KIRKINTILLOCH (incl. Town)	8179	8257	164	143	307	18	14	32	93	86	179	47
499	Luss,	831	730	12	14	26	—	—	—	3	3	6	2
500	New, or East, Kilpatrick,	4910	6038	117	123	240	6	8	14	66	61	127	31
501	Old, or West, Kilpatrick (incl. DUNTOCHER, Town)	5577	5346	90	106	196	9	6	15	51	58	109	27
502	Roseneath,	1626	1780	30	16	46	1	1	2	17	9	26	7
503	Row (incl. HELENSBURGH).	6334	8439	118	96	214	10	4	14	75	91	166	48
Total,		54179	61116	1122	1043	2165	73	71	144	658	675	1333	360
19. ARGYLL. Mainland.													
504	Ardchattan,	1381	1172	8	13	21	1	—	1	10	10	20	4
505	Ardnamurchan— (1) Aharacle,	1544	1414	22	20	42	—	—	—	16	10	26	5
	(2) Arisaig,	1343	1131	14	16	30	2	2	4	19	10	29	3
	(3) Sunart (or Strontian)	759	760	8	4	12	—	—	—	5	7	12	1
	(4) Western District, . .	1054	954	19	10	29	1	1	2	14	11	25	3
506	Ballachulish and Corran of Ardgour,	919	849	9	9	18	1	1	2	10	6	16	4
507	CAMPBELTOWN (incl. Burgh),	8149	8580	135	117	252	14	15	29	78	89	167	61
508	Craignish,	618	481	7	3	10	1	—	1	6	4	10	—
509	Cumlodden,	1033	826	14	10	24	—	1	1	4	5	9	4
510	DUNOON and KILMUN (incl. DUNOON & KIRN), .	5461	6871	88	86	174	3	6	9	77	60	137	37
511	Glassary,	1769	1535	19	18	37	—	2	2	11	10	21	12
512	Glenorchy and Inishail, .	869	752	12	10	22	1	1	2	9	7	16	4
513	INVERARAY (including Burgh),	1650	1503	19	13	32	1	2	3	16	11	27	6
514	Inverchaolain,	424	443	9	3	12	1	—	1	5	4	9	1
515	Kilbrandon & Kilchattan,	2053	2107	30	21	51	2	1	3	12	32	44	5
516	Kilcalmonell, etc.— (1) Kilcalmonell,	742	684	8	9	17	—	—	—	4	6	10	3
	(2) Kilberry,	583	485	9	6	15	1	1	2	3	1	4	1
517	Kilchrenan, etc.— (1) Kilchrenan,	587	396	1	4	5	—	—	—	1	—	1	1
	(2) Dalavich,	230	217	1	5	6	1	1	2	3	—	3	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
518	Kilfinan,	1891	2228	25	29	54	1	1	2	21	15	36	12
519	Killean and Kilchenzie, . .	1890	1614	25	28	53	2	2	4	13	8	21	6
520	Kilmalie,	3353	3217	30	41	71	2	6	8	44	35	79	17
521	Kilmartin,	949	869	12	7	19	—	—	—	1	4	5	5
522	Kilmodan,	433	358	7	4	11	—	—	—	3	2	5	4
523	Kilmore and Kilbride (incl. Burgh of OBAN),	2962	3402	54	48	102	5	8	13	43	32	75	17
524	Kilninver, etc.—												
	(1) Kilninver,	314	253	5	6	11	—	1	1	2	1	3	2
	(2) Kilmelford,	486	506	4	8	12	—	2	2	2	2	4	1
525	Lismore, etc.—												
	(1) Lismore,	1023	908	12	11	23	4	—	4	3	7	10	3
	(2) Appin,	825	728	9	5	14	—	—	—	7	7	14	4
	(3) Glencoe & Ballachu- lish,	1324	1529	21	24	45	—	—	—	19	16	35	2
	(4) Duror,	423	370	2	5	7	—	—	—	—	3	3	3
526	Lochgilphead,	3312	3680	60	62	122	2	4	6	43	36	79	24
527	Lochgailhead, etc.—												
	(1) Lochgailhead,	418	436	8	3	11	—	—	—	9	5	14	—
	(2) Kilmorich,	284	330	7	4	11	1	2	3	7	5	12	—
528	Morvern,	1226	973	15	15	30	—	1	1	3	7	10	1
529	Muckairn,	965	790	7	11	18	—	3	3	8	3	11	3
530	North Knapdale,	1327	1059	9	6	15	1	—	1	13	9	22	4
531	Saddell, etc.—												
	(1) Saddell,	739	645	7	5	12	—	—	—	4	5	9	6
	(2) Skipness,	533	500	6	6	12	4	—	4	3	2	5	3
532	Southend,	1214	1044	20	16	36	1	1	2	11	11	22	8
533	South Knapdale,	654	548	5	6	11	—	—	—	4	2	6	3
534	Stralachlan, etc.—												
	(1) Stralachlan,	309	340	4	4	8	—	—	—	1	1	2	2
	(2) Strachur,	563	527	5	6	11	1	—	1	6	9	15	—
535	Tarbert,	1661	1866	27	43	70	2	1	3	17	28	45	11
	<i>Insular.</i>												
536	Bowmore (or Kilarrow), . .	2701	2088	30	20	50	5	2	7	24	17	41	6
537	Gigha,	467	390	5	6	11	2	1	3	—	1	1	1
538	Iona,	743	c. 798	18	15	33	2	1	3	7	8	15	2
539	Jura, etc.—(1) Jura,	858	775	5	13	18	—	—	—	7	6	13	3
	(2) Colonsay,	598	456	3	4	7	1	—	1	3	1	4	—
540	Kilchoman,	2377	1882	18	20	38	3	1	4	16	17	33	6
541	Kildalton,	2187	1916	31	24	55	8	3	11	20	16	36	11
542	Kilfinichen & Kilvickeon, . .	1792	c. 1663	18	17	35	2	2	4	14	10	24	6
543	Kilmeny,	1268	924	7	17	24	1	4	5	11	9	20	3
544	Kilninian and Kilmore, . .	1641	1189	11	8	19	—	1	1	11	10	21	5
545	Kinlochspelve,	428	388	6	6	12	—	—	—	2	3	5	—
546	Oa,	769	367	5	3	8	—	—	—	2	3	5	—
547	Portnahaven,	1059	979	15	22	37	—	3	3	13	6	19	4
548	Salen,	604	605	4	7	11	—	1	1	3	4	7	1
549	Tobermory,	1566	1344	15	13	28	1	1	2	20	15	35	2
550	Torosay,	557	454	7	5	12	2	1	3	5	6	11	1
551	Tyree, etc.—(1) Tyree, . .	3217	2837	32	23	55	3	2	5	25	37	62	8
	(2) Coll,	781	723	16	9	25	1	4	5	9	3	12	1
	Total,	83859	79661	1064	1012	2076	87	93	180	782	710	1492	357
	20. BUTE.												
552	Cumbraes,	1236	1613	19	25	44	1	—	1	19	15	34	7
553	Kilbride, part of—												
	(1) Brodick,	902	928	11	10	21	—	—	—	6	7	13	4
	(2) Kilbride,	1351	1276	10	9	19	1	—	1	18	6	24	2
554	Kilmory,	2515	2278	16	21	37	3	1	4	25	17	42	9

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
555	Kingarth,	905	901	7	12	19	—	—	—	3	3	6	5
556	Lochranza,	824	777	11	11	22	—	—	—	4	5	9	8
557	North Bute,	1351	1393	14	13	27	—	—	—	16	9	25	6
558	ROTHESAY,	7227	7800	105	111	216	12	10	22	94	126	220	50
	Total,	16311	16966	193	212	405	17	11	28	185	188	373	91
	VI. SOUTH-WESTERN.												
	21. RENFREW.												
559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	295	282	577	29	27	56	219	221	440	176
	(2) Landward (including part of BARRHEAD),	5670	5679	117	96	213	5	6	11	65	51	116	39
	(3) JOHNSTONE (including Town),	8142	8590	159	165	324	8	10	18	111	103	214	62
560	Cathcart,	3782	7231	111	129	240	5	2	7	57	72	129	48
561	Eaglesham,	2328	1714	19	21	40	2	4	6	14	28	42	13
562	EASTWOOD,	11314	13098	247	227	474	17	13	30	184	154	338	105
563	Erskine,	1457	1565	18	23	41	—	—	—	13	8	21	5
564	GREENOCK—												
	(1) New, or Middle,	9446	9592	197	174	371	26	10	36	149	135	284	27
	(2) East,	12135	17061	426	379	805	16	16	32	216	225	441	133
	(3) Old, or West,	22313	33141	644	663	1307	29	28	57	498	451	949	360
565	Houstoun and Killellan, . .	2490	2167	34	31	65	5	1	6	16	35	51	16
566	Inchinnan,	619	584	9	7	16	—	—	—	7	4	11	3
567	Innerkip—												
	(1) Innerkip,	1188	1393	18	18	36	1	1	2	12	12	24	8
	(2) GOUROCK (including Town),	2307	3109	43	39	82	2	3	5	42	43	85	26
568	KILBARCHAN,	6348	6093	98	118	216	6	13	19	76	72	148	40
569	Kilmalcolm,	1455	1716	34	34	68	1	—	1	14	14	28	4
570	Lochwinnoch,	3821	3816	63	56	119	8	7	15	37	44	81	24
571	Mearns,	3547	3543	67	41	108	6	2	8	36	28	64	20
572	Neilston—(1) Neilston, . .	4577	4633	78	76	154	14	14	28	41	57	98	27
	(2) BARRHEAD,	6436	6503	114	113	227	11	11	22	69	71	140	45
573	PAISLEY—												
	(1) High,	14900	15483	283	271	554	15	20	35	166	174	340	116
	(2) Middle and Low,	16638	16426	318	267	585	26	28	54	283	289	572	160
574	PORT-GLASGOW (incl. Burgh),	7294	9912	250	192	442	19	8	27	154	147	301	112
575	RENFREW (incl. Burgh), . . .	4650	5908	126	121	247	4	5	9	71	59	130	33
	Total,	168746	195305	3768	3543	7311	255	229	484	2550	2497	5047	1602
	22. AYR.												
576	ARDROSSAN—												
	(1) Old (including part of SALTCOATS),	3530	3336	46	51	97	3	5	8	21	38	59	31
	(2) New (including ARDROSSAN),	3246	3929	94	54	148	3	2	5	33	41	74	30
577	Auchinleck,	4213	6174	155	121	27	10	10	20	112	95	207	56
578	AYR (incl. Burgh),	19659	19172	325	295	626	16	28	44	237	235	472	155
579	Ballantrae,	1483	1277	21	15	36	4	1	5	12	7	19	6
580	Barr,	910	672	6	12	18	1	1	2	7	6	13	3
581	BEITH (incl. Town),	5775	6233	131	94	225	9	6	15	63	62	125	43
582	Colmonell,	2588	2293	36	30	66	1	2	3	24	17	41	11
583	Coylton,	1604	1440	26	24	50	—	5	5	15	10	25	18
584	Craigie,	730	618	7	10	17	—	2	2	4	7	11	6
585	Dailly,	2050	1932	37	40	77	7	1	8	17	12	29	14

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
586	Dalmellington,	4194	6165	144	143	287	6	13	19	82	66	148	26
587	DALRY (incl. Town), . .	11156	10885	181	233	414	7	10	17	102	82	184	65
588	Dalrymple,	1325	1412	27	42	69	—	1	1	17	14	31	10
589	Dreghorn,	3283	3241	63	66	129	3	1	4	48	50	98	19
590	DUNDONALD—												
	(1) Dundonald,*	2095	1507	45	50	95	2	3	5	30	23	53	23
	(2) Troon,*	2599	2870	26	27	53	2	—	2	18	16	34	12
591	Dunlop,	1038	1160	16	21	37	—	2	2	3	14	17	8
592	Fenwick,	1532	1318	19	14	33	2	1	3	12	18	30	12
593	GALSTON (incl. Town), . .	5254	6331	121	107	228	8	7	15	85	99	184	48
594	GIRVAN (incl. Town), . .	7053	5685	105	94	199	29	15	44	63	69	132	41
595	IRVINE (incl. Burgh), . .	8607	8462	148	181	329	17	17	34	121	143	264	73
596	KILBIRNIE (incl. Town), .	5265	4953	98	83	181	11	6	17	37	58	95	40
597	KILMARNOCK (incl. part of Burgh),	3556	24072	510	445	955	51	41	92	324	307	631	223
598	Kilmaurs,	3526	3449	68	62	130	3	6	9	40	30	70	27
599	KILWINNING (incl. Town),	7717	7375	133	151	284	10	9	19	101	95	196	60
600	Kirkmichael,	2823	2254	31	35	66	4	7	11	26	22	48	21
601	Kirkoswald,	2060	1846	31	30	61	3	3	6	17	20	37	15
602	LARGS (incl. Town), . .	3620	4087	61	51	112	2	—	2	41	44	85	32
603	Loudoun (incl. NEW- MILNS),	4840	5525	113	98	211	7	6	13	86	86	172	42
604	Mauchline,	2303	2435	37	34	71	4	6	10	31	18	49	16
605	MAYBOLE (incl. Town), . .	6713	5900	112	102	214	23	17	40	59	49	108	57
606	Monkton and Prestwick,	1937	1744	23	35	58	4	7	11	22	30	52	18
607	MUIRKIRK (incl. Town), .	3270	3253	72	59	131	11	6	17	41	41	82	20
608	New Cumnock,	2891	3434	69	75	144	9	6	15	40	30	70	31
609	Ochiltree,	1676	1656	27	22	49	3	1	4	18	13	31	14
610	Old Cumnock (incl. Town),	3721	4041	70	76	146	15	7	22	63	53	116	26
611	Riccarton (incl. part of KILMARNOCK),	5629	5845	124	122	246	6	9	15	62	70	132	40
612	St Quivox and Newton- upon-Ayr,	1870	1363	28	18	46	5	4	9	17	16	33	15
613	Sorn (incl. CATRINE), . .	4042	4032	67	73	140	9	9	18	46	43	89	39
614	Stair,	743	734	9	11	20	—	1	1	5	6	11	3
615	STEVENSTON (incl. Town and part of SALTCOATS),	5452	5019	92	86	178	7	9	16	87	71	158	35
616	STEWARTON (incl. Town),	4449	4478	79	68	147	15	8	23	61	51	112	40
617	Straiton,	1544	1443	26	22	48	4	1	5	14	8	22	12
618	Symington,	855	792	10	15	25	2	2	4	11	10	21	7
619	Tarbolton,	2669	3219	53	59	112	7	3	10	26	24	50	31
620	West Kilbride,	1988	1847	27	24	51	4	—	4	17	17	34	4
	Total,	199083	200908	3749	3580	7329	349	307	656	2418	2336	4754	1578
	23. LANARK.												
621	Avondale (incl. STRATH- AVEN),	6125	5460	94	80	174	7	5	12	73	73	146	48
622	Barony—												
	(1) MARYHILL (incl. Town and part of GLASGOW),	6734	10235	207	201	408	9	10	19	92	103	195	75
	(2) Springburn (incl. pt. of GLASGOW),	8911	13994	280	275	555	11	13	24	369	346	715	63
	(3) Shettleston,	6914	7517	143	138	281	10	6	16	64	76	140	68
623	Biggar,	1999	2013	34	43	77	6	8	14	16	17	33	14
624	Blantyre,	3092	3472	55	53	108	1	3	4	36	49	85	25
625	Bothwell—												
	(1) Bothwell (including BELLSHILL),	7059	9193	187	157	344	11	10	21	112	107	219	55
	(2) Holytown,	10844	10099	229	202	431	12	22	34	131	117	248	78

* Dundonald and Troon constituted separate Registration Districts as at 1st June 1870.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
626	Cadder—												
	(1) Western District, .	3023	3261	72	69	141	9	7	16	28	28	56	19
	(2) Eastern District, .	2925	3203	62	61	123	3	1	4	38	29	67	16
626	Calderhead,	4034	4271	86	94	180	3	4	7	44	57	101	20
627	Cambuslang,	3647	3740	69	78	147	6	4	10	32	37	69	25
628	Cambusnethan (including WISHAW) (part of), .	13118	18709	451	400	851	32	25	57	208	166	374	127
629	CARLUKE (incl. Town), .	6176	7066	147	141	288	16	16	32	108	117	225	59
630	Carmichael,	836	708	13	9	22	1	—	1	11	5	16	—
631	Carmunnoch,	734	702	8	8	16	—	1	1	2	3	5	5
632	Carnwath,	3584	5709	116	121	237	18	17	35	41	48	89	49
633	Carstairs,	1345	1718	31	34	65	3	2	5	13	11	24	14
634	Covington & Thankerton,	532	454	11	7	18	—	1	1	4	2	6	4
635	Crawford—												
	(1) Crawford,	694	727	12	12	24	—	3	3	9	2	11	6
	(2) Leadhills,	896	1102	24	18	42	4	2	6	23	11	34	12
636	Crawfordjohn,	980	853	9	12	21	—	2	2	9	8	17	4
637	Culter,	665	593	7	11	18	1	—	1	5	4	9	5
638	Dalserf—(1) LARKHALL (including Town), .	3629	5332	142	125	267	8	9	17	71	93	164	40
	(2) Dalserf,	1247	2009	50	46	96	3	2	5	20	19	39	9
639	Dalziel (incl. MOTHERWELL),	5438	9175	205	235	440	14	12	26	139	118	257	44
640	Dolphington,	260	231	4	3	7	—	—	—	2	1	3	—
641	Douglas,	2490	2624	47	45	92	7	4	11	29	29	58	20
642	Dunsyre,	312	302	3	—	3	—	—	—	3	1	4	3
643	East Kilbride,	4064	3861	55	60	115	3	4	7	44	36	80	19
644	GLASGOW—												
	(1) Central District, .	49678	57279	1371	1259	2630	298	240	538	1092	1211	2303	539
	(2) High,	48119	58466	1267	1176	2443	117	123	240	1260	1035	2295	608
	(3) Bridgeton,	45485	60628	1238	1202	2440	88	91	179	796	866	1662	412
	(4) Calton,	36625	38177	793	745	1538	57	52	109	550	579	1129	437
	(5) Clyde,	29975	26044	497	465	962	69	62	131	416	386	802	231
	(6) Blythswood,	28697	33443	507	468	975	29	31	60	309	306	615	490
	(7) Milton,	33360	46393	935	952	1887	76	75	151	546	558	1104	448
	(8) Anderston,	40945	52504	1037	1085	2122	77	63	140	612	588	1200	412
	(9) Tradeston,	38600	49176	989	896	1885	58	53	111	679	714	1393	640
	(10) Hutchesontown, .	44019	55622	1251	1222	2473	99	88	187	702	750	1452	402
645	Glassford,	1938	1430	21	23	44	1	2	3	12	14	26	9
646	GOVAN—												
	(1) GOVAN (incl. Town),	13725	32836	548	564	1112	29	25	54	294	286	580	191
	(2) Park			76	68	144	1	1	2	34	47	81	46
	(2) PARTICK (incl. Town)	14859	23918	432	444	876	13	20	33	246	200	446	222
647	HAMILTON (incl. Burgh),	14047	16803	295	288	583	32	19	51	205	179	384	120
648	LANARK (incl. Burgh),	7891	7841	127	106	233	12	19	31	114	131	245	36
649	Lesmahagow,	9266	8709	157	162	319	12	23	35	100	98	198	54
650	Libberton,	836	691	11	8	19	1	—	1	2	3	5	7
651	New Monkland—												
	(1) AIRDRIE,	12922	13488	270	283	553	24	22	46	161	198	359	122
	(2) Landward,	7632	9264	193	179	372	13	17	30	114	106	220	54
652	Old Monkland—												
	(1) Western District, .	6932	7873	151	163	314	17	3	20	77	86	163	40
	(2) Middle District (incl. COATBRIDGE), .	15303	18410	427	366	793	35	19	54	291	279	570	146
	(3) Eastern District (incl. CALDERBANK),	7308	7790	174	177	351	12	13	25	155	100	255	42
653	Pettinain,	407	366	13	4	17	1	1	2	3	1	4	2
654	RUTHERGLEN (incl. Burgh),	9335	10766	202	183	385	8	14	22	112	138	250	105
655	Shotts (part of), . . .	4792	5699	126	135	261	10	5	15	64	44	108	31

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
656	STONEHOUSE (incl. Town),	3267	3177	61	64	125	4	5	9	43	61	104	27
657	Symington,	528	442	8	6	14	1	1	2	3	4	7	4
658	Walston,	480	425	7	5	12	1	—	1	2	3	5	1
659	Wandell and Lamington,	380	332	2	8	10	—	—	—	—	1	1	1
660	Wiston and Robertson, .	786	680	11	4	15	3	—	3	5	3	8	3
	Total,	640444	787005	16050	15448	31498	1396	1280	2676	10775	10688	21463	680
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
661	Abercorn,	965	933	8	14	22	1	4	5	9	5	14	3
662	BATHGATE—(1) BATHGATE	6572	6942	147	157	304	9	12	21	101	81	182	70
	(2) ARMADALE	3562	3187	113	71	184	7	7	14	44	22	66	21
663	BORROWSTOUNNESS (incl. Town),	5698	4986	95	109	204	4	4	8	61	60	121	23
664	Carriden,	1821	1799	34	30	64	4	2	6	30	31	61	18
665	Dalmeny,	804	916	13	12	25	2	1	3	4	10	14	4
666	Ecclesmachan,	309	329	7	3	10	2	—	2	4	1	5	5
667	Kirkliston,	1907	2172	46	32	78	5	2	7	20	19	39	13
668	LINLITHGOW (incl. Burgh),	5784	5554	93	96	189	18	8	26	89	64	153	29
669	Livingstone,	1366	1727	36	36	72	2	1	3	22	23	45	13
670	QUEENSFERRY (incl. Burgh),	1391	1521	31	33	64	3	4	7	14	10	24	6
671	Torphichen,	1848	1630	20	39	59	2	1	3	15	19	34	6
672	Uphall,	1507	2772	67	60	127	2	6	8	41	40	81	14
673	Whitburn,	5511	6911	169	166	335	10	15	25	85	60	145	38
	Total,	39045	41379	879	858	1737	71	67	138	539	445	984	268
	25. EDINBURGH.												
674	Borthwick,	1742	1720	17	26	43	2	5	7	14	9	23	11
675	Carrington,	681	712	12	7	19	2	1	3	2	6	8	6
676	Cockpen,	2902	3346	45	45	90	3	1	4	31	24	55	19
677	Colinton,	2656	3644	63	57	120	18	19	37	67	82	149	16
678	Corstorphine,	1579	1788	27	26	53	7	1	8	12	15	27	7
679	Cramond,	2695	3020	37	51	88	1	2	3	35	30	65	14
680	Cranston,	1035	1036	14	15	29	1	—	1	14	5	19	10
681	Crichton,	1304	1223	17	25	42	2	4	6	10	24	34	6
682	Currie,	2248	2360	48	34	82	3	2	5	22	19	41	23
683	DALKEITH (incl. Town),	7114	7667	135	130	265	7	11	18	89	86	175	47
684	Duddingston—												
	(1) PORTOBELLO,	4366	5481	99	72	171	6	5	11	71	77	148	52
	(2) Landward,	857	970	17	16	33	—	3	3	8	10	18	4
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuthbert),	42068	55049	911	852	1763	50	69	119	540	639	1179	383
	(2) St Andrew,	38731	39781	549	535	1084	24	35	59	381	361	742	40
	(3) Canongate (incl. Landward),	30169	33183	674	658	1332	63	56	119	691	529	1220	30
	(4) St Giles,	29679	31960	614	568	1182	116	106	222	379	381	760	30
	(5) Newington,	29797	41079	677	690	1367	51	37	88	364	450	814	47
686	Fala and Soutra,	382	364	9	5	14	—	1	1	6	1	7	1
687	Glencross,	1217	1153	15	19	34	—	1	1	6	8	14	4
688	Heriot,	407	414	7	9	16	2	—	2	2	3	5	1
689	Inveresk (incl. MUSSELBURGH),	9518	10068	189	170	359	12	26	38	134	156	290	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
690	Kirknewton and East-Calder,	1549	2213	45	41	86	6	6	12	24	27	51	17
691	Lasswade,	5688	7098	121	135	256	6	11	17	60	60	120	51
692	LEITH—(1) North Leith,	11562	16582	355	317	672	18	17	35	175	154	329	129
	(2) South Leith,	24467	29852	591	551	1142	37	35	72	372	358	730	291
693	Liberton,	3510	3791	55	56	111	7	3	10	41	44	85	24
694	Mid-Calder,	1389	1634	28	25	53	2	1	3	14	15	29	18
695	Newbattle,	2837	2902	47	45	92	3	5	8	17	14	31	18
696	Newton,	1553	1181	16	22	38	3	4	7	9	17	26	12
697	Penicuik,	3249	3765	72	46	118	7	7	14	27	41	68	33
698	Ratho,	1659	1744	28	25	53	1	4	5	23	22	45	9
698	Stobhill,	1900	2000	63	52	115	6	6	12	16	24	40	14
699	Stow,	2171	2306	37	35	72	—	3	3	12	15	27	11
700	Temple,	1385	1536	13	11	24	4	2	6	8	4	12	7
701	West-Calder,	1927	7865	185	159	344	15	7	22	81	69	150	41
	Total,	273792	328138	5832	5530	11362	485	496	981	3757	3779	7536	2839
	26. HADDINGTON.												
702	Aberlady,	1019	1022	13	11	24	3	1	4	9	6	15	3
703	Athelstaneford,	902	844	10	14	24	1	—	1	6	9	15	6
704	Bolton,	332	364	7	3	10	2	—	2	5	3	8	2
705	Dirleton,	1540	1419	16	18	34	—	2	2	5	10	15	8
706	DUNBAR (incl. Burgh),	4944	4982	91	67	158	11	12	23	55	46	101	36
707	Garvald,	891	832	21	12	33	3	1	4	6	6	12	3
708	Gladsmuir,	1945	1863	39	29	68	2	—	2	11	14	25	7
709	HADDINGTON (incl. Burgh),	5548	5735	96	93	189	7	6	13	61	58	119	46
710	Humbie,	997	967	14	8	22	1	2	3	11	9	20	3
711	Innerwick,	937	892	15	11	26	1	—	1	3	2	5	6
712	Morham,	281	204	1	—	1	—	—	—	—	1	1	—
713	NORTH BERWICK (incl. Burgh),	2071	2373	37	31	68	5	1	6	29	26	55	12
714	Oldhamstocks,	615	592	12	8	20	3	3	6	3	1	4	6
715	Ormiston,	915	911	19	14	33	3	2	5	5	5	10	12
716	Pencaitland,	1187	1320	19	24	43	2	2	4	10	11	21	4
717	Prestonkirk,	1960	1931	35	39	74	9	5	14	27	19	46	7
718	Prestonpans,	2080	2069	40	29	69	2	4	6	15	28	43	16
719	Salton,	712	647	15	7	22	4	1	5	4	1	5	4
720	Spott,	555	560	14	13	27	3	2	5	2	1	3	3
721	Stenton,	692	612	9	9	18	3	1	4	3	—	3	2
722	TRANENT (incl. Town),	4647	4852	92	87	179	8	9	17	57	65	122	37
723	Whitekirk & Tynninghame,	1113	1073	14	11	25	1	1	2	7	5	12	10
724	Whittinghame,	710	657	10	8	18	1	2	3	4	2	6	7
725	Yester (or Gifford),	1033	1034	13	11	24	1	1	2	13	8	21	6
	Total,	37626	37755	652	557	1209	76	58	134	351	336	687	246
	27. BERWICK.												
726	Abbey St Bathans,	179	195	6	2	8	1	—	1	—	1	1	—
727	Ayton,	2014	1983	29	31	60	—	2	2	15	15	30	10
728	Bunkle and Preston,	756	764	14	6	20	—	1	1	3	4	7	3
729	Channelkirk,	671	705	18	9	27	1	—	1	6	—	6	6
730	Chirnside,	1502	1413	23	17	40	3	1	4	14	16	30	7
731	Cockburnspath,	1194	1133	17	17	34	1	1	2	17	6	23	8
732	Coldingham,	3241	3093	57	53	110	5	7	12	29	27	56	14
733	Coldstream,	2823	2619	37	31	68	3	4	7	28	35	63	16
734	Cranshaws,	134	142	2	—	2	—	—	—	1	—	1	1
735	DUNSE (incl. Town),	3595	3602	55	46	101	6	4	10	31	38	69	16
736	Earlston,	1825	1977	39	24	63	3	4	7	20	14	34	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
737	Eccles,	1861	1780	36	29	65	4	6	10	11	17	28	14
738	Edrom,	1592	1513	23	23	46	3	1	4	9	8	17	10
739	Eyemouth,	1804	2372	45	40	85	—	—	—	27	22	49	7
740	Fogo,	559	502	7	7	14	1	3	4	3	1	4	1
741	Foulden,	431	425	6	1	7	—	—	—	1	3	4	1
742	Gordon,	931	876	16	12	28	1	1	2	8	9	17	6
743	Greenlaw,	1370	1381	29	14	43	2	1	3	17	12	29	7
744	Hume,	420	460	4	9	13	1	1	2	1	3	4	3
745	Hutton,	1067	1077	13	18	31	2	—	2	8	6	14	5
746	Ladykirk,	564	518	7	8	15	2	1	3	6	4	10	3
747	Langton,	502	548	6	7	13	—	—	—	1	3	4	3
748	LAUDER (incl. Burgh),	2198	2120	34	37	71	6	5	11	9	16	25	8
749	Legerwood,	599	525	8	7	15	2	1	3	2	—	2	5
750	Longformacus,	448	452	14	5	19	—	1	1	1	3	4	2
751	Merton,	729	734	11	8	19	3	—	3	4	2	6	5
752	Mordington,	377	402	4	7	11	1	—	1	3	3	6	1
753	Nenthorn,	461	434	6	6	12	—	—	—	5	4	9	4
754	Polwarth,	251	249	6	2	8	1	—	1	3	2	5	—
755	Swinton,	964	996	11	16	27	1	2	3	8	10	18	6
756	Westruther,	786	784	11	11	22	1	1	2	6	4	10	9
757	Whitsome,	640	608	10	10	20	2	1	3	4	2	6	4
Total,		36488	36382	604	513	1117	56	49	105	301	290	591	192
28. PEEBLES.													
758	Broughton (merged in 763)												
759	Drumelzier,	209	221	4	3	7	—	—	—	2	—	2	2
760	Eddlestone,	753	700	12	15	27	—	—	—	7	6	13	2
761	Glenholm (merged in 763)												
762	Innerleithen,	1823	2812	50	35	85	8	2	10	23	20	43	20
763	Kilbucho, Broughton, and Glenholm,	723	729	17	10	27	1	—	1	5	5	10	3
764	Kirkurd,	362	294	6	3	9	—	1	1	—	1	1	1
765	Lyne, etc.—(1) Lyne, (2) Megget,	81	104	4	2	6	—	—	—	—	—	—	—
		53	70	1	1	2	—	—	—	—	—	—	—
766	Manor,	247	271	4	4	8	—	—	—	—	1	1	1
767	Newlands,	987	851	19	11	30	3	2	5	6	7	13	5
768	PEEBLES (incl. Burgh),	2850	3172	41	43	84	4	4	8	29	26	55	20
769	Skirling,	317	325	8	6	14	2	1	3	—	2	2	5
770	Stobo,	478	459	12	6	18	1	—	1	8	3	11	5
771	Traquair,	687	669	13	17	30	—	2	2	7	3	10	3
772	Tweedsmuir,	196	190	2	2	4	—	1	1	2	3	5	3
773	West Linton,	1534	1387	24	25	49	4	4	8	13	19	32	10
Total,		11264	12218	217	183	400	23	17	40	102	96	198	80
29. SELKIRK.													
774	Ettrick,	454	434	7	4	11	1	—	1	7	1	8	2
775	GALASHIELS (incl. part of Town),	3379	6062	115	123	238	11	17	28	56	50	106	57
776	Kirkhope,	555	565	9	5	14	—	—	—	3	1	4	6
777	Roberton,	640	593	12	10	22	1	—	1	5	3	8	—
778	SELKIRK (incl. Burgh),	4739	5633	90	78	168	12	9	21	58	38	96	26
779	Yarrow,	643	662	9	8	17	—	—	—	5	5	10	5
Total,		10747	14334	242	228	470	25	26	51	134	98	232	96
VIII. SOUTHERN.													
30. ROXBURGH.													
780	Ancrum,	1511	1391	21	24	45	5	4	9	14	12	26	2
781	Ashkirk,	578	550	9	10	19	3	4	7	7	2	9	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
782	Bedrule,	222	292	5	6	11	—	—	—	1	1	2	2
783	Bowden,	864	842	10	12	22	—	—	—	8	6	14	5
784	Castleton,	3688	2202	42	39	81	4	7	11	20	12	32	10
785	Cavers,	1824	1443	30	22	52	2	1	3	10	18	28	3
786	Crailing,	673	657	8	8	16	2	1	3	2	6	8	6
a787	Eckford,	957	931	13	16	29	3	4	7	3	7	10	2
b787	Edgerston,	359	365	6	3	9	—	—	—	2	—	2	2
788	Ednam,	599	613	12	9	21	—	—	—	2	5	7	3
789	HAWICK (incl. part of Town),	8726	8733	139	154	293	11	16	27	93	118	211	67
790	Hobkirk,	771	718	10	10	20	1	—	1	4	7	11	2
791	Hownam,	289	238	6	3	9	2	1	3	1	—	1	1
792	JEDBURGH (incl. Burgh),	5011	4971	88	76	164	7	9	16	39	47	86	25
793	KELSO (incl. Town),	5192	5124	83	71	154	5	7	12	49	70	119	26
794	Kirktown,	421	320	7	5	12	—	—	—	4	3	7	1
795	Lilliesleaf,	772	788	15	11	26	2	—	2	8	7	15	5
796	Linton,	608	570	6	3	9	1	—	1	4	6	10	3
797	Makerston,	380	361	4	6	10	1	1	2	—	1	1	4
798	Maxton,	497	481	10	10	20	2	2	4	4	3	7	5
799	Melrose—												
	(1) Melrose,	3500	4115	45	63	108	7	4	11	29	42	71	18
	(2) Ladhope (incl. part of GALASHIELS),	4154	5317	103	86	189	7	11	18	58	68	126	48
800	Minto,	430	431	8	6	14	2	—	2	2	2	4	2
801	Morebattle,	1031	986	16	22	38	4	1	5	9	8	17	10
802	Oxnam,	592	652	18	14	32	—	—	—	2	4	6	6
803	Roxburgh,	1178	1053	10	13	23	1	3	4	6	8	14	3
804	St Boswells,	922	973	14	14	28	2	4	6	9	7	16	5
805	Smailholm,	554	534	7	10	17	1	2	3	4	5	9	5
806	Southdean,	687	674	7	9	16	1	1	2	3	2	5	1
807	Sprouston,	1305	1294	12	15	27	4	1	5	7	14	21	2
808	Stitchel,	425	388	5	3	8	1	—	1	5	6	11	6
809	Teviothead,	438	515	8	11	19	—	1	1	4	2	6	6
810	WILTON (incl. Town and part of HAWICK),	3357	3936	66	78	144	4	7	11	32	60	92	20
811	Yetholm,	1207	1100	15	13	28	3	3	6	4	7	11	7
Total,		53722	53558	858	855	1713	88	95	183	449	566	1015	317
31. DUMFRIES.													
812	ANNAN (incl. part of Burgh),	5113	4631	85	72	157	11	12	23	69	73	142	21
a813	Applegarth,	935	902	16	15	31	3	2	5	5	8	13	4
b813	Brydekirk (incl. part of ANNAN),	779	731	12	12	24	6	2	8	10	10	20	4
814	Canonbie,	3219	3055	49	60	109	6	13	19	20	30	50	30
815	Carlaverock,	1248	1151	13	13	26	3	3	6	6	13	19	8
816	Closeburn,	1651	1612	26	21	47	4	1	5	9	13	22	15
817	Cummertrees,	1184	1072	17	16	33	1	5	6	16	10	26	4
818	Dalton,	679	577	5	8	13	1	2	3	2	5	7	3
819	Dornock,	856	826	10	11	21	3	—	3	7	7	14	4
820	Dryfesdale,	2509	2825	59	45	104	5	6	11	24	17	41	13
821	DUMFRIES (incl. part of Burgh),	13523	14841	231	240	471	37	36	73	174	218	392	103
822	Dunscore,	1554	1504	32	22	54	6	3	9	13	9	22	11
823	Durrisdeer,	1320	1189	16	19	35	—	4	4	10	7	17	9
824	Eskdalemuir,	590	551	4	9	13	1	1	2	2	11	13	5
825	Ewes,	356	338	5	6	11	—	—	—	2	3	5	6
826	Glencairn,	1867	1749	27	17	44	6	3	9	14	28	42	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
827	Graitney (or Gretna), . . .	1620	1395	26	20	46	5	6	11	16	20	36	7
828	Halfmorton,	713	611	6	6	12	1	1	2	3	2	5	3
829	Hoddam,	1568	1520	22	30	52	4	5	9	14	15	29	9
830	Holywood,	1115	1069	15	21	36	1	3	4	13	8	21	4
831	Hutton,	876	842	10	13	23	—	2	2	8	7	15	4
832	Johnstone,	1149	1089	15	19	34	2	3	5	6	9	15	6
833	Keir,	849	828	11	18	29	—	2	2	4	5	9	8
834	Kirkconnel,	996	952	16	22	38	1	3	4	7	13	20	3
835	Kirkmahoe,	1462	1332	25	19	44	2	3	5	11	12	23	8
836	Kirkmichael,	1026	903	11	12	23	1	3	4	3	7	10	3
837	Kirkpatrick-Fleming— (1) Northern Dist., . . .	493	393	4	8	12	—	1	1	5	2	7	4
	(2) Southern Dist., . . .	1432	1136	13	25	38	1	4	5	13	16	29	12
838	Kirkpatrick-Juxta, . . .	1025	1091	17	14	31	3	1	4	5	8	13	4
839	Langholm,	2979	3735	74	58	132	3	2	5	53	53	106	14
840	LOCHMABEN (includ. Burgh),	3087	3085	57	48	105	12	7	19	27	21	48	21
841	Middlebie,	2004	2000	32	38	70	8	5	13	15	15	30	11
842	Moffat,	2232	2543	38	34	72	3	3	6	16	22	38	11
843	Morton,	2253	2099	30	23	53	4	2	6	21	17	38	14
844	Mousewald,	633	647	9	7	16	1	—	1	3	3	6	3
845	Penpont,	1326	1323	14	23	37	2	—	2	7	10	17	10
846	Ruthwell,	1046	974	12	17	29	1	2	3	11	16	27	4
847	St Mungo,	686	658	5	6	11	—	—	—	7	3	10	7
848	SANQUHAR (including Burgh),	2758	2201	35	23	58	5	1	6	12	21	33	10
849	Tinwald,	1079	993	16	14	30	1	1	2	9	8	17	5
850	Torthorwald,	1254	1098	18	17	35	5	6	11	10	16	26	3
851	Tundergarth,	507	510	10	3	13	—	—	—	5	5	10	3
852	Tynron,	446	381	4	2	6	—	—	—	5	3	8	3
853	Wamphray,	559	505	4	6	10	1	1	2	—	3	3	5
853	Wanlockhead,	811	837	6	21	27	1	2	3	4	7	11	7
854	Westerkirk,	537	540	6	4	10	—	—	—	6	5	11	4
	Total,	75904	74842	1168	1157	2325	161	162	323	702	814	1516	457
	32. KIRKCUDBRIGHT.												
855	Anwoth,	899	827	15	14	29	2	1	3	10	8	18	7
856	Balmaclellan,	890	861	10	14	24	1	2	3	4	5	9	2
857	Balmaghie,	1225	1085	14	14	28	2	5	7	5	12	17	3
857	Bargrennan,	471	428	6	7	13	—	3	3	1	1	2	3
858	Borgue,	1162	1087	13	10	23	1	1	2	4	11	15	6
859	Buittle,	1165	1026	13	14	27	3	2	5	7	9	16	5
860	Carsphairn,	553	545	8	5	13	3	—	3	2	2	4	2
861	Colvend,	1366	1318	32	26	58	9	5	14	9	11	20	8
862	Corsock-Bridge,	544	563	11	12	23	4	2	6	4	3	7	4
863	Crossmichael,	1536	1492	16	19	35	3	3	6	8	15	23	7
864	Dalbeattie,	2054	3163	55	49	104	10	5	15	39	39	78	17
865	Dalry,	1149	1074	15	12	27	5	6	11	8	9	17	3
866	Girthon,	1702	1586	29	23	52	5	4	9	11	22	33	11
867	Irongray,	913	815	5	16	21	—	2	2	4	5	9	8
868	Kells (incl. NEW GAL- LOWAY),	1170	1007	14	9	23	3	—	3	9	10	19	5
869	KELTON,	3436	3222	50	41	91	7	5	12	46	34	80	14
870	Kirkbean,	942	825	9	13	22	—	—	—	4	11	15	2
871	KIRKCUDBRIGHT (in- cluding Burgh),	3407	3346	43	49	92	6	4	10	26	55	81	11
872	Kirkgunzeon,	793	661	10	17	27	—	4	4	11	5	16	7
873	Kirkmabreck,	1851	1568	29	28	57	5	4	9	19	17	36	11
874	Kirkpatrick-Durham, . . .	1323	1218	22	18	40	6	4	10	9	18	27	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
875	Lochrutton, . . .	677	656	11	9	20	1	3	4	1	8	9	1
876	Minnigaff, . . .	1518	1329	18	19	37	3	5	8	15	13	28	12
877	New Abbey, . . .	1063	931	16	13	29	5	2	7	8	8	16	3
878	Parton, . . .	572	526	7	10	17	1	1	2	2	2	4	4
879	Rerrick, . . .	1738	1911	28	30	58	5	2	7	19	18	37	6
880	Terregles (incl. part of DUMFRIES), . . .	580	547	10	7	17	1	2	3	3	3	6	3
881	Tongland, . . .	892	908	17	12	29	2	2	4	5	5	10	9
882	Troqueer (incl. part of DUMFRIES), . . .	4743	5402	85	88	173	15	8	23	58	56	114	30
883	Twynholm, . . .	815	717	3	15	18	—	3	3	6	5	11	5
884	Urr, . . .	1531	1443	23	36	59	4	5	9	11	17	28	12
	Total,	42680	42087	637	649	1286	112	95	207	368	437	805	229
	33. WIGTOWN.												
885	Glasserton, . . .	1472	1196	18	18	36	3	5	8	12	13	25	6
886	Inch, . . .	2460	2189	29	25	54	4	2	6	11	18	29	11
887	Kirkcolm, . . .	1860	1948	27	22	49	2	2	4	17	16	33	5
888	Kirkcowan, . . .	1434	1352	24	15	39	5	8	13	9	15	24	6
889	Kirkinner, . . .	1716	1548	25	18	43	4	3	7	9	7	16	5
890	Kirkmaiden, . . .	2333	2507	42	39	81	8	4	12	17	11	28	12
891	Leswalt, . . .	1417	1249	19	20	39	3	2	5	6	10	16	8
892	Mochrum, . . .	2694	2450	40	34	74	9	5	14	22	19	41	16
893	New Luce, . . .	731	661	12	15	27	2	5	7	9	15	24	3
894	Old Luce (or Glenluce), . .	2800	2449	38	33	71	8	2	10	17	26	43	6
895	Penninghame (incl. NEWTON-STEWART), . . .	3876	3712	42	62	104	5	8	13	44	50	94	24
896	Portpatrick, . . .	2189	1492	20	20	40	1	5	6	18	13	31	9
897	Sorbie, . . .	1814	1667	19	29	48	4	5	9	14	24	38	9
898	Stoneykirk, . . .	3228	2993	41	51	92	5	12	17	15	15	30	24
899	STRANRAER (incl. Burgh)	6315	5977	103	97	200	13	10	23	59	77	136	23
900	WHITHORN (incl. Burgh)	2934	2906	40	32	72	9	2	11	17	15	32	13
901	WIGTOWN (incl. Burgh)	2637	2306	31	27	58	2	7	9	31	25	56	7
	Total,	41910	38602	570	557	1127	87	87	174	327	369	696	187

SUMMARY.

DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861.	1871.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
INSULAR, . . .	160,733	157,755	2057	1989	4046	120	97	217	1252	1316	2568	727
MAINLAND-RURAL, . .	1,762,576	1,823,542	30617	29276	59893	3156	3048	6204	17522	17855	35377	11025
TOWN, . . .	1,138,985	1,378,721	26285	25166	51451	2429	2258	4687	18092	18128	36220	12102
SCOTLAND, . . .	3,062,294	3,360,018	58959	56431	115390	5705	5403	11108	36866	37299	74165	23854

MARRIAGES registered in SCOTLAND in 1870 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		TOTAL MARRIAGES.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
			Established Church.	Free Church.	United Presby- terian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND		23854	10678	5465	3422	538	2121	1496	60	74	20262	653	2132	759	48	2451	4666
INSULAR DISTRICTS		727	319	269	78	1	38	21	—	1	632	5	71	10	9	170	263
MAINLAND-RURAL DIST.		11025	5963	2554	1438	125	519	420	2	4	9607	232	909	240	37	871	1588
TOWN DISTRICTS		12102	4396	2642	1906	412	1564	1055	58	69	10023	416	1152	509	2	1410	2812
DIVISIONS.																	
I.	NORTHERN	580	225	262	71	—	—	21	—	1	508	7	54	8	3	39	98
II.	NORTH-WESTERN	751	196	475	23	4	50	3	—	—	656	12	69	8	6	190	307
III.	NORTH-EASTERN	2427	1408	648	123	75	46	123	1	3	2133	45	205	42	2	69	212
IV.	EAST-MIDLAND	3683	1770	772	677	102	173	184	—	5	3169	78	323	111	2	185	526
V.	WEST-MIDLAND	1519	776	346	201	17	118	61	—	—	1281	48	146	38	6	174	284
VI.	SOUTH-EASTERN	9988	3964	1852	1520	211	1469	885	57	30	8318	322	911	428	9	1547	2786
VII.	SOUTH-WESTERN	3716	1646	875	651	118	229	160	2	35	3157	119	329	102	9	190	367
VIII.	SOUTHERN	1190	693	235	156	11	36	59	—	—	1040	22	95	22	11	57	86
COUNTIES.																	
1	Shetland	150	108	27	4	—	—	11	—	—	129	1	15	3	2	17	49
2	Orkney	176	67	39	64	—	—	5	—	1	153	—	20	3	—	2	12
3	Caithness	157	42	107	3	—	—	5	—	—	142	4	9	2	—	5	11
4	Sutherland	97	8	89	—	—	—	—	—	—	84	2	10	—	1	15	26
5	Ross & Cromarty	344	58	275	8	2	1	—	—	—	307	4	30	3	—	93	153
6	Inverness	407	138	200	15	2	49	3	—	—	349	8	39	5	6	97	154
7	Nairn	39	11	16	9	1	2	—	—	—	29	—	9	1	—	7	8
8	Elgin	202	80	94	13	4	5	6	—	—	182	2	15	3	—	9	22
9	Banff	358	225	90	20	4	9	9	—	1	309	7	37	4	1	22	62
10	Aberdeen	1622	927	418	77	61	30	106	1	2	1441	30	123	27	1	26	103
11	Kincardine	206	165	30	4	5	—	2	—	—	172	6	21	7	—	5	17
12	Forfar	1753	765	326	310	86	148	114	—	4	1487	42	155	69	—	115	380
13	Perth	736	323	226	129	11	15	21	—	1	646	10	64	14	2	20	48
14	Fife	1004	601	163	196	4	9	31	—	—	877	24	85	18	—	37	72
15	Kinross	41	15	13	13	—	—	—	—	—	37	1	1	2	—	3	3
16	Clackmannan	149	66	34	29	1	1	18	—	—	122	1	18	8	—	10	23
17	Stirling	711	375	139	105	4	49	39	—	—	601	27	58	23	2	76	125
18	Dumbarton	360	151	75	63	5	56	10	—	—	299	13	38	8	2	54	88
19	Argyll	357	214	95	25	7	9	7	—	—	300	7	41	7	2	37	60
20	Bute	91	36	37	8	1	4	5	—	—	81	1	9	—	—	7	11
21	Renfrew	1602	702	292	202	30	276	96	—	4	1319	70	141	65	7	229	446
22	Ayr	1578	944	294	170	14	71	84	—	1	1344	50	134	48	2	200	345
23	Lanark	6808	2318	1266	1148	167	1122	705	57	25	5655	202	636	315	—	1118	1989
24	Linlithgow	263	138	32	40	4	33	16	—	—	223	10	24	6	—	45	69
25	Edinburgh	2839	1161	750	493	106	172	121	2	34	2386	99	265	87	2	114	252
26	Haddington	246	156	39	23	2	19	7	—	—	214	6	19	5	2	26	43
27	Berwick	192	111	23	50	—	1	6	—	1	176	1	9	2	4	2	2
28	Peebles	80	40	16	15	2	2	5	—	—	73	3	4	—	—	1	1
29	Selkirk	96	40	15	30	4	2	5	—	—	85	—	8	2	1	2	—
30	Roxburgh	317	153	57	64	6	15	22	—	—	278	7	23	8	1	10	23
31	Dumfries	457	262	93	56	4	13	29	—	—	412	7	26	7	5	16	24
32	Kirkcudbright	229	162	41	20	—	4	2	—	—	193	3	27	4	2	3	10
33	Wigtown	187	116	44	16	1	4	6	—	—	157	5	19	3	3	28	29

CONDITION and AGE of PERSONS married in SCOTLAND in 1870.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1870.

CONDITION.	Total.	AGES.																			Age not stated.		
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80		85	90
BACHELORS with SPINSTERS.	20262	-	-	1	13	130	490	1094	7763	6821	2407	855	393	156	69	36	11	5	2	1	-	-	15
	20262	1	5	72	301	932	1663	2080	8162	5068	1291	454	134	50	15	7	1	-	-	1	-	-	25
BACHELORS with WIDOWS.	653	-	-	-	-	-	3	11	94	199	125	115	59	30	9	2	3	1	2	-	-	-	-
	653	-	-	-	-	-	-	5	54	190	155	141	56	35	10	2	4	1	-	-	-	-	-
WIDOWERS with SPINSTERS.	2132	-	-	-	-	-	1	1	44	277	393	393	353	256	167	118	74	29	17	6	-	-	3
	2132	-	-	-	11	15	31	55	312	540	438	355	216	106	30	19	2	-	-	-	-	-	2
WIDOWERS with WIDOWS.	759	-	-	-	-	-	-	-	4	33	84	131	128	112	108	76	46	21	14	-	1	-	1
	759	-	-	-	-	-	-	-	6	94	134	179	124	118	56	24	17	4	1	1	-	-	1
{ MEN. { WOMEN. Condition not stated.	48	-	-	-	-	-	-	-	8	9	10	4	7	4	2	1	1	-	-	-	-	-	2
	48	-	-	-	-	-	2	1	14	9	12	6	2	1	-	-	-	-	-	-	-	-	1
TOTAL MEN.....	23854	-	-	1	13	130	494	1106	7913	7339	3019	1498	940	558	355	233	135	56	35	7	1	-	21
TOTAL WOMEN.....	23854	1	5	72	312	947	1696	2141	8548	5901	2030	1135	532	310	111	52	24	5	1	2	-	-	29

AGES of FEMALES married in Scotland in 1870.

Nairn .	39	-	-	-	-	1	14	11	1	5	3	1	-	-	-	-	-	-
Elgin .	202	-	1	-	1	6	75	59	15	10	3	2	-	-	-	-	-	-
Banff .	358	-	-	1	7	8	141	83	28	19	7	5	2	2	-	-	-	-
Aberdeen .	1622	-	-	-	8	29	578	395	134	64	31	22	7	1	2	-	-	-
Kincardine .	206	-	-	-	-	1	85	59	18	5	6	-	3	-	-	-	-	-
Forfar .	1753	-	-	-	-	12	651	452	152	88	39	24	13	2	5	-	-	-
Perth .	736	-	-	2	7	18	241	231	72	40	20	7	4	2	-	-	-	-
Fife .	1004	-	-	1	8	31	384	261	89	45	25	10	2	3	2	1	-	-
Kinross .	41	-	-	-	-	1	20	11	6	-	-	-	-	-	-	-	-	-
Clackmannan .	149	-	-	-	-	2	53	38	8	3	5	4	3	1	-	-	-	-
Stirling .	711	-	-	1	10	33	248	181	34	30	13	11	7	6	1	-	-	-
Dumbarton .	360	-	-	4	5	14	129	95	28	8	5	7	2	2	-	-	-	-
Argyll .	357	-	-	-	2	6	127	105	51	26	6	7	-	-	-	-	-	-
Bute .	91	-	-	-	1	1	31	32	5	7	1	-	2	-	-	-	-	-
Renfrew .	1602	-	-	1	25	73	574	339	131	74	37	24	5	3	1	-	-	-
Ayr .	1578	-	-	7	27	69	569	333	112	64	42	21	3	5	4	-	-	-
Lanark .	6808	-	2	36	107	344	2431	1521	546	304	138	85	34	11	3	2	-	-
Linlithgow .	263	1	-	2	9	16	98	50	20	10	5	4	1	1	-	-	-	-
Edinburgh .	2839	-	1	8	39	121	993	760	244	150	74	39	9	9	5	1	-	-
Haddington .	246	-	-	-	3	7	98	54	26	14	6	2	1	1	-	-	-	-
Berwick .	192	-	-	-	1	4	77	55	18	5	2	1	1	-	-	-	-	-
Peebles .	80	-	-	-	-	2	32	26	7	-	1	1	-	-	-	-	-	-
Selkirk .	96	-	-	-	-	4	30	31	5	2	2	3	-	-	-	-	-	-
Roxburgh .	317	-	-	-	3	15	108	86	28	15	8	2	2	1	-	-	-	-
Dumfries .	457	-	-	-	3	15	187	118	35	19	9	4	1	-	-	-	-	-
Kirkcudbright .	229	-	-	-	1	5	81	64	26	11	9	2	1	-	-	-	-	-
Wigtown .	187	-	-	-	3	6	81	36	17	12	2	3	2	1	-	-	-	-

Deaths at Different Ages in Scotland in 1870.

DEATHS at Different Ages in SCOTLAND during the YEAR 1870.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
	1861.	1871.	ALL AGES.	MONTHS.			AGE UNDER								
				3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND	3062294	3360018	74165	6955	2590	4621	5812	3008	2109	1568	4076	2000	2623	2783	2661
Insular	160733	157755	2568	206	48	107	126	42	35	34	79	53	74	97	87
Mainland-Rural	1762576	1823542	35377	3229	1133	1865	2209	1283	898	693	1981	1064	1275	1313	1128
Towns	1138985	1378721	36220	3520	1409	2649	3477	1683	1176	841	2016	883	1274	1373	1446
Shetland	31670	31608	429	32	3	6	10	4	7	4	6	10	12	16	17
Orkney	32395	31274	491	24	5	10	16	11	7	7	20	14	14	22	11
Caithness	42200	41011	599	54	11	14	19	15	7	2	22	16	27	25	17
Sutherland	24157	23298	325	16	9	8	10	4	2	3	8	8	5	10	8
Ross & Cromarty	82427	82093	1292	135	44	64	66	25	18	18	31	25	36	43	42
Inverness	84902	84258	1427	133	37	70	69	21	21	17	31	20	41	49	42
Nairn	8347	8372	156	14	7	7	7	1	2	2	2	—	9	10	8
Elgin	44218	44549	695	58	20	30	33	9	9	9	19	17	24	33	21
Banff	56020	58883	951	84	30	54	42	14	17	16	43	35	34	35	32
Aberdeen	223344	246298	4316	436	152	229	244	123	86	72	179	115	159	166	141
Kincardine	34854	35097	545	46	21	15	17	14	10	4	18	16	18	21	15
Forfar	206750	240049	5807	597	232	364	488	241	209	163	425	169	193	195	206
Perth	133198	128550	2772	177	79	105	148	76	67	60	169	85	77	116	85
Fife	155021	160924	2991	277	101	127	182	96	66	48	162	79	99	106	88
Kinross	8731	7918	124	8	1	4	3	1	1	—	6	2	4	5	—
Clackmannan	20122	22235	479	42	20	25	40	24	9	12	39	13	15	19	17
Stirling	88138	93345	2044	213	79	120	125	69	64	65	141	63	66	80	71
Dumbarton	54179	61116	1333	117	55	87	100	49	35	25	77	45	46	48	53
Argyll	83859	79661	1492	96	30	61	61	40	31	20	54	31	47	56	81
Bute	16331	16966	373	13	13	21	15	5	5	6	12	9	11	17	16
Renfrew	168746	195305	5047	451	195	400	511	290	160	111	280	132	195	188	195
Ayr	199063	200908	4754	426	154	279	397	242	156	127	342	175	193	170	158
Lanark	640444	787005	21463	2069	821	1682	2281	1146	774	532	1307	598	820	837	846
Linlithgow	39045	41379	984	118	42	80	105	47	44	18	72	25	34	30	20
Edinburgh	274093	328138	7536	760	265	481	558	277	208	140	363	149	229	262	303
Haddington	37626	37755	687	61	17	30	35	18	11	13	53	20	29	22	14
Berwick	36488	36382	591	73	17	27	23	24	8	5	23	4	19	18	10
Peebles	11300	12218	198	28	7	10	5	2	4	2	6	7	7	13	7
Selkirk	10410	14334	232	32	7	19	12	10	3	3	9	9	13	9	11
Roxburgh	53722	53558	1015	100	39	53	59	40	10	18	29	21	26	45	27
Dumfries	75904	74842	1516	135	32	74	71	40	28	22	60	42	51	65	52
Kirkcudbright	42495	42087	805	70	30	37	36	20	15	13	33	24	45	24	27
Wigtown	42095	38602	696	60	15	28	24	10	15	11	35	22	25	28	20

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1870.—BOTH SEXES.

Glasgow	395503	477732	13955	1340	555	1096	1569	725	472	323	784	340	524	557	579
Edinburgh	170444	201052	4715	445	159	287	328	152	133	86	209	82	151	168	207
Dundee	91664	120724	3185	376	157	248	324	142	112	76	193	67	93	119	131
Aberdeen	73900	88181	1927	201	78	118	156	72	54	42	90	50	69	67	63
Paisley	47427	48257	1352	120	41	100	121	57	37	25	62	37	52	51	48
Greenock	43894	59794	1674	166	75	142	189	118	60	36	93	35	63	56	80
Leith	36029	46434	1059	130	51	88	111	61	40	21	64	27	16	31	44
Perth	26094	26382	641	38	21	34	45	18	16	17	38	19	21	28	20
Inverness	16162	18552	399	45	15	26	21	7	7	6	8	5	11	16	13
Arbroath	17831	20169	556	43	14	26	40	32	26	24	61	25	22	20	14
Forfar	10838	12585	394	35	12	19	32	19	25	20	52	19	13	12	8
Montrose	15668	15783	349	17	7	12	15	5	1	5	10	9	12	12	11
Dunfermline	13506	14963	295	29	10	17	30	9	13	4	14	4	15	12	10
Kirkcaldy	11117	12835	223	32	6	14	14	10	2	3	12	7	13	4	9
Stirling	14012	14590	417	35	16	28	28	19	15	19	31	14	12	12	11
Ayr	19659	19172	472	42	20	23	32	20	15	13	26	19	18	14	10
Kilmarnock	23556	24072	631	69	22	59	56	24	18	21	44	18	25	23	22
Barony	22559	31746	1050	65	32	78	81	39	25	18	36	30	46	49	53
Govan	28584	56754	1107	134	47	94	109	58	32	20	59	28	40	58	50
Hamilton	14047	16803	384	36	9	32	26	20	8	8	28	10	21	12	17
Airdrie	12922	13488	359	37	16	26	41	15	14	12	21	5	15	16	12
Coatbridge, etc.	13303	18410	570	47	26	57	80	48	37	30	59	17	12	18	12
Dumfries	18266	20243	506	38	20	25	92	13	14	12	22	16	10	18	22

DEATHS at Different Ages in SCOTLAND during the YEAR 1870.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	2349	2398	2350	2341	2550	2675	3319	3277	3845	3319	2723	1485	529	127	26	46
Insular	82	78	68	69	93	71	134	152	206	217	193	130	56	18	7	6
Mainland-Rural	998	981	941	978	1088	1217	1572	1779	2250	2153	1823	1031	380	83	10	22
Towns	1269	1339	1341	1294	1369	1387	1613	1346	1389	949	707	324	93	26	9	18
Shetland	11	16	12	18	12	10	22	21	43	44	38	35	16	1	1	2
Orkney	20	15	8	10	14	9	21	39	48	53	52	20	15	4	—	2
Caithness	20	20	15	12	22	22	31	33	47	46	50	33	14	4	—	1
Sutherland	11	9	13	7	12	17	10	19	26	36	38	21	10	4	1	—
Ross and Cromarty	30	35	22	29	40	43	54	70	103	106	113	64	24	9	3	—
Inverness	45	41	51	34	54	55	81	72	111	113	103	67	30	11	5	3
Nairn	4	5	3	4	7	6	9	9	15	11	12	1	—	1	—	—
Elgin	19	23	25	14	24	24	38	43	52	52	56	32	10	1	—	—
Banff	25	25	16	33	27	33	31	56	81	70	56	49	13	—	—	—
Aberdeen	121	136	115	122	120	154	191	241	285	264	235	161	53	15	—	1
Kincardine	13	16	9	16	14	26	23	31	50	48	46	26	8	3	1	—
Forfar	172	178	165	182	193	221	243	236	252	187	173	87	27	4	—	5
Perth	76	66	83	86	106	94	141	174	223	183	167	94	30	2	—	3
Fife	87	76	75	77	103	130	168	185	187	222	157	64	24	2	1	2
Kinross	2	3	7	3	3	4	11	11	14	16	7	6	2	—	—	—
Clackmannan	14	9	18	20	15	15	23	19	25	19	14	8	2	2	—	1
Stirling	62	57	57	62	81	74	82	89	104	100	70	26	19	4	—	1
Dumbarton	40	49	47	49	53	50	53	65	68	61	34	17	6	4	—	—
Argyll	63	44	33	29	45	57	76	92	116	117	104	70	22	13	1	2
Bute	6	15	16	10	29	11	31	27	17	20	25	14	7	1	1	—
Renfrew	161	174	171	132	165	163	224	195	208	141	125	52	15	5	2	6
Ayr	133	129	138	122	114	151	209	195	213	210	185	86	40	6	—	4
Lanark	733	782	773	785	807	745	822	641	686	465	291	151	43	13	5	8
Linlithgow	24	32	23	24	25	26	35	30	42	39	28	12	8	—	—	1
Edinburgh	286	272	297	288	289	311	382	351	424	299	202	102	28	6	4	—
Haddington	15	17	17	17	20	35	45	49	38	58	26	19	8	—	—	—
Berwick	16	10	12	15	11	19	37	36	54	60	47	21	1	1	—	—
Peebles	7	2	5	6	12	4	8	16	11	15	5	8	1	—	—	—
Selkirk	8	6	3	6	6	13	7	11	10	8	10	6	1	—	—	—
Roxburgh	27	23	37	32	33	36	48	81	74	68	50	24	12	3	—	—
Dumfries	58	59	44	46	53	72	93	68	98	97	95	38	18	3	1	1
Kirkcudbright	23	30	18	29	20	23	41	43	67	41	49	39	6	2	—	—
Wigtown	17	24	22	22	21	22	29	29	53	50	60	32	16	3	—	3

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1870.—BOTH SEXES.

Glasgow	507	538	547	543	580	524	543	408	392	255	147	73	17	8	2	2
Edinburgh	196	188	213	197	196	199	249	224	258	187	120	61	13	4	3	—
Dundee	107	107	106	111	117	127	138	106	86	59	51	23	4	2	—	3
Aberdeen	52	68	55	52	52	71	105	110	116	80	59	35	8	4	—	—
Paisley	34	55	41	51	45	56	69	72	72	49	34	15	4	2	2	—
Greenock	62	55	60	38	65	51	62	51	41	33	26	11	1	—	—	5
Leith	39	35	31	30	31	38	43	35	41	16	22	6	7	1	—	—
Perth	22	15	28	28	32	26	35	43	34	27	23	10	2	1	—	—
Inverness	9	17	14	7	17	26	22	19	23	15	29	15	4	—	—	2
Arbroath	10	18	11	18	19	18	26	17	21	22	18	8	2	—	—	1
Forfar	11	10	7	10	8	15	12	10	15	14	16	—	—	—	—	—
Montrose	16	15	13	11	19	24	23	34	30	13	21	9	5	—	—	—
Dunfermline	6	7	3	12	10	11	23	13	13	16	9	4	1	—	—	—
Kirkcaldy	6	7	7	5	8	12	11	13	7	12	5	2	2	—	—	—
Stirling	17	16	12	7	13	17	15	20	25	15	16	2	2	—	—	—
Ayr	13	16	21	18	15	18	22	21	27	14	20	9	5	—	—	1
Kilmarnock	20	18	26	21	7	16	27	21	24	20	19	5	5	1	—	—
Barony	39	43	46	41	44	39	74	48	53	35	29	6	—	—	—	1
Govan	49	59	44	34	31	33	40	25	31	14	6	8	2	—	1	1
Hamilton	9	12	11	10	15	19	14	15	19	17	6	6	1	2	—	1
Airdrie	5	9	10	16	14	13	16	13	11	12	6	1	3	—	—	—
Coatbridge, etc.	15	13	14	16	10	10	11	8	16	7	3	2	1	—	—	1
Dumfries	25	18	21	18	21	24	28	20	34	17	22	13	4	1	1	—

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1870.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER											
	1861.	1871.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	1449848	1603143	36866	3962	1436	2496	3029	1508	1053	784	2122	997	1298	1384	1244
Insular . .	73409	72175	1252	119	33	64	65	24	17	10	40	27	44	54	48
Mainland-Rural	848998	880835	17522	1828	628	1023	1132	642	439	348	1029	533	626	671	539
Towns . .	527441	650133	18092	2015	775	1409	1832	842	597	426	1053	437	628	659	657
Shetland . .	13053	13103	183	22	2	4	3	2	2	2	2	4	7	8	14
Orkney . .	14924	14355	254	13	4	6	8	7	6	3	14	8	12	12	5
Caithness .	19846	19403	289	29	6	8	8	6	5	1	8	8	17	16	13
Sutherland .	11058	10942	149	9	4	5	6	1	1	2	7	3	—	5	7
Ross & Cromarty	38462	38558	625	74	21	30	38	13	8	5	14	9	14	31	26
Inverness .	39479	39360	693	64	24	38	36	14	10	10	19	14	27	32	21
Nairn . .	3976	3925	72	6	6	4	2	—	2	1	—	—	4	7	7
Elgin . .	20737	20738	353	39	13	12	19	6	3	4	10	11	15	19	14
Banff . .	26401	27826	470	47	14	29	23	9	12	10	26	17	21	19	15
Aberdeen .	105322	116768	2095	247	81	132	136	53	46	34	86	64	88	88	64
Kincardine .	16939	17002	255	27	6	8	8	7	6	2	11	7	8	11	4
Forfar . .	93280	107416	2828	346	122	195	262	110	114	75	248	80	88	88	80
Perth . .	63169	60812	1385	97	51	55	79	40	35	21	85	43	38	64	44
Fife . .	72714	75206	1502	159	60	78	108	44	31	17	80	42	49	52	37
Kinross . .	4150	3748	50	3	—	1	1	1	1	—	2	1	—	1	—
Clackmannan .	9742	10819	226	25	8	14	21	10	5	8	24	5	7	7	10
Stirling . .	43487	46193	1039	109	46	57	63	39	39	34	74	32	33	41	42
Dumbarton .	26455	29957	658	61	25	52	54	20	12	9	43	26	21	23	23
Argyll . .	40914	38796	782	59	19	26	33	18	16	11	31	17	28	32	46
Bute . .	7208	7616	185	6	10	15	7	1	3	—	4	6	7	8	4
Renfrew . .	79380	93167	2550	257	124	235	267	156	69	62	141	69	92	86	92
Ayr . .	97035	98244	2418	255	81	160	208	120	80	66	176	85	92	86	67
Lanark . .	308263	388392	10775	1191	444	872	1167	578	385	268	666	294	379	380	368
Linlithgow .	20069	21049	539	72	30	51	46	30	19	10	42	12	22	20	12
Edinburgh .	126429	153784	3757	438	151	262	304	146	98	73	178	66	124	142	148
Haddington .	17866	18069	351	32	9	17	18	8	5	9	30	8	10	14	8
Berwick . .	17354	17361	301	40	7	14	14	12	2	3	12	2	11	13	2
Peebles . .	5603	5902	102	16	2	7	4	2	2	1	3	7	3	4	5
Selkirk . .	5069	6896	134	20	3	12	10	6	2	3	5	5	9	3	5
Roxburgh .	26593	25529	449	53	22	22	19	15	6	12	12	8	14	18	14
Dumfries .	35687	34831	702	79	16	38	34	18	14	13	32	22	25	30	26
Kirkcudbright	19789	19607	368	37	17	22	16	11	9	7	17	11	26	10	12
Wigtown .	19395	17769	327	30	8	15	7	5	5	8	20	11	7	14	9

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1870.—MALES.

Glasgow . . .	185556	230995	6962	759	301	577	804	361	238	163	405	167	250	256	254
Edinburgh . .	76013	91090	2355	248	92	165	187	84	58	44	100	36	84	98	101
Dundee . . .	40395	52605	1567	215	86	136	171	62	64	33	111	33	44	52	48
Aberdeen . .	32554	39786	947	123	39	65	89	29	30	20	42	26	38	38	30
Paisley . . .	21913	22269	668	65	31	53	65	28	18	12	32	21	22	18	19
Greenock . .	21567	30298	863	92	45	80	97	65	26	22	45	15	39	26	45
Leith . . .	17894	22976	547	83	27	45	60	28	22	12	40	11	8	15	21
Perth . . .	11947	12002	325	20	13	17	28	10	7	5	18	13	8	19	11
Inverness . .	7261	8488	215	20	10	14	13	4	5	4	7	4	9	13	6
Arbroath . .	7770	8711	271	29	8	10	24	16	13	12	35	9	8	12	3
Forfar . . .	4735	5581	193	20	6	10	17	10	10	12	27	10	4	4	4
Montrose . .	6736	6800	158	8	3	6	7	3	1	2	6	6	7	6	7
Dunfermline .	6447	6763	143	15	3	7	20	2	5	3	6	1	8	6	4
Kirkcaldy . .	5074	5678	117	22	4	11	9	4	1	2	5	4	7	3	5
Stirling . . .	6814	6815	212	21	9	10	15	11	10	11	17	5	7	3	9
Ayr . . .	9094	8867	237	24	10	14	15	10	5	10	15	13	11	10	4
Kilmarnock .	11398	11670	324	44	12	38	25	12	11	11	24	9	14	10	10
Barony . . .	11221	16248	525	30	18	39	41	22	17	5	19	16	14	25	26
Govan . . .	13603	28221	574	77	19	50	62	29	21	12	34	13	19	26	25
Hamilton . .	6798	8358	205	21	4	16	9	14	3	3	14	5	16	4	7
Airdrie . . .	6242	6642	161	23	11	9	19	6	10	6	11	4	3	4	4
Coatbridge, etc.	8155	10035	291	33	14	26	42	24	15	15	27	6	3	6	5
Dumfries . .	8254	9235	232	23	10	11	13	8	7	7	13	10	5	5	9

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1870.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1090	1150	1174	1194	1303	1360	1611	1609	1705	1482	1067	561	178	34	9	26
Insular . . .	41	40	27	34	45	34	56	73	94	90	82	56	22	8	3	2
Mainland-Rural . .	461	481	456	503	561	642	789	889	1003	998	737	403	127	21	2	11
Towns . . .	588	629	691	657	697	684	766	647	608	394	248	102	29	5	4	13
Shetland . . .	1	5	6	9	5	4	6	9	13	19	13	15	5	—	—	1
Orkney . . .	14	7	4	4	4	4	10	17	24	21	30	7	8	2	—	—
Caithness . . .	9	13	8	3	10	8	13	16	23	22	23	14	2	—	—	—
Sutherland . . .	6	5	6	2	7	7	4	7	10	21	15	7	2	—	—	—
Ross and Cromarty .	19	14	11	16	20	20	20	38	45	50	44	32	8	4	1	—
Inverness . . .	23	21	27	12	28	24	34	32	50	49	42	27	7	5	1	2
Nairn . . .	1	2	1	1	2	4	3	3	5	7	3	1	—	—	—	—
Elgin . . .	5	12	11	7	9	16	20	16	23	28	24	14	3	—	—	—
Banff . . .	12	12	8	17	15	14	17	25	39	29	19	17	4	—	—	—
Aberdeen . . .	53	66	60	54	65	76	93	120	123	108	85	52	20	1	—	—
Kincardine . . .	6	4	6	8	6	11	12	21	20	23	22	8	1	2	—	—
Forfar . . .	65	68	80	80	98	102	132	112	106	76	63	25	9	1	—	3
Perth . . .	42	38	35	42	53	57	62	89	100	88	71	42	12	—	—	2
Fife . . .	45	33	38	34	48	75	92	87	90	110	67	17	9	—	—	—
Kinross . . .	—	2	2	2	1	3	7	4	5	6	3	2	2	—	—	—
Clackmannan . . .	7	7	8	11	5	5	11	6	5	11	3	1	1	—	—	1
Stirling . . .	29	29	31	22	31	41	51	49	42	43	24	7	10	1	—	—
Dumbarton . . .	20	25	25	27	24	25	31	35	31	29	9	6	2	—	—	—
Argyll . . .	35	25	13	12	28	30	42	46	64	58	45	34	8	4	1	1
Bute . . .	4	13	5	8	15	5	12	14	7	7	13	9	1	—	1	—
Renfrew . . .	75	84	84	75	77	90	107	92	94	45	44	19	5	4	2	3
Ayr . . .	61	63	67	72	57	86	104	104	87	107	80	37	13	2	—	2
Lanark . . .	324	388	414	426	428	388	395	310	316	206	103	58	17	2	2	6
Linlithgow . . .	10	10	9	16	16	19	21	18	18	20	8	4	3	—	—	1
Edinburgh . . .	144	130	145	142	152	151	162	174	190	117	75	33	9	2	1	—
Haddington . . .	11	9	8	10	13	14	26	26	20	29	12	4	1	—	—	—
Berwick . . .	10	3	5	11	7	8	22	22	25	28	21	6	—	1	—	—
Peebles . . .	2	1	1	6	5	1	4	8	5	7	3	3	—	—	—	—
Selkirk . . .	5	3	1	5	3	7	3	6	5	4	7	2	—	—	—	—
Roxburgh . . .	9	9	14	16	10	18	19	37	36	29	19	12	5	1	—	—
Dumfries . . .	29	22	23	25	27	29	41	30	34	41	35	14	3	1	—	1
Kirkcudbright . . .	9	15	9	12	6	9	19	19	25	17	17	14	2	—	—	—
Wigtown . . .	5	12	9	7	8	9	16	17	25	27	25	18	6	1	—	3

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1870.—MALES.

Glasgow . . .	228	252	294	284	300	261	256	182	176	111	50	23	6	1	1	2
Edinburgh . . .	94	85	100	96	101	106	110	112	113	71	45	18	6	—	1	—
Dundee . . .	43	39	48	49	61	57	72	50	45	19	19	6	2	—	—	2
Aberdeen . . .	23	34	32	23	25	33	48	52	44	33	17	12	2	—	—	—
Paisley . . .	14	23	19	27	21	31	37	35	37	16	14	5	2	1	2	—
Greenock . . .	29	31	30	26	29	30	28	26	15	9	6	4	—	—	—	3
Leith . . .	26	20	16	15	18	12	15	18	13	9	9	2	1	1	—	—
Perth . . .	16	8	11	11	18	16	12	25	16	14	5	4	—	—	—	—
Inverness . . .	4	9	11	4	9	9	10	9	10	8	14	6	1	—	—	2
Arbroath . . .	4	9	6	9	8	7	13	5	8	11	9	1	1	—	—	1
Forfar . . .	4	5	4	3	6	7	6	7	7	5	5	—	—	—	—	—
Montrose . . .	8	5	8	2	8	12	14	12	9	6	7	5	—	—	—	—
Dunfermline . . .	4	3	2	6	4	5	15	8	6	9	1	—	—	—	—	—
Kirkcaldy . . .	3	3	3	1	2	5	6	7	3	4	2	1	—	—	—	—
Stirling . . .	9	7	7	3	6	9	11	10	9	8	4	—	1	—	—	—
Ayr . . .	6	11	8	8	8	8	9	12	7	5	7	4	3	—	—	—
Kilmarnock . . .	7	6	15	14	3	5	8	11	10	14	8	1	1	1	—	—
Barony . . .	16	25	22	26	20	20	43	27	28	14	8	3	—	—	—	1
Govan . . .	21	30	25	21	15	20	21	9	14	2	4	2	2	—	—	1
Hamilton . . .	5	6	8	6	10	9	7	10	13	9	4	2	—	—	—	—
Airdrie . . .	3	4	4	6	7	4	7	3	6	7	—	—	—	—	—	—
Coatbridge, etc. .	10	7	9	11	7	9	4	5	6	4	—	1	1	—	—	1
Dumfries . . .	11	7	9	6	11	9	14	12	13	6	10	2	—	1	—	—

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1870.—FEMALES.

	FEMALE POPULATION.		ALL AGES.	FEMALES.											
				AGE UNDER											
	1861.	1871.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	1612446	1756875	37299	2993	1154	2125	2783	1500	1056	784	1954	1003	1325	1399	1417
Insular . .	87324	85580	1316	87	15	43	61	18	18	24	39	26	30	43	39
Mainland-Rural	913578	942707	17855	1401	505	842	1077	641	459	345	952	531	649	642	589
Towns . .	611544	728588	18128	1505	634	1240	1645	841	579	415	963	446	646	714	789
Shetland . .	18617	18505	246	10	1	2	7	2	5	2	4	6	5	8	3
Orkney . .	17471	16919	237	11	1	4	8	4	1	4	6	6	2	10	6
Caithness .	22354	21608	310	25	5	6	11	9	2	1	14	8	10	9	4
Sutherland .	13099	12356	176	7	5	3	4	3	1	1	1	5	5	5	1
Ross & Cromarty	43965	43535	667	61	23	34	28	12	10	13	17	16	22	12	16
Inverness .	45523	44898	734	69	13	32	33	7	11	7	12	6	14	17	21
Nairn . .	4371	4447	84	8	1	3	5	1	—	1	2	—	5	3	1
Elgin . .	23481	23811	342	19	7	18	14	3	6	5	9	6	9	14	7
Banff . .	29619	31057	481	37	16	25	19	5	5	6	17	18	13	16	17
Aberdeen .	118022	129530	2221	189	71	97	108	70	40	38	93	51	71	78	77
Kincardine .	17915	18095	290	19	15	7	9	7	4	2	7	9	10	10	11
Forfar . .	113470	132633	2979	251	110	169	226	131	95	88	177	89	105	107	126
Perth . .	70029	67738	1387	80	28	50	69	36	32	39	84	42	39	52	41
Fife . .	82307	85718	1489	118	41	49	74	52	35	31	82	37	50	54	51
Kinross . .	4581	4170	74	5	1	3	2	—	—	—	4	1	4	4	—
Clackmannan .	10380	11416	253	17	12	11	19	14	4	4	15	8	8	12	7
Stirling . .	44651	47152	1005	104	33	63	62	30	25	31	67	31	33	39	29
Dumbarton .	27724	31159	675	56	30	35	46	29	23	16	34	19	25	25	30
Argyll . .	42945	40865	710	37	11	35	28	22	15	9	23	14	19	24	35
Bute . .	9123	9350	188	7	3	6	8	4	2	6	8	3	4	9	12
Renfrew . .	89366	102138	2497	194	71	165	244	134	91	49	139	63	103	102	103
Ayr . .	102028	102664	2336	171	73	119	189	122	76	61	166	90	101	84	91
Lanark . .	332181	398613	10688	878	377	810	1114	568	389	264	641	304	441	457	478
Linlithgow .	18976	20330	445	46	12	29	59	17	25	8	30	13	12	10	8
Edinburgh .	147664	174354	3779	322	114	219	254	131	110	67	185	83	105	120	155
Haddington .	19760	19686	336	29	8	13	17	10	6	4	23	12	19	8	6
Berwick . .	19134	19021	290	33	10	13	9	12	6	2	11	2	8	5	8
Peebles . .	5697	6316	96	12	5	3	1	—	2	1	3	—	4	9	2
Selkirk . .	5341	7438	98	12	4	7	2	4	1	—	4	4	4	6	6
Roxburgh .	27129	28029	566	47	17	31	40	25	4	6	17	13	12	27	13
Dumfries .	42217	40011	814	56	16	36	37	22	14	9	28	20	26	35	26
Kirkcudbright	22706	22480	437	33	13	15	20	9	6	6	16	13	19	14	15
Wigtown . .	22700	20833	369	30	7	13	17	5	10	3	15	11	18	14	11

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1870.—FEMALES.

Glasgow . .	209947	246737	6993	581	254	519	765	364	234	160	379	173	274	301	325
Edinburgh .	94431	109962	2360	197	67	122	141	68	75	42	109	46	67	70	106
Dundee . .	51269	68119	1618	161	71	112	153	80	48	43	82	34	49	67	83
Aberdeen .	41346	48395	980	78	39	53	67	43	24	22	48	24	31	29	33
Paisley . .	25514	25988	684	55	10	47	56	29	19	13	30	16	30	33	29
Greenock .	22327	29496	811	74	30	62	92	53	34	14	48	20	24	30	35
Leith . .	18135	23458	512	47	24	43	51	33	18	9	24	16	8	16	23
Perth . .	14147	14380	316	18	8	17	17	8	9	12	20	6	13	9	9
Inverness .	8901	10064	184	25	5	12	8	3	2	2	1	1	2	3	7
Arbroath .	10061	11458	285	14	6	16	16	16	13	12	26	16	14	8	11
Forfar . .	6103	7004	201	15	6	9	15	9	15	8	25	9	9	8	4
Montrose .	8932	8983	191	9	4	6	8	2	—	3	4	3	5	6	4
Dunfermline	7059	8200	152	14	7	10	10	7	8	1	8	3	7	6	6
Kirkcaldy .	6043	7157	106	10	2	3	5	6	1	1	7	3	6	1	4
Stirling . .	7198	7775	205	14	7	18	13	8	5	8	14	9	5	9	2
Ayr . .	10565	10305	235	18	10	9	17	10	10	3	11	6	7	4	6
Kilmarnock .	12158	12402	307	25	10	21	31	12	7	10	20	9	11	13	12
Barony . .	11338	15498	525	35	14	39	40	17	8	13	17	14	32	24	27
Govan . .	14981	28533	533	57	28	44	47	29	11	8	25	15	21	32	25
Hamilton .	7249	8445	179	15	5	16	17	6	5	5	14	5	5	8	10
Airdrie . .	6680	6846	198	14	5	17	22	9	4	6	10	1	12	12	8
Coatbridge, etc.	7148	8375	279	14	12	31	38	24	22	15	32	11	9	12	7
Dumfries .	10012	11008	274	15	10	14	16	5	7	5	9	6	5	13	13

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1870.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1259	1248	1176	1147	1247	1315	1708	1668	2140	1837	1656	924	351	93	17	20
Insular	41	38	41	35	48	37	78	79	112	127	111	74	34	10	4	4
Mainland-Rural . .	537	500	485	475	527	575	783	890	1247	1155	1086	628	253	62	8	11
Towns	681	710	650	637	672	703	847	699	781	555	459	222	64	21	5	5
Shetland	10	11	6	9	7	6	16	12	30	25	25	20	11	1	1	1
Orkney	6	8	4	6	10	5	11	22	24	32	22	13	7	2	—	2
Caithness	11	7	7	9	12	14	18	17	24	24	27	19	12	4	—	1
Sutherland	5	4	7	5	5	10	6	12	16	15	23	14	8	4	1	—
Ross and Cromarty .	11	21	11	13	20	23	34	32	58	56	69	32	16	5	2	—
Inverness	22	20	24	22	26	31	47	40	61	64	61	40	23	6	4	1
Nairn	3	3	2	3	5	2	6	6	10	4	9	—	—	1	—	—
Elgin	14	11	14	7	15	8	18	27	29	24	32	18	7	1	—	—
Banff	13	13	8	16	12	19	14	31	42	41	37	32	9	—	—	—
Aberdeen	68	70	55	68	55	78	98	121	162	156	150	109	33	14	—	1
Kincardine	7	12	3	8	8	15	11	10	30	25	24	18	7	1	1	—
Forfar	107	110	85	102	95	119	111	124	146	111	110	62	18	3	—	2
Perth	34	28	48	44	53	37	79	85	123	95	96	52	18	2	—	1
Fife	42	43	37	43	55	55	76	98	97	112	90	47	15	2	1	2
Kinross	2	1	5	1	2	1	4	7	9	10	4	4	—	—	—	—
Clackmannan	7	2	10	9	10	10	12	13	20	8	11	7	1	2	—	—
Stirling	33	28	26	40	30	33	31	40	62	57	46	19	9	3	—	1
Dumbarton	20	24	22	22	29	25	22	30	37	32	25	11	4	4	—	—
Argyll	28	19	20	17	17	27	34	46	52	59	59	36	14	9	—	1
Bute	2	2	11	2	14	6	19	13	10	13	12	5	6	1	—	—
Renfrew	86	90	87	57	88	73	117	103	114	96	81	33	10	1	—	3
Ayr	72	66	71	50	57	65	105	91	126	103	105	49	27	4	—	2
Lanark	409	394	359	359	379	357	427	331	370	259	188	93	26	11	3	2
Linlithgow	14	22	14	8	9	7	14	12	24	19	20	8	5	—	—	—
Edinburgh	142	142	152	146	137	160	220	177	234	182	127	69	19	4	3	—
Haddington	4	8	9	7	7	21	19	23	18	29	14	15	7	—	—	—
Berwick	6	7	7	4	4	11	15	14	29	32	26	15	1	—	—	—
Peebles	5	1	4	—	7	3	4	8	6	8	2	5	1	—	—	—
Selkirk	3	3	2	1	3	6	4	5	5	4	3	4	1	—	—	—
Roxburgh	18	14	23	16	23	18	29	44	38	39	31	12	7	2	—	—
Dumfries	29	37	21	21	26	43	52	38	64	56	60	24	15	2	1	—
Kirkeudbright	14	15	9	17	14	14	22	24	42	24	32	25	4	2	—	—
Wigtown	12	12	13	15	13	13	13	12	28	23	35	14	10	2	—	—

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1870.—FEMALES.

Glasgow	279	286	253	259	280	263	292	226	216	144	97	50	11	7	1	—
Edinburgh	102	103	113	101	95	93	139	112	145	116	75	43	7	4	2	—
Dundee	64	68	58	62	56	70	66	56	41	40	32	17	2	2	—	1
Aberdeen	29	34	23	29	27	38	57	58	72	47	42	23	6	4	—	—
Paisley	20	32	22	24	24	25	32	37	35	33	20	10	2	1	—	—
Greenock	33	24	30	12	36	21	34	25	26	24	20	7	1	—	—	2
Leith	13	15	15	15	13	26	28	17	28	7	13	4	6	—	—	—
Perth	6	7	17	17	14	10	23	18	18	13	18	6	2	1	—	—
Inverness	5	8	3	3	8	17	12	10	13	7	15	9	3	—	—	—
Arbroath	6	9	5	9	11	11	13	12	13	11	9	7	1	—	—	—
Forfar	7	5	3	7	2	8	6	3	8	9	11	—	—	—	—	—
Montrose	8	10	5	9	11	12	9	22	21	7	14	4	5	—	—	—
Dunfermline	2	4	1	6	6	6	8	5	7	7	8	4	1	—	—	—
Kirkcaldy	3	4	4	4	6	7	5	6	4	8	3	1	2	—	—	—
Stirling	8	9	5	4	7	8	4	10	16	7	12	2	1	—	—	—
Ayr	7	5	13	10	7	10	13	9	20	9	13	5	2	—	—	1
Kilmarnock	13	12	11	7	4	11	19	10	14	6	11	4	4	—	—	—
Barony	23	18	24	15	24	19	31	21	25	21	21	3	—	—	—	—
Govan	28	29	19	13	16	13	19	16	17	12	2	6	—	—	1	—
Hamilton	4	6	3	4	5	10	7	5	6	8	2	4	1	2	—	1
Airdrie	2	5	6	10	7	9	9	10	5	5	6	1	3	—	—	—
Coatbridge, etc. . . .	5	6	5	5	3	1	7	3	10	3	3	1	—	—	—	—
Dumfries	14	11	12	12	10	15	14	8	21	11	12	11	4	—	1	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES.

SMALL TOWNS.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
Total Small Towns	12097	1135	433	737	388	500	316	273	713	402	457	416	406	
Lerwick	66	6	1	4	3	1	—	—	3	—	1	3	1	
Kirkwall and St. Ola	88	2	2	—	4	5	—	1	5	5	2	4	1	
Thurso	83	4	2	2	2	2	1	1	3	1	4	4	3	
Wick	199	28	5	7	6	4	2	—	9	7	7	7	4	
Nairn	97	7	6	7	5	1	2	2	1	—	7	6	8	
Elgin	198	18	7	9	13	2	1	3	3	3	10	15	7	
Forres	98	10	2	7	6	2	3	3	6	3	1	1	3	
Banff	182	11	5	10	8	6	7	4	11	6	9	9	11	
Cullen	32	1	2	—	1	—	2	—	2	—	1	—	—	
Seafield	22	4	—	2	—	2	—	—	1	1	—	1	3	
Fraserburgh	90	10	6	8	7	7	1	—	2	1	2	4	4	
Huntly	92	8	3	5	1	1	—	—	5	2	5	4	4	
Peterhead	207	26	13	10	8	6	3	5	6	5	10	5	6	
Dunnottar	30	4	1	2	—	—	1	—	1	—	2	2	2	
Fetteresso	74	5	2	2	4	3	1	—	3	1	1	1	3	
Cookney	34	4	—	—	2	—	2	—	1	2	1	1	—	
Brechin	183	26	6	9	9	4	5	2	8	7	10	7	7	
Kirriemuir	173	9	3	3	9	11	13	5	16	9	3	3	7	
Monifieth	163	15	6	12	17	7	4	9	16	3	2	1	7	
Blairgowrie	121	11	6	2	6	—	7	1	5	7	4	5	3	
Crieff	138	10	5	8	10	6	7	10	18	7	4	1	2	
Burntisland	58	2	3	4	1	—	—	1	3	2	2	3	3	
Cupar	151	15	7	3	4	2	—	5	3	—	5	4	2	
Dysart	162	20	10	6	11	2	2	1	8	4	7	8	5	
St Andrews, etc.	154	18	2	9	7	5	1	3	5	5	4	8	3	
Alloa	250	18	11	11	17	14	7	4	25	10	10	10	9	
Tillicoultry	109	15	3	9	11	4	—	3	7	2	1	5	2	
Alva	75	18	3	3	2	3	2	—	1	6	1	2	4	
Campsie	128	20	7	5	7	2	1	2	—	2	5	5	5	
Falkirk (Burgh)	247	15	11	15	22	5	10	7	17	4	6	8	10	
„ (Landward)	135	20	3	3	3	4	—	4	10	4	8	7	5	
Kilsyth	134	21	8	10	9	—	2	4	11	5	5	5	5	
Bonhill	225	9	9	10	17	7	6	4	22	12	12	12	13	
Dumbarton	286	30	17	23	33	18	5	7	8	6	5	13	8	
Kirkintilloch	179	21	7	8	16	5	6	4	12	7	2	4	11	
Row	166	8	2	11	12	3	2	2	4	6	6	7	6	
Campbeltown	167	19	3	11	7	7	4	1	3	4	7	5	5	
Rothsay	220	8	8	19	9	3	4	5	8	4	7	8	11	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES.

SMALL TOWNS.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Total Small Towns .	355	347	318	331	396	415	552	578	692	638	453	246	79	15	—	6
Lerwick	1	4	3	1	1	2	3	2	6	7	7	4	2	—	—	—
Kirkwall and St. Ola .	3	2	1	4	—	—	7	5	9	13	9	3	1	—	—	—
Thurso	2	4	2	—	3	3	7	4	11	5	5	5	3	—	—	—
Wick	8	4	3	3	6	8	11	18	14	12	13	10	1	2	—	—
Nairn	3	2	2	2	5	4	6	5	5	7	4	—	—	—	—	—
Elgin	7	6	10	5	6	7	13	7	19	5	11	10	1	—	—	—
Forres	1	2	4	2	7	6	4	7	3	8	6	1	—	—	—	—
Banff	5	4	3	6	3	2	6	7	19	13	9	7	1	—	—	—
Cullen	1	—	1	2	2	4	1	2	3	4	1	2	—	—	—	—
Seafield	—	—	—	—	1	—	1	2	—	2	—	2	—	—	—	—
Fraserburgh . . .	3	2	1	4	1	2	1	3	7	5	5	3	—	—	—	1
Huntly	7	5	3	—	3	4	3	6	7	5	6	4	1	—	—	—
Peterhead	8	3	4	7	6	7	8	10	20	13	9	8	1	—	—	—
Dunnottar	1	—	—	—	1	2	1	2	3	3	1	1	—	—	—	—
Fetteresso	1	1	3	3	2	3	4	5	10	7	6	2	1	—	—	—
Cookney	—	1	2	1	2	2	—	1	1	5	4	2	—	—	—	—
Brechin	5	3	2	8	5	5	4	16	14	12	5	2	2	—	—	—
Kirriemuir	2	8	2	1	2	3	5	8	16	9	12	12	1	—	—	1
Monifieth	6	4	3	4	3	6	6	8	10	5	5	3	—	1	—	—
Blairstown	8	1	6	9	5	3	5	6	9	6	2	4	—	—	—	—
Orieff	1	1	4	3	2	2	8	9	7	4	4	3	2	—	—	—
Burntisland . . .	—	4	1	1	—	2	3	4	4	6	5	4	—	—	—	—
Cupar	5	7	2	6	4	7	15	10	12	15	10	5	3	—	—	—
Dysart	4	5	3	3	4	8	8	14	11	10	4	4	—	—	—	—
St Andrews, etc. .	4	5	4	8	9	8	6	5	9	8	12	4	2	—	—	—
Alloa	11	5	8	10	8	8	10	9	10	9	10	3	1	1	—	1
Tillicoultry . . .	2	2	6	3	3	6	5	5	7	5	2	1	—	—	—	—
Alva	—	2	1	2	3	1	5	5	4	5	—	—	2	—	—	—
Campsie	4	3	5	5	10	4	5	7	7	8	4	2	2	1	—	—
Falkirk (Burgh) . .	8	6	6	10	10	9	13	5	13	16	11	5	4	—	—	1
„ (Landward) . .	7	3	3	2	6	9	7	8	10	5	3	1	—	—	—	—
Kilsyth	1	6	4	1	6	6	5	1	4	8	6	1	—	—	—	—
Bonhill	7	8	2	7	14	14	7	6	11	9	5	1	—	1	—	—
Dumbarton	9	11	13	9	7	4	15	12	13	13	7	—	—	—	—	—
Kirkintilloch . . .	6	5	9	8	3	4	8	12	6	9	2	2	1	1	—	—
Row	3	12	5	8	7	9	5	15	12	10	3	5	3	—	—	—
Campbeltown . . .	3	3	5	—	7	5	17	12	11	10	8	7	3	—	—	—
Rothsay	4	8	12	5	17	7	23	14	9	11	7	3	5	1	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

SMALL TOWNS.		BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
Abbey (Landward)	116	13	6	10	12	7	5	2	9	3	4	3	4
Johnstone	214	16	9	12	26	14	7	7	10	6	19	12	6
Eastwood	338	22	17	30	35	26	8	10	24	4	12	17	9
Neilston	98	13	4	7	11	6	2	—	4	4	3	4	3
Barrhead	140	16	5	10	6	6	4	—	11	3	6	6	6
Port-Glasgow	301	17	8	35	48	21	16	16	28	12	9	6	6
Renfrew	130	7	8	11	11	11	3	2	2	6	6	1	5
Old Ardrossan	59	3	1	1	2	—	3	2	4	3	5	2	2
New Ardrossan	74	6	2	2	13	6	—	1	6	5	4	—	4
Beith	125	16	4	10	5	2	3	1	3	6	8	9	6
Dalry	184	13	6	10	13	8	6	4	16	7	10	5	7
Galston	184	17	5	14	19	14	6	10	11	10	4	7	6
Girvan	132	15	3	8	9	7	1	4	5	7	6	3	4
Irvine	264	21	7	7	15	9	8	7	25	10	3	7	7
Kilbirnie	95	4	3	8	6	1	4	4	5	4	7	2	3
Kilwinning	196	26	8	9	18	7	8	5	12	6	12	10	4
Maybole	108	7	1	3	2	4	1	—	7	7	7	4	2
Riccarton	132	13	3	8	14	10	6	5	14	8	4	4	5
Stevenston	158	6	2	8	13	16	7	5	14	11	4	4	4
Stewarton	112	9	4	2	9	6	3	1	3	4	2	6	5
Avondale	146	12	4	12	13	10	6	6	12	5	4	1	4
Cambusnethan	374	58	11	35	40	17	15	10	30	12	11	8	11
Carluke	225	16	7	14	23	17	9	9	36	18	3	5	3
Lanark	245	24	3	13	18	3	6	8	21	12	15	9	8
Rutherglen	250	13	8	29	26	20	9	4	14	12	13	4	12
Stonehouse	104	9	2	1	5	4	8	4	10	10	10	3	3
Bathgate	182	28	13	19	17	11	—	3	6	3	4	6	6
Armadales	66	11	5	5	7	3	4	1	3	2	7	2	1
Borrowstounness	121	14	9	12	17	3	9	1	2	1	6	4	2
Linlithgow	153	9	5	7	12	5	6	4	16	5	9	4	2
Dalkeith	175	13	8	8	12	1	2	3	8	5	5	7	7
Portobello	148	16	2	12	5	7	4	1	11	3	2	6	3
Inveresk	290	35	14	14	21	13	5	6	7	3	4	3	7
Dunbar	101	7	1	8	8	4	3	4	9	1	6	2	1
Haddington	119	10	4	5	3	—	—	2	5	4	3	6	3
Galashiels	106	19	2	11	6	6	2	2	3	6	5	8	7
Selkirk	96	12	4	6	6	4	1	1	4	3	6	2	3
Hawick	211	21	11	11	14	8	4	4	7	8	8	10	5
Jedburgh	86	6	3	5	2	2	1	1	2	—	5	2	1
Kelso	119	9	2	7	9	6	1	1	5	2	—	3	4
Ladhope	126	15	4	9	14	11	—	2	4	2	6	7	9
Annan	142	8	6	16	8	8	3	2	9	3	5	3	3
Stranraer	136	14	2	4	6	2	3	5	4	3	6	1	10

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES. (*Continued.*)

SMALL TOWNS.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Abbey (Landward) .	1	2	3	2	3	8	1	5	5	3	2	1	2	-	-	-	
Johnstone . . .	6	4	5	4	7	4	11	7	8	7	5	2	-	-	-	-	
Eastwood . . .	13	12	11	5	7	9	14	16	14	7	10	4	2	-	-	-	
Neilston . . .	3	2	2	3	3	1	7	3	5	2	3	1	1	1	-	-	
Barrhead . . .	4	7	5	7	7	4	6	1	5	3	8	3	1	-	-	-	
Port-Glasgow . .	6	5	9	4	9	4	7	7	15	5	6	2	-	-	-	-	
Renfrew . . .	7	6	2	2	3	6	5	8	11	1	5	1	-	-	-	-	
Old Ardrossan . .	2	1	-	2	2	3	3	5	2	5	3	3	-	-	-	-	
New Ardrossan . .	1	3	2	1	2	4	2	3	2	-	2	2	-	1	-	-	
Beith . . .	3	7	3	4	1	6	6	6	2	5	4	5	-	-	-	-	
Dalry . . .	9	6	4	5	5	10	12	5	10	8	3	2	-	-	-	-	
Galston . . .	6	3	-	4	4	2	9	7	7	10	4	5	-	-	-	-	
Girvan . . .	6	6	2	5	2	4	5	3	5	10	5	6	-	-	-	1	
Irvine . . .	12	4	12	1	7	8	6	18	23	17	20	5	4	1	-	-	
Kilbirnie . . .	6	4	5	3	2	3	8	6	1	2	-	3	1	-	-	-	
Kilwinning . . .	1	4	11	9	7	7	9	8	3	9	1	1	1	-	-	-	
Maybole . . .	4	4	-	3	5	2	9	6	13	6	5	3	3	-	-	-	
Riccarton . . .	2	2	3	3	4	3	4	1	5	5	6	-	-	-	-	-	
Stevenston . . .	6	5	3	3	6	7	6	7	7	6	6	2	-	-	-	-	
Stewarton . . .	3	-	2	2	5	5	8	7	7	11	2	3	3	-	-	-	
Avondale . . .	1	2	2	5	7	3	4	6	7	8	6	3	3	-	-	-	
Cambusnethan . .	10	9	11	13	7	9	7	16	11	16	4	-	3	-	-	-	
Carluke . . .	3	5	4	7	4	5	7	5	6	6	8	5	-	-	-	-	
Lanark . . .	4	10	2	10	9	7	5	7	17	14	11	8	1	-	-	-	
Rutherglen . . .	11	5	5	6	7	8	13	11	7	8	5	-	-	-	-	-	
Stonehouse . . .	7	5	1	2	2	2	1	2	4	5	3	-	-	-	-	1	
Bathgate . . .	5	12	4	5	4	6	7	2	6	11	4	-	-	-	-	-	
Armadales . . .	1	-	2	2	3	2	5	-	-	-	-	-	-	-	-	-	
Borrowstounness .	1	2	-	2	6	2	2	6	7	5	4	2	2	-	-	-	
Linlithgow . . .	4	5	3	2	6	4	8	9	11	7	7	2	1	-	-	-	
Dalkeith . . .	4	5	3	3	7	5	10	11	21	12	11	4	-	-	-	-	
Portobello . . .	7	2	7	6	7	7	4	8	10	10	2	6	-	-	-	-	
Inveresk . . .	12	13	7	9	12	17	19	19	16	19	9	3	2	1	-	-	
Dunbar . . .	3	5	-	-	2	3	4	9	5	9	4	2	1	-	-	-	
Haddington . . .	3	5	8	6	4	6	8	6	6	15	5	1	1	-	-	-	
Galashiels . . .	1	-	1	3	3	5	2	4	6	2	1	1	-	-	-	-	
Selkirk . . .	6	2	2	2	3	7	4	5	2	3	6	2	-	-	-	-	
Hawick . . .	4	7	9	5	12	9	10	11	13	13	6	1	-	-	-	-	
Jedburgh . . .	4	2	3	2	3	2	7	9	5	9	6	4	-	-	-	-	
Kelso . . .	2	5	8	3	3	3	5	7	7	18	3	5	1	-	-	-	
Ladhope . . .	2	3	3	4	2	5	4	7	7	1	3	1	-	1	-	-	
Annan . . .	4	2	-	5	5	6	10	3	9	8	12	2	2	-	-	-	
Stranraer . . .	4	2	1	4	3	6	7	9	13	10	10	4	1	2	-	-	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—MALES.

SMALL TOWNS.	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
Total Small Towns	5929	636	251	422	441	254	146	124	361	191	211	220	193	
Lerwick	28	3	1	3	—	1	—	—	2	—	—	1	1	
Kirkwall and St. Ola	45	1	2	—	2	4	—	—	5	2	1	3	1	
Thurso	43	3	1	1	—	1	1	—	2	1	3	4	3	
Wick	99	16	4	4	2	3	1	—	3	6	3	4	3	
Nairn	49	5	5	4	2	—	2	1	—	—	3	4	7	
Elgin	97	13	6	6	5	1	1	1	1	2	5	8	4	
Forres	56	6	2	4	6	2	1	1	4	—	1	—	2	
Banff	80	4	1	4	3	6	6	1	7	4	5	4	3	
Cullen	15	—	1	—	1	—	1	—	2	—	—	—	—	
Seafield	12	3	—	2	—	1	—	—	—	—	—	—	1	
Fraserburgh	35	3	3	4	3	2	—	—	—	1	1	1	3	
Huntly	46	3	2	4	1	—	—	—	5	1	3	2	3	
Peterhead	112	15	8	6	3	5	2	3	4	2	6	3	2	
Dunnottar	17	2	—	2	—	—	1	—	1	—	2	1	1	
Fetteresso	37	4	—	—	1	2	—	—	1	1	—	1	1	
Cookney	18	2	—	—	2	—	1	—	1	—	—	—	—	
Brechin	80	15	4	5	5	2	3	1	4	—	6	3	2	
Kirriemuir	88	5	1	3	6	5	4	2	11	6	1	2	4	
Monifieth	80	9	3	7	10	3	3	3	9	2	2	—	2	
Blairgowrie	58	5	3	—	1	—	4	1	—	3	1	4	2	
Crieff	61	8	4	4	4	3	3	4	8	1	2	1	—	
Burntisland	23	2	2	2	—	—	—	—	1	1	1	1	1	
Cupar	67	7	4	3	2	2	—	—	2	—	5	2	1	
Dysart	70	9	6	3	7	1	1	—	4	1	5	3	1	
St Andrews, etc.	78	9	2	5	5	2	—	1	2	2	2	7	2	
Alloa	125	11	6	8	9	5	3	4	16	4	6	4	6	
Tillicoultry	50	8	—	2	4	1	—	1	5	1	1	2	1	
Alva	40	9	2	1	1	1	2	—	1	2	1	2	1	
Campsie	55	6	5	4	1	1	—	2	—	—	2	2	3	
Falkirk (Burgh)	119	5	8	8	10	3	5	3	9	2	2	6	6	
„ (Landward)	66	12	1	—	1	3	—	—	4	1	2	6	5	
Kilsyth	63	9	5	5	5	—	—	2	6	4	2	2	1	
Bonhill	105	4	2	7	10	3	3	—	13	6	5	8	6	
Dumbarton	138	11	9	16	17	6	1	3	5	4	1	6	4	
Kirkintilloch	93	16	5	4	6	4	3	2	6	2	—	3	4	
Row	75	1	—	5	5	—	—	1	1	3	4	4	2	
Campbeltown	78	9	2	4	3	3	2	—	1	4	5	1	4	
Rothsay	94	4	6	14	2	—	2	—	3	3	4	2	4	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—MALES.

SMALL TOWNS.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Total Small Towns .	159	179	149	182	196	203	262	293	308	265	162	91	24	4	—	2
Lerwick	—	1	2	—	—	—	—	2	4	2	2	2	1	—	—	—
Kirkwall and St. Ola .	3	1	—	2	—	—	2	3	5	3	5	—	—	—	—	—
Thurso	1	4	1	—	2	1	2	1	6	2	1	2	—	—	—	—
Wick	3	3	—	1	1	3	4	10	6	5	8	6	—	—	—	—
Nairn	1	—	1	—	2	3	1	1	2	4	1	—	—	—	—	—
Elgin	2	4	3	3	2	5	4	3	5	2	5	6	—	—	—	—
Forres	1	2	—	—	4	4	2	3	3	5	2	1	—	—	—	—
Banff	2	2	1	3	1	1	4	2	6	4	4	2	—	—	—	—
Cullen	1	—	—	1	1	1	1	—	2	1	—	2	—	—	—	—
Seafeld	—	—	—	—	1	—	1	1	—	2	—	—	—	—	—	—
Fraserburgh . . .	2	2	—	1	—	1	—	2	3	1	2	—	—	—	—	—
Huntly	1	4	1	—	1	1	1	1	4	2	3	2	1	—	—	—
Peterhead	4	2	2	1	4	5	5	6	10	2	8	4	—	—	—	—
Dunnottar	—	—	—	—	1	1	1	2	1	1	—	—	—	—	—	—
Fetteresso	1	—	3	2	1	3	1	4	5	2	3	1	—	—	—	—
Cookney	—	—	2	—	1	—	—	1	1	3	3	1	—	—	—	—
Brechin	—	1	1	5	3	2	2	7	4	3	2	—	—	—	—	—
Kirriemuir	1	3	2	—	—	1	2	5	9	6	5	3	1	—	—	—
Monifieth	2	—	1	4	1	3	4	5	5	—	—	1	—	1	—	—
Blairgowrie . . .	5	1	1	5	3	2	3	3	5	5	—	1	—	—	—	—
Crieff	—	1	2	3	—	1	5	3	1	1	1	1	—	—	—	—
Burntisland . . .	—	2	1	1	—	2	1	2	1	2	—	—	—	—	—	—
Cupar	2	4	2	4	1	4	4	2	6	6	4	—	—	—	—	—
Dysart	2	1	—	1	2	6	4	3	4	4	2	—	—	—	—	—
St Andrews, etc. .	2	2	4	3	4	3	4	4	2	6	3	1	1	—	—	—
Alloa	6	4	4	6	4	1	5	3	1	5	3	—	—	—	—	1
Tillicoultry . . .	—	1	3	1	1	4	3	3	4	4	—	—	—	—	—	—
Alva	—	—	1	1	3	—	3	2	3	2	—	—	2	—	—	—
Campsie	1	2	2	1	5	2	3	4	3	3	—	1	2	—	—	—
Falkirk (Burgh) . .	4	5	5	3	6	2	8	4	4	2	5	1	3	—	—	—
„ (Landward) . .	3	3	1	1	2	7	3	3	4	3	1	—	—	—	—	—
Kilsyth	1	2	—	—	5	5	3	1	1	1	2	1	—	—	—	—
Bonhill	4	1	—	6	4	6	2	4	4	7	—	—	—	—	—	—
Dumbarton	4	5	9	5	6	1	8	5	3	7	2	—	—	—	—	—
Kirkintilloch . . .	3	3	4	5	1	1	5	5	5	4	1	1	—	—	—	—
Row	—	8	4	4	4	6	3	9	6	3	—	1	1	—	—	—
Campbeltown . . .	3	3	2	—	6	3	10	2	5	2	2	1	1	—	—	—
Rothsay	3	6	4	4	8	2	8	5	1	4	3	2	—	—	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—MALES. (Continued.)

SMALL TOWNS.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward)	65	9	5	7	7	2	2	1	7	2	2	2	1
Johnstone	111	10	5	7	11	10	2	5	8	2	8	7	3
Eastwood	184	16	11	20	19	17	3	3	12	3	5	8	4
Neilston	41	7	1	5	7	4	—	—	1	1	1	2	2
Barrhead	69	10	4	6	4	2	2	—	4	2	3	4	3
Port-Glasgow	154	10	5	25	24	9	8	11	13	6	5	2	3
Renfrew	71	6	6	5	7	4	1	2	1	4	2	1	4
Old Ardrossan	21	2	1	—	—	—	2	—	2	—	—	—	—
New Ardrossan	33	5	—	1	8	3	—	—	2	2	3	—	1
Beith	63	8	2	7	2	1	1	1	2	2	3	5	2
Dalry	102	10	3	5	12	3	6	1	8	4	3	3	3
Galston	85	8	2	9	10	6	4	5	8	6	—	3	3
Girvan	63	6	—	4	5	3	—	3	2	1	1	1	4
Irvine	121	10	3	5	9	5	4	1	13	3	2	2	1
Kilbirnie	37	1	—	5	1	1	2	1	2	3	1	—	1
Kilwinning	101	12	6	3	10	4	4	4	5	3	4	7	—
Maybole	59	4	1	2	2	2	—	—	3	4	3	4	1
Riccarton	62	8	1	5	6	5	1	3	8	4	—	1	2
Stevenston	87	4	1	5	9	13	4	5	5	4	1	1	2
Stewarton	61	8	3	1	8	3	2	—	1	4	2	2	2
Avondale	73	10	3	4	6	4	3	1	3	4	4	1	1
Cambusnethan	208	40	6	19	18	8	8	3	14	8	5	8	6
Carluke	108	7	5	10	12	9	2	7	18	10	2	4	1
Lanark	114	16	2	7	8	2	1	2	10	5	4	3	1
Rutherglen	112	3	3	12	13	8	4	3	8	5	5	1	3
Stonehouse	43	3	—	1	4	1	4	—	3	6	4	1	1
Bathgate	101	15	10	15	7	7	—	1	3	—	3	3	4
Armadales	44	9	4	4	2	2	1	1	3	1	4	1	1
Borrowstounness	61	8	5	6	7	3	2	—	1	1	3	2	1
Linlithgow	89	8	5	5	7	4	3	3	7	1	6	3	1
Dalkeith	89	7	4	5	3	1	1	3	6	3	1	4	3
Portobello	71	11	2	8	1	4	1	—	3	1	—	1	2
Inveresk	134	19	7	4	14	7	4	1	2	2	—	2	4
Dunbar	55	3	—	7	4	3	—	3	1	—	3	2	1
Haddington	61	5	2	1	2	—	—	1	3	2	—	3	2
Galashiels	56	10	—	7	4	2	2	2	1	4	4	1	4
Selkirk	58	9	2	4	6	4	—	1	2	1	3	2	1
Hawick	93	9	6	4	4	3	2	3	1	3	5	3	3
Jedburgh	39	5	1	2	2	2	—	—	1	—	4	2	1
Kelso	49	7	1	2	4	1	1	1	3	—	—	3	2
Ladhope	58	9	2	3	4	5	—	—	1	—	4	5	4
Annan	69	5	3	9	2	1	2	2	7	—	3	3	1
Stranraer	59	7	2	2	1	—	1	3	4	2	2	—	6

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland Rural Districts.—MALES. (Continued.)

SMALL TOWNS.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Abbey (Landward) .	1	1	3	1	1	3	1	3	3	—	1	—	—	—	—	—
Johnstone . . .	3	3	2	2	3	1	6	4	4	1	3	1	—	—	—	—
Eastwood . . .	6	6	6	3	4	4	8	8	9	2	3	3	1	—	—	—
Neilston . . .	—	1	—	—	2	—	4	—	—	1	1	—	—	1	—	—
Barrhead . . .	3	3	2	4	4	1	2	1	—	1	3	1	—	—	—	—
Port-Glasgow . .	2	2	6	2	5	2	2	3	7	—	2	—	—	—	—	—
Renfrew . . .	3	4	1	1	1	4	2	4	5	1	2	—	—	—	—	—
Old Ardrossan . .	1	—	—	2	—	1	2	2	2	2	—	2	—	—	—	—
New Ardrossan . .	1	2	—	—	1	1	—	1	1	—	—	1	—	—	—	—
Beith . . .	—	4	—	3	1	3	2	6	2	2	2	2	—	—	—	—
Dalry . . .	2	4	3	4	3	6	7	2	5	4	1	—	—	—	—	—
Galston . . .	4	1	—	2	1	—	4	2	3	2	1	1	—	—	—	—
Girvan . . .	3	1	2	3	1	3	2	2	4	7	2	3	—	—	—	—
Irvine . . .	6	—	5	1	6	3	3	11	11	7	7	2	1	—	—	—
Kilbirnie . . .	4	1	1	2	1	1	3	1	—	1	—	3	1	—	—	—
Kilwinning . . .	—	2	4	7	3	7	6	4	2	4	—	—	—	—	—	—
Maybole . . .	3	1	—	2	2	1	7	4	4	4	3	2	—	—	—	—
Riccarton . . .	1	2	—	3	1	2	1	—	4	2	2	—	—	—	—	—
Stevenston . . .	3	3	3	1	4	5	1	5	3	2	2	1	—	—	—	—
Stewarton . . .	1	—	1	1	2	1	3	4	2	5	1	3	1	—	—	—
Avondale . . .	—	2	2	1	2	3	1	4	3	5	3	1	2	—	—	—
Cambusnethan . .	3	7	7	10	2	3	5	9	7	10	1	—	1	—	—	—
Carluke . . .	—	2	—	4	2	2	4	2	—	3	—	2	—	—	—	—
Lanark . . .	2	6	—	5	7	3	4	4	7	3	7	5	—	—	—	—
Rutherglen . . .	6	3	2	3	4	5	7	6	3	4	1	—	—	—	—	—
Stonehouse . . .	2	3	1	1	1	1	1	1	1	1	1	—	—	—	—	1
Bathgate . . .	3	5	3	3	1	4	3	—	2	8	1	—	—	—	—	—
Armadale . . .	1	—	—	2	3	2	3	—	—	—	—	—	—	—	—	—
Borrowstounness .	—	—	—	2	5	2	—	4	2	4	1	1	1	—	—	—
Linlithgow . . .	2	—	1	2	4	3	3	7	7	4	2	—	1	—	—	—
Dalkeith . . .	1	3	2	2	2	2	6	6	11	6	5	2	—	—	—	—
Portobello . . .	4	1	4	2	4	4	1	5	6	2	2	2	—	—	—	—
Inveresk . . .	6	8	4	4	7	4	9	10	7	7	—	1	—	1	—	—
Dunbar . . .	3	3	—	—	1	2	3	6	4	4	2	—	—	—	—	—
Haddington . . .	1	3	6	3	3	2	5	4	3	8	2	—	—	—	—	—
Galashiels . . .	1	—	—	2	2	4	—	2	3	1	—	—	—	—	—	—
Selkirk . . .	3	—	1	2	1	3	2	3	1	2	4	1	—	—	—	—
Hawick . . .	1	2	4	3	2	5	4	7	8	6	4	1	—	—	—	—
Jedburgh . . .	1	1	1	2	—	—	—	4	3	3	2	2	—	—	—	—
Kelso . . .	—	2	2	2	1	1	3	4	2	4	—	2	1	—	—	—
Ladhope . . .	—	2	1	2	1	4	2	3	3	1	2	—	—	—	—	—
Annan . . .	2	1	—	4	3	1	6	3	4	5	2	—	—	—	—	—
Stranraer . . .	2	1	—	—	1	1	2	6	6	5	1	2	1	1	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—FEMALES.

SMALL TOWNS.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Total Small Towns	6168	499	182	315	447	246	170	149	352	211	246	196	213
Lerwick	38	3	—	1	3	—	—	—	1	—	1	2	—
Kirkwall and St. Ola	43	1	—	—	2	1	—	1	—	3	1	1	—
Thurso	40	1	1	1	2	1	—	1	1	—	1	—	—
Wick	100	12	1	3	4	1	1	—	6	1	4	3	1
Nairn	48	2	1	3	3	1	—	1	1	—	4	2	1
Elgin	101	5	1	3	8	1	—	2	2	1	5	7	3
Forres	42	4	—	3	—	—	2	2	2	3	—	1	1
Banff	102	7	4	6	5	—	1	3	4	2	4	5	8
Cullen	17	1	1	—	—	—	1	—	—	—	1	—	—
Seafield	10	1	—	—	—	1	—	—	1	1	—	1	2
Fraserburgh	55	7	3	4	4	5	1	—	2	—	1	3	1
Huntly	46	5	1	1	—	1	—	—	—	1	2	2	1
Peterhead	95	11	5	4	5	1	1	2	2	3	4	2	4
Dunnottar	13	2	1	—	—	—	—	—	—	—	—	1	1
Fetteresso	37	1	2	2	3	1	1	—	2	—	1	—	2
Cookney	16	2	—	—	—	—	1	—	—	2	1	1	—
Brechin	103	11	2	4	4	2	2	1	4	7	4	4	5
Kirriemuir	85	4	2	—	3	6	9	3	5	3	2	1	3
Monifieth	83	6	3	5	7	4	1	6	7	1	—	1	5
Blairgowrie	63	6	3	2	5	—	3	—	5	4	3	1	1
Crieff	77	2	1	4	6	3	4	6	10	6	2	—	2
Burntisland	35	—	1	2	1	—	—	1	2	1	1	2	2
Cupar	84	8	3	—	2	—	—	5	1	—	—	2	1
Dysart	92	11	4	3	4	1	1	1	4	3	2	5	4
St Andrews, etc.	76	9	—	4	2	3	1	2	3	3	2	1	1
Alloa	125	7	5	3	8	9	4	—	9	6	4	6	3
Tillicoultry	59	7	3	7	7	3	—	2	2	1	—	3	1
Alva	35	9	1	2	1	2	—	—	—	4	—	—	3
Campsie	73	14	2	1	6	1	1	—	—	2	3	3	2
Falkirk (Burgh)	128	10	3	7	12	2	5	4	8	2	4	2	4
„ (Landward)	69	8	2	3	2	1	—	4	6	3	6	1	—
Kilsyth	71	12	3	5	4	—	2	2	5	1	3	3	4
Bonhill	120	5	7	3	7	4	3	4	9	6	7	4	7
Dumbarton	148	19	8	7	16	12	4	4	3	2	4	7	4
Kirkintilloch	86	5	2	4	10	1	3	2	6	5	2	1	7
Row	91	7	2	6	7	3	2	1	3	3	2	3	4
Campbeltown	89	10	1	7	4	4	2	1	2	—	2	4	1
Rothsay	126	4	2	5	7	3	2	5	5	1	3	6	7

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—FEMALES.

SMALL TOWNS.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Total Small Towns .	196	168	169	149	200	212	290	285	384	373	291	155	55	11	—	4
Lerwick	1	3	1	1	1	2	3	—	2	5	5	2	1	—	—	—
Kirkwall and St. Ola .	—	1	1	2	—	—	5	2	4	10	4	3	1	—	—	—
Thurso	1	—	1	—	1	2	5	3	5	3	4	3	3	—	—	—
Wick	5	1	3	2	5	5	7	8	8	7	5	4	1	2	—	—
Nairn	2	2	1	2	3	1	5	4	3	3	3	—	—	—	—	—
Elgin	5	2	7	2	4	2	9	4	14	3	6	4	1	—	—	—
Forres	—	—	4	2	3	2	2	4	—	3	4	—	—	—	—	—
Banff	3	2	2	3	2	1	2	5	13	9	5	5	1	—	—	—
Cullen	—	—	1	1	1	3	—	2	1	3	1	—	—	—	—	—
Seafield	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—
Fraserburgh . . .	1	—	1	3	1	1	1	1	4	4	3	3	—	—	—	1
Huntly	6	1	2	—	2	3	2	5	3	3	3	2	—	—	—	—
Peterhead	4	1	2	6	2	2	3	4	10	11	1	4	1	—	—	—
Dunnottar	1	—	—	—	—	1	—	—	2	2	1	1	—	—	—	—
Fetteresso	—	1	—	1	1	—	3	1	5	5	3	1	1	—	—	—
Cookney	—	1	—	1	1	2	—	—	—	2	1	1	—	—	—	—
Brechin	5	2	1	3	2	3	2	9	10	9	3	2	2	—	—	—
Kirriemuir	1	5	—	1	2	2	3	3	7	3	7	9	—	—	—	1
Monifieth	4	4	2	—	2	3	2	3	5	5	5	2	—	—	—	—
Blairstown	3	—	5	4	2	1	2	3	4	1	2	3	—	—	—	—
Crieff	1	—	2	—	2	1	3	6	6	3	3	2	2	—	—	—
Burntisland . . .	—	2	—	—	—	—	—	2	3	4	5	4	—	—	—	—
Cupar	3	3	—	2	3	3	11	8	6	9	6	5	3	—	—	—
Dysart	2	4	3	2	2	2	4	11	7	6	2	4	—	—	—	—
St Andrews, etc. .	2	3	—	5	5	5	2	1	7	2	9	3	1	—	—	—
Alloa	5	1	4	4	4	7	5	6	9	4	7	3	1	1	—	—
Tillicoultry . . .	2	1	3	2	2	2	2	2	3	1	2	1	—	—	—	—
Alva	—	2	—	1	—	1	2	3	1	3	—	—	—	—	—	—
Campsie	3	1	3	4	5	2	2	3	4	5	4	1	—	1	—	—
Falkirk (Burgh) . .	4	1	1	7	4	7	5	1	9	14	6	4	1	—	—	1
„ (Landward) . .	4	—	2	1	4	2	4	5	6	2	2	1	—	—	—	—
Kilsyth	—	4	4	1	1	1	2	—	3	7	4	—	—	—	—	—
Bonhill	3	7	2	1	10	8	5	2	7	2	5	1	—	1	—	—
Dumbarton	5	6	4	4	1	3	7	7	10	6	5	—	—	—	—	—
Kirkintilloch . . .	3	2	5	3	2	3	3	7	1	5	1	1	1	1	—	—
Row	3	4	1	4	3	3	2	6	6	7	3	4	2	—	—	—
Campbeltown . . .	—	—	3	—	1	2	7	10	6	8	6	6	2	—	—	—
Rothsay	1	2	8	1	9	5	15	9	8	7	4	1	5	1	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

SMALL TOWNS.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6 ¹	12									
Abbey (Landward)	51	4	1	3	5	5	3	1	2	1	2	1	3
Johnstone	103	6	4	5	15	4	5	2	2	4	11	5	3
Eastwood	154	6	6	10	16	9	5	7	12	1	7	9	5
Neilston	57	6	3	2	4	2	2	—	3	3	2	2	1
Barrhead	71	6	1	4	2	4	2	—	7	1	3	2	3
Port-Glasgow	147	7	3	10	24	12	8	5	15	6	4	4	3
Renfrew	59	1	2	6	4	7	2	—	1	2	4	—	1
Old Ardrossan	38	1	—	1	2	—	1	2	2	3	5	2	2
New Ardrossan	41	1	2	1	5	3	—	1	4	3	1	—	3
Beith	62	8	2	3	3	1	2	—	1	4	5	4	4
Dalry	82	3	3	5	1	5	—	3	8	3	7	2	4
Galston	99	9	3	5	9	8	2	5	3	4	4	4	3
Girvan	69	9	3	4	4	4	1	1	3	6	5	2	—
Irvine	143	11	4	2	6	4	4	6	12	7	1	5	6
Kilbirnie	58	3	3	3	5	—	2	3	3	1	6	2	2
Kilwinning	95	14	2	6	8	3	4	1	7	3	8	3	4
Maybole	49	3	—	1	—	2	1	—	4	3	4	—	1
Riccarton	70	5	2	3	8	5	5	2	6	4	4	3	3
Stevenston	71	2	1	3	4	3	3	—	9	7	3	3	2
Stewarton	51	1	1	1	1	3	1	1	2	—	—	4	3
Avondale	73	2	1	8	7	6	3	5	9	1	—	—	3
Cambusnethan	166	18	5	16	22	9	7	7	16	4	6	—	5
Carluke	117	9	2	4	11	8	7	2	18	8	1	1	2
Lanark	131	8	1	6	10	1	5	6	11	7	11	6	7
Rutherglen	138	10	5	17	13	12	5	1	6	7	8	3	9
Stonehouse	61	6	2	—	1	3	4	4	7	4	6	2	2
Bathgate	81	13	3	4	10	4	—	2	3	3	1	3	2
Armadales	22	2	1	1	5	1	3	—	—	1	3	1	—
Borrowstounness	60	6	4	6	10	—	7	1	1	—	3	2	1
Linlithgow	64	1	—	2	5	1	3	1	9	4	3	1	1
Dalkeith	86	6	4	3	9	—	1	—	2	2	4	3	4
Portobello	77	5	—	4	4	3	3	1	8	2	2	5	1
Inveresk	156	16	7	10	7	6	1	5	5	1	4	1	3
Dunbar	46	4	1	1	4	1	3	1	8	1	3	—	—
Haddington	58	5	2	4	1	—	—	1	2	2	3	3	1
Galashiels	50	9	2	4	2	4	—	—	2	2	1	7	3
Selkirk	38	3	2	2	—	—	1	—	2	2	3	—	2
Hawick	118	12	5	7	10	5	2	1	6	5	3	7	2
Jedburgh	47	1	2	3	—	—	1	1	1	—	1	—	—
Kelso	70	2	1	5	5	5	—	—	2	2	—	—	2
Ladhope	68	6	2	6	10	6	—	2	3	2	2	2	5
Annan	73	3	3	7	6	7	1	—	2	3	2	—	2
Stranraer	77	7	—	2	5	2	2	2	—	1	4	1	4

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

SMALL TOWNS.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Abbey (Landward)	—	1	—	1	2	5	—	2	2	3	1	1	2	—	—	—	
Johnstone	3	1	3	2	4	3	5	3	4	6	2	1	—	—	—	—	
Eastwood	7	6	5	2	3	5	6	8	5	5	7	1	1	—	—	—	
Neilston	3	1	2	3	1	1	3	3	5	1	2	1	1	—	—	—	
Barrhead	1	4	3	3	3	3	4	—	5	2	5	2	1	—	—	—	
Port-Glasgow	4	3	3	2	4	2	5	4	8	5	4	2	—	—	—	—	
Renfrew	4	2	1	1	2	2	3	4	6	—	3	1	—	—	—	—	
Old Ardrossan	1	1	—	—	2	2	1	3	—	3	3	1	—	—	—	—	
New Ardrossan	—	1	2	1	1	3	2	2	1	—	2	1	—	1	—	—	
Beith	3	3	3	1	—	3	4	—	—	3	2	3	—	—	—	—	
Dalry	7	2	1	1	2	4	5	3	5	4	2	2	—	—	—	—	
Galston	2	2	—	2	3	2	5	5	4	8	3	4	—	—	—	—	
Girvan	3	5	—	2	1	1	3	1	1	3	3	3	—	—	—	1	
Irvine	6	4	7	—	1	5	3	7	12	10	13	3	3	1	—	—	
Kilbirnie	2	3	4	1	1	2	5	5	1	1	—	—	—	—	—	—	
Kilwinning	1	2	7	2	4	—	3	4	1	5	1	1	1	—	—	—	
Maybole	1	3	—	1	3	1	2	2	9	2	2	1	3	—	—	—	
Riccarton	1	—	3	—	3	1	3	1	1	3	4	—	—	—	—	—	
Stevenston	3	2	—	2	2	2	5	2	4	4	4	1	—	—	—	—	
Stewarton	2	—	1	1	3	4	5	3	5	6	1	—	2	—	—	—	
Avondale	1	—	—	4	5	—	3	2	4	3	3	2	1	—	—	—	
Cambusnethan	7	2	4	3	5	6	2	7	4	6	3	—	2	—	—	—	
Carluke	3	3	4	3	2	3	3	3	6	3	8	3	—	—	—	—	
Lanark	2	4	2	5	2	4	1	3	10	11	4	3	1	—	—	—	
Rutherglen	5	2	3	3	3	3	6	5	4	4	4	—	—	—	—	—	
Stonehouse	5	2	—	1	1	1	—	1	3	4	2	—	—	—	—	—	
Bathgate	2	7	1	2	3	2	4	2	4	3	3	—	—	—	—	—	
Armadales	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	
Borrowstounness	1	2	—	—	1	—	2	2	5	1	3	1	1	—	—	—	
Linlithgow	2	5	2	—	2	1	5	2	4	3	5	2	—	—	—	—	
Dalkeith	3	2	1	1	5	3	4	5	10	6	6	2	—	—	—	—	
Portobello	3	1	3	4	3	3	3	3	4	8	—	4	—	—	—	—	
Inveresk	6	5	3	5	5	13	10	9	9	12	9	2	2	—	—	—	
Dunbar	—	2	—	—	1	1	1	3	1	5	2	2	1	—	—	—	
Haddington	2	2	2	3	1	4	3	2	3	7	3	1	1	—	—	—	
Galashiels	—	—	1	1	1	1	2	2	3	1	1	1	—	—	—	—	
Selkirk	3	2	1	—	2	4	2	2	1	1	2	1	—	—	—	—	
Hawick	3	5	5	2	10	4	6	4	5	7	2	—	—	—	—	—	
Jedburgh	3	1	2	—	3	2	7	5	2	6	4	2	—	—	—	—	
Kelso	2	3	6	1	2	2	2	3	5	14	3	3	—	—	—	—	
Ladhope	2	1	2	2	1	1	2	4	4	—	1	1	—	1	—	—	
Annan	2	1	—	1	2	5	4	—	5	3	10	2	2	—	—	—	
Stranraer	2	1	1	4	2	5	5	3	7	5	9	2	—	1	—	—	

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	74165	429	491	599	325	1292	1427	156	695	951	4316	545	5807	2772	2991	12
SPECIFIED CAUSES	71873	358	460	563	280	1079	1274	151	655	911	4189	536	5734	2675	2878	119
I. Zymotic Class	15181	21	50	80	24	183	195	14	69	133	721	72	1582	589	540	16
II. Diseases of Uncer. Seat	2388	9	21	29	15	44	48	4	30	43	175	33	200	129	109	7
III. Tubercular Class	13027	46	46	98	41	127	148	26	122	154	690	94	956	398	416	10
IV. Brain and Nervous Sys.	5942	18	29	29	16	74	110	19	69	95	449	51	462	249	235	13
V. Organs of Circulation	3560	8	20	40	5	20	56	3	34	37	244	32	310	183	182	11
VI. Respiratory Organs	11366	32	53	69	26	106	124	15	85	147	650	79	857	315	453	12
VII. Organs of Digestion	4997	13	40	39	16	60	106	15	59	78	321	42	320	187	189	13
VIII. Urinary Organs	1107	4	19	14	2	20	23	5	8	26	109	13	67	36	51	2
IX. Organs of Generation	533	8	3	1	4	10	15	2	6	6	30	3	45	10	19	1
X. Organs of Locomotion	455	1	1	6	4	8	15	—	5	8	26	5	27	20	11	1
XI. Skin, etc.	100	—	2	3	1	1	2	—	1	1	13	—	6	4	7	—
XII. Malformation	276	—	—	—	—	1	1	—	3	4	17	5	23	6	12	1
XIII. Premature Debility	3543	20	5	23	2	40	36	7	32	41	160	12	338	79	145	3
XIV. Atrophy	471	1	5	3	2	3	5	1	2	7	21	4	30	28	19	—
XV. Age	6414	156	144	108	107	351	335	29	118	110	430	79	364	342	365	24
XVI. Sudden Deaths	150	2	—	—	2	4	1	1	—	—	2	—	10	11	13	—
XVII. Violent Deaths	2363	19	22	21	13	27	54	10	12	21	131	12	137	89	112	5
I. Small-pox	114	—	—	—	—	1	1	—	—	—	4	—	1	2	—	—
Measles	834	1	—	2	—	—	15	—	—	4	1	—	27	21	23	1
Scarlatina	4356	—	4	—	—	7	8	2	3	33	131	9	744	276	174	3
Diphtheria	630	2	10	1	2	15	6	1	4	5	43	3	20	29	15	1
Whooping-cough	1783	—	8	21	4	44	30	1	5	2	70	14	190	36	31	—
Croup	857	2	3	1	1	37	23	1	13	8	39	4	40	18	33	2
Thrush	32	—	—	—	—	—	1	—	1	—	11	—	1	1	—	—
Diarrhoea	1882	3	2	10	5	13	39	2	13	28	138	14	245	44	70	2
Dysentery	245	1	2	2	1	3	1	—	6	8	37	1	29	6	20	2
Cholera	143	—	—	—	—	—	1	—	—	1	5	—	18	2	4	—
Influenza	168	1	8	3	—	13	4	—	1	9	18	2	9	7	11	—
Purpura	36	—	1	—	—	1	—	1	—	1	2	—	1	—	3	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	11	—	—	—	—	1	—	—	1	—	2	—	—	1	—	—
Typhus	1460	3	4	11	4	26	27	—	4	6	50	5	80	43	32	3
Enteric Fever	1207	1	2	16	2	12	21	4	7	15	84	11	87	52	64	1
Relapsing Fever	205	—	—	—	—	1	—	1	—	—	4	—	3	—	3	—
Simple Cont. Fever	151	3	4	2	1	1	2	—	1	—	5	—	5	9	5	—
Infantile Remittent	141	—	—	1	1	—	1	—	1	1	9	3	6	6	13	—
Metria	202	1	—	3	1	—	3	—	2	1	10	2	10	5	9	—
Rheumatic Fever	159	2	—	4	2	4	3	1	3	2	21	2	9	12	6	1
Erysipelas	330	—	1	2	—	3	8	—	3	7	22	2	30	13	17	—
Pyæmia	34	—	—	—	—	—	—	—	1	—	3	—	2	2	2	—
Syphilis	186	1	1	1	—	1	1	—	—	2	12	—	24	4	5	—
Noma	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
II. Hæmorrhage	71	—	1	2	—	1	1	—	1	—	4	1	7	2	2	1
Dropsy	612	3	13	5	8	11	17	1	1	6	26	3	58	37	23	2
Abscess	141	—	—	—	—	1	—	—	1	3	15	2	13	5	5	—
Ulcer	49	2	—	1	1	1	1	—	—	—	2	1	2	3	4	—
Fistula	17	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—
Mortification	109	1	1	1	1	1	4	—	1	2	9	4	6	2	6	—
Cancer	1373	2	6	20	5	29	23	3	25	28	119	22	113	79	67	4
Gout	16	1	—	—	—	—	2	—	1	3	—	—	—	1	1	—
III. Scrofula	798	3	—	9	2	9	9	—	5	22	49	7	44	18	22	—
Tabes Mesenterica	1034	2	2	3	—	2	7	—	2	3	40	5	58	22	18	—
Phthisis	9148	38	41	72	32	110	121	23	96	116	492	67	709	307	310	9
Hydrocephalus	2047	3	3	14	7	6	11	3	19	13	109	15	145	51	66	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—BOTH SEXES.

DISEASES.	Clack- manan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	479	2044	1333	1492	373	5047	4754	21463	984	7536	687	591	198	232	1015	1516	805	696
SPECIFIED CAUSES . . .	455	1956	1294	1363	355	4882	4635	21130	940	7447	656	580	194	232	996	1467	769	660
Zymotic Class . . .	111	445	243	187	49	1175	1141	4951	249	1479	138	66	26	54	144	228	102	104
Uncertain Seat . . .	23	63	39	60	17	153	149	487	25	262	21	14	15	7	45	55	32	25
Tubercular Class . . .	76	318	294	207	82	952	942	4299	155	1354	91	70	28	49	179	291	162	106
Brain, etc.	25	145	98	121	45	358	355	1550	52	736	58	75	24	17	122	128	66	49
Heart, etc.	18	84	62	76	21	203	193	729	50	520	56	69	11	14	92	79	55	43
Respiratory Organs . . .	72	318	169	174	38	758	645	4121	151	1158	82	64	21	23	135	219	88	107
Digestive Organs . . .	18	163	118	89	25	367	296	1455	63	440	44	47	14	18	74	134	80	54
Urinary Organs . . .	10	26	14	29	6	59	54	240	12	179	4	11	5	7	11	20	12	9
Generative Organs . . .	6	15	7	8	2	38	32	147	4	64	4	10	6	—	4	13	5	5
Locomotive Organs . . .	2	8	12	15	3	32	30	107	5	56	2	5	2	—	8	17	6	7
Skin	—	6	—	1	2	7	2	19	—	11	2	1	1	—	2	2	1	2
Malformation	5	4	8	2	—	20	16	71	2	45	—	6	1	2	4	9	3	5
Premature Debility . . .	30	119	58	47	9	249	213	1162	63	367	38	37	17	19	59	62	26	25
Atrophy	5	15	6	8	—	40	30	158	2	53	8	1	1	1	5	4	1	2
Age	39	173	97	270	45	286	394	900	64	443	83	72	20	14	85	164	109	94
Sudden Deaths	—	3	—	2	—	15	5	55	6	8	5	1	—	—	—	3	1	—
Violent Deaths	15	51	69	67	11	170	138	679	37	272	20	31	2	7	27	39	20	23
Small Pox	—	3	1	—	—	61	2	33	—	2	3	—	—	—	—	—	—	—
Measles	16	17	20	15	5	162	97	290	18	40	2	2	—	13	8	33	1	—
Scarlatina	40	186	53	52	4	238	425	1293	116	360	61	12	2	2	8	54	35	21
Diphtheria	2	21	8	6	2	33	50	180	13	129	6	6	—	—	3	7	3	4
Whooping Cough	8	13	29	20	3	176	96	727	11	124	3	11	4	8	40	14	19	21
Croup	2	18	18	20	3	51	42	265	10	155	8	5	4	2	11	9	6	3
Thrush	—	1	1	1	—	2	—	8	1	2	—	—	—	—	—	1	—	—
Diarrhoea	5	53	32	27	6	133	93	564	28	206	17	11	1	8	15	32	8	15
Dysentery	1	7	7	4	2	13	14	44	3	16	3	1	—	1	1	6	3	—
Cholera	1	3	3	—	1	12	27	40	2	18	1	—	—	—	1	2	1	—
Influenza	—	7	5	3	—	—	19	24	1	12	—	—	—	1	1	2	4	3
Purpura	—	—	1	—	—	3	4	11	—	5	—	—	—	—	—	2	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	1	—	—	—	2	2	—	—	—	—	—	—	—	1	—	—
Typhus	21	39	15	10	9	117	74	721	5	123	4	1	3	1	10	2	2	5
Enteric Fever	10	33	20	17	7	67	96	291	20	136	19	11	4	9	21	36	8	23
Relapsing Fever	—	2	1	1	—	21	11	142	1	11	—	—	—	—	1	1	1	—
Simple Cont. Fever	—	3	5	2	—	8	25	32	4	11	1	1	2	3	9	2	4	1
Infantile Remittent	1	5	1	1	2	19	13	41	2	7	—	—	—	—	2	4	—	1
Metria	1	9	5	2	1	18	15	61	3	26	1	1	4	1	3	4	—	—
Rheumatic Fever	1	5	5	1	—	9	6	22	2	19	3	1	2	2	—	5	2	2
Erysipelas	1	14	5	4	1	16	23	81	6	41	3	1	—	2	8	8	5	3
Pyæmia	—	1	1	—	—	2	1	11	1	2	1	1	—	—	1	1	—	1
Syphilis	1	4	6	1	3	11	4	64	2	32	2	1	—	1	—	1	—	1
Noma	—	1	—	—	—	3	2	4	—	2	—	—	—	—	1	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	3	2	2	—	4	6	20	—	5	—	—	—	—	—	2	1	3
Dropsy	14	21	14	16	—	60	40	167	4	37	1	1	3	—	2	11	5	2
Abscess	—	1	3	6	—	13	13	37	3	11	2	1	2	—	1	1	1	1
Ulcer	—	2	—	—	—	4	2	9	1	8	—	—	—	—	3	2	—	—
Fistula	—	—	—	—	—	2	—	7	—	2	—	—	—	—	—	2	1	—
Mortification	—	5	—	4	2	8	8	18	1	14	—	—	—	2	2	2	3	1
Cancer	9	31	20	32	14	62	79	227	16	184	17	12	10	5	37	35	20	18
Gout	—	—	—	—	1	—	1	2	—	1	1	—	—	—	—	—	1	—
Scrofula	1	21	15	16	8	60	54	249	13	95	8	6	3	3	6	16	15	10
Tabes Mesenterica	4	29	14	3	5	59	90	439	20	146	6	11	3	1	18	13	4	5
Phthisis	62	217	212	159	56	670	641	2951	74	825	69	41	15	34	133	231	126	89
Hydrocephalus	9	51	53	29	13	163	157	660	48	288	8	12	7	11	22	31	17	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—BOTH SEXES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	547	2	1	2	2	7	5	4	11	11	47	5	36	15	22	—
Apoplexy . . .	1407	1	7	7	1	12	18	4	15	21	91	10	113	70	61	7
Paralysis . . .	1794	8	16	13	12	29	61	8	21	27	129	22	141	100	85	5
Delirium Tremens . . .	52	—	—	—	—	—	—	—	—	3	1	—	8	—	3	—
Chorea . . .	8	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—
Epilepsy . . .	215	2	3	1	—	5	6	2	1	5	12	1	17	16	10	—
Tetanus . . .	41	—	—	—	—	5	3	—	—	—	—	1	4	2	2	—
Insanity . . .	33	—	1	—	—	—	—	—	1	1	5	—	2	2	1	—
Convulsions . . .	971	3	—	3	1	10	12	—	10	14	85	6	87	15	24	1
Brain Disease . . .	874	2	1	3	—	6	5	1	10	12	78	5	54	29	25	—
V. Pericarditis . . .	90	—	2	1	1	—	3	—	—	—	3	3	9	4	6	—
Aneurism . . .	84	—	1	5	—	—	—	—	1	2	6	1	4	7	4	—
Heart Disease . . .	3386	8	17	34	4	20	53	3	33	35	235	28	297	172	172	11
VI. Laryngitis . . .	136	1	2	—	—	2	1	—	3	2	13	1	5	7	4	—
Bronchitis . . .	7777	14	34	42	12	45	73	12	55	90	453	50	652	181	276	7
Pleurisy . . .	213	1	—	—	—	1	11	—	4	3	17	—	15	13	10	1
Pneumonia . . .	2415	7	7	18	5	31	26	2	21	43	144	23	139	82	135	4
Asthma . . .	486	9	7	6	8	21	12	1	2	8	14	2	36	21	22	—
Lung Disease . . .	339	—	3	3	1	6	1	—	—	1	9	3	10	11	6	—
VII. Teething . . .	965	2	3	4	2	7	12	9	15	15	78	4	90	23	33	1
Quinsey . . .	67	—	1	—	—	3	—	—	2	1	5	1	4	3	1	—
Gastritis . . .	185	—	2	5	—	2	4	1	2	2	10	—	13	11	8	—
Enteritis . . .	880	—	2	5	3	9	25	1	4	7	30	8	34	26	29	1
Peritonitis . . .	319	—	5	5	1	—	11	2	2	7	20	—	22	4	6	1
Ascites . . .	64	—	—	1	1	2	4	—	2	2	1	1	3	2	3	—
Ulceration of Intestines	191	—	1	3	—	3	3	—	1	5	23	3	9	7	8	—
Hernia . . .	116	—	—	—	—	3	2	—	—	4	12	1	12	12	4	—
Ileus . . .	293	1	5	2	—	8	6	—	5	12	34	5	25	15	11	1
Intussusception . . .	49	—	—	—	1	1	—	—	1	2	3	—	2	2	3	3
Stricture of Intestines	26	—	1	—	—	—	1	—	—	1	1	—	3	—	2	—
Stomach Disease . . .	685	4	13	4	3	11	16	—	5	1	43	9	34	34	32	2
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	154	3	2	—	—	1	—	—	3	2	10	—	10	4	2	2
Jaundice . . .	217	3	—	4	1	2	4	1	3	1	15	3	13	9	12	2
Liver Disease . . .	747	—	5	6	4	6	18	1	14	14	34	7	41	34	29	—
Spleen Disease . . .	39	—	—	—	—	2	—	—	—	2	2	—	5	1	6	—
VIII. Nephritis . . .	93	—	3	—	—	1	2	—	1	2	4	—	10	—	3	—
Nephria . . .	339	—	2	5	—	5	3	3	3	9	26	—	17	6	12	—
Addison's Disease . . .	8	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1
Ischuria . . .	55	—	3	—	—	1	—	1	1	1	8	2	5	2	3	—
Diabetes . . .	96	1	—	—	—	2	5	1	—	2	5	2	6	2	6	1
Stone . . .	56	1	4	3	1	1	1	—	1	2	14	1	3	1	2	—
Cystitis . . .	175	—	4	3	—	2	7	—	1	8	19	3	11	6	13	—
Stricture of Urethra . . .	12	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Kidney Disease . . .	273	2	2	3	1	8	4	—	1	2	33	4	15	19	11	—
IX. Paramenia . . .	24	—	—	—	—	—	1	—	—	1	2	—	—	—	1	—
Ovarian Dropsy . . .	71	1	1	1	—	3	—	—	—	2	7	—	10	1	2	1
Childbirth . . .	381	7	2	—	3	6	12	2	6	2	17	3	34	7	12	—
Organs of Generation . . .	57	—	—	—	1	1	2	—	—	1	4	—	1	2	4	—
X. Bone Disease . . .	112	—	1	1	1	—	3	—	2	4	5	1	5	3	3	—
Rheumatism . . .	170	1	—	5	1	6	10	—	—	4	10	4	5	13	7	—
Joint Disease . . .	173	—	—	—	2	2	2	—	3	—	11	—	17	4	1	1
XI. Carbuncle . . .	25	—	—	—	1	1	—	—	—	1	1	—	1	—	2	—
Phlegmon . . .	20	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—
Skin Disease . . .	55	—	2	3	—	—	2	—	1	—	10	—	4	3	5	—
XVII. Intemperance . . .	98	—	—	—	—	—	1	—	—	—	2	—	5	—	4	—
Privation . . .	7	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Want of Breast Milk . . .	114	—	—	1	—	—	—	—	—	—	8	1	2	3	11	—
Neglect . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	24	—	1	2	1	1	6	—	1	1	1	—	—	—	—	—
Poison . . .	49	—	—	—	—	—	1	—	—	1	1	—	3	4	3	—
Poisoned Wounds . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Burns and Scalds . . .	270	1	3	3	1	2	4	1	1	2	13	1	14	10	13	—
Hanging, etc. . .	55	—	—	—	1	—	—	—	1	—	—	—	3	6	9	—
Suffocation . . .	167	—	—	—	—	—	3	—	1	3	25	2	17	2	7	1
Drowning . . .	495	14	15	8	3	13	17	7	2	4	22	5	25	24	22	3
Fracture and Contusion . . .	939	4	2	7	7	8	17	2	6	9	52	2	57	33	35	1
Gunshot Wounds . . .	18	—	—	—	—	1	—	—	—	—	1	—	—	1	3	—
Cuts and Stabs . . .	42	—	1	—	—	—	2	—	—	—	3	1	8	1	2	—
Other Violent Causes . . .	82	—	—	—	—	2	3	—	—	1	2	—	2	5	2	—
Not Specified . . .	2292	71	31	36	45	213	153	5	40	40	127	9	73	97	113	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	36866	183	254	289	149	625	693	72	353	470	2095	255	2828	1385	1502	50
SPECIFIED CAUSES	35657	154	233	274	128	517	619	70	324	443	2028	249	2794	1346	1450	48
I. Zymotic Class	7435	14	26	31	10	89	103	7	34	60	340	30	777	287	264	8
II. Diseases of Uncer. Seat	948	4	9	13	4	14	15	1	12	18	69	14	71	44	45	3
III. Tubercular Class	6327	20	26	54	25	72	78	15	59	83	350	46	443	206	189	2
IV. Brain and Nervous Sys.	3107	10	17	13	9	41	54	6	38	43	225	29	235	126	122	4
V. Organs of Circulation	1789	4	9	23	5	15	30	3	18	16	107	16	159	102	89	7
VI. Respiratory Organs	5796	17	23	27	9	52	67	7	37	71	330	36	422	154	249	6
VII. Organs of Digestion	2593	2	24	23	9	36	65	9	35	50	160	18	158	111	109	5
VIII. Urinary Organs	731	3	13	10	2	11	20	—	6	22	84	9	41	22	37	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	235	—	—	4	2	2	7	—	2	4	10	1	15	11	3	—
XI. Skin, etc.	55	—	2	2	1	1	1	—	—	—	6	—	1	3	4	—
XII. Malformation	166	—	—	—	—	1	1	—	3	1	11	3	12	4	7	—
XIII. Premature Debility	1994	15	1	16	1	16	18	4	21	21	89	6	208	48	80	1
XIV. Atrophy	214	—	2	1	—	1	4	—	1	2	6	2	18	16	12	—
XV. Age	2384	48	62	42	36	147	115	9	48	38	140	29	133	141	148	10
XVI. Sudden Deaths	90	1	—	—	2	1	—	1	—	—	—	—	7	5	7	—
XVII. Violent Deaths	1793	16	19	15	13	18	41	8	10	14	101	10	94	66	85	1
I. Small Pox	72	—	—	—	—	—	1	—	—	—	2	—	—	2	—	—
Measles	419	1	—	1	—	—	4	—	—	2	1	—	15	5	14	—
Scarlatina	2208	—	3	—	—	1	6	2	1	18	62	3	396	134	85	3
Diphtheria	306	2	4	1	1	9	3	—	2	4	19	2	4	15	10	—
Hooping Cough	778	—	2	10	1	13	16	—	2	1	35	5	69	17	11	—
Croup	475	2	1	—	1	25	15	—	5	6	23	—	22	12	20	—
Thrush	20	—	—	—	—	—	—	—	—	—	9	—	—	1	—	—
Diarrhœa	940	3	2	2	2	3	22	1	8	7	60	7	120	20	34	1
Dysentery	110	—	—	2	1	3	1	—	4	4	16	1	10	3	10	1
Cholera	80	—	—	—	—	—	1	—	—	—	2	—	11	1	4	—
Influenza	70	—	5	1	—	8	2	—	1	1	6	—	4	4	7	—
Purpura	19	—	1	—	—	1	—	1	—	1	1	—	1	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	8	—	—	—	—	1	—	—	1	—	2	—	—	—	—	—
Typhus	750	1	1	4	2	11	11	—	3	1	23	5	42	23	16	2
Enteric Fever	566	1	2	5	1	7	13	2	3	10	36	5	45	26	27	1
Relapsing Fever	107	—	—	—	—	—	—	1	—	—	3	—	2	—	3	—
Simple Cont. Fever	82	2	3	1	1	1	2	—	—	—	2	—	2	7	1	—
Infantile Remittent	68	—	—	1	—	—	1	—	—	1	5	2	2	4	7	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	77	2	—	1	—	4	1	—	2	1	9	—	3	5	2	—
Erysipelas	149	—	1	1	—	2	3	—	1	3	14	—	14	2	7	—
Pyæmia	21	—	—	—	—	—	—	—	1	—	1	—	—	2	2	—
Syphilis	104	—	1	1	—	—	1	—	—	—	9	—	14	4	3	—
Noma	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
II. Hæmorrhage	35	—	1	—	—	—	—	—	—	—	1	—	4	1	1	—
Dropsy	254	2	4	3	3	5	4	—	—	1	11	—	22	15	16	1
Abscess	80	—	—	—	—	—	—	—	1	1	10	1	5	2	3	—
Ulcer	24	—	—	1	1	1	—	—	—	—	1	—	1	1	1	—
Fistula	11	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Mortification	49	—	—	1	—	1	3	—	—	2	2	3	1	—	1	—
Cancer	486	1	4	8	—	7	7	1	11	11	44	10	37	24	21	2
Gout	9	1	—	—	—	—	1	—	—	2	—	—	—	1	1	—
III. Scrofula	449	1	—	7	2	5	6	—	4	11	33	4	25	11	8	—
Tabes Mesenterica	578	1	2	2	—	—	3	—	2	2	25	1	41	13	10	—
Phthisis	4161	16	22	39	19	63	64	12	47	63	227	32	302	153	139	2
Hydrocephalus	1139	2	2	6	4	4	5	3	6	7	65	9	75	29	32	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	226	1039	658	782	185	2550	2418	10775	539	3757	351	301	102	134	449	702	368	327
SPECIFIED CAUSES . . .	207	994	641	709	173	2459	2345	10595	512	3704	334	296	100	134	442	681	347	307
Zymotic Class . . .	52	229	116	97	26	589	567	2399	131	723	72	35	15	36	56	107	55	50
Uncertain Seat . . .	8	30	13	30	3	59	57	211	16	101	8	9	7	1	18	18	12	11
Tubercular Class . . .	43	153	133	107	39	460	444	2004	94	713	39	35	17	27	78	146	83	44
Brain, etc.	10	73	59	68	19	186	189	851	27	383	34	37	11	11	62	66	23	26
Heart, etc.	9	50	29	36	9	97	86	388	19	265	31	33	4	5	44	42	19	20
Respiratory Organs . . .	24	168	87	99	21	403	362	2133	84	560	46	32	11	13	63	100	39	44
Digestive Organs . . .	7	81	65	48	12	191	159	762	29	215	20	25	8	12	32	55	30	28
Urinary Organs . . .	9	22	10	17	4	36	36	136	11	118	3	7	2	6	4	12	9	8
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	1	3	6	9	1	18	21	58	2	32	2	3	1	—	4	7	3	3
Skin	—	6	—	—	2	4	2	11	—	6	—	1	—	—	1	—	—	1
Malformation	2	1	5	2	—	10	9	51	—	29	—	3	1	2	1	4	1	2
Premature Debility . . .	20	64	28	24	5	150	125	635	42	204	22	19	11	9	28	42	13	8
Atrophy	3	8	2	4	—	13	15	70	1	23	3	—	1	1	1	1	1	2
Age	10	64	33	116	22	101	157	317	23	145	36	31	9	6	31	48	43	46
Sudden Deaths	—	3	—	2	—	9	2	36	4	3	3	1	—	—	—	2	1	—
Violent Deaths	9	39	55	50	10	133	114	533	29	184	15	25	2	5	19	31	15	14
Small Pox	—	1	1	—	—	41	2	19	—	2	1	—	—	—	—	—	—	—
Measles	10	8	9	7	3	81	47	153	7	20	1	—	—	11	3	16	—	—
Scarlatina	23	109	23	28	2	111	212	647	65	167	34	9	1	2	4	27	19	11
Diphtheria	1	10	4	3	2	20	23	85	6	59	5	3	—	—	1	3	2	3
Hooping Cough	2	5	11	9	1	91	46	309	8	58	2	5	1	5	16	10	7	10
Croup	2	11	9	11	1	30	17	139	7	89	3	3	4	1	7	5	3	1
Thrush	—	1	1	1	—	—	—	5	1	—	—	—	—	—	—	1	—	—
Diarrhœa	2	24	15	12	3	62	52	296	14	115	9	5	—	3	7	16	6	7
Dysentery	1	3	2	1	—	6	5	17	1	9	1	1	—	1	1	2	3	—
Cholera	—	2	2	—	1	6	15	22	—	10	1	—	—	—	1	1	—	—
Influenza	—	2	3	2	—	—	6	9	1	4	—	—	—	1	—	1	2	—
Purpura	—	—	1	—	—	1	2	5	—	3	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—
Typhus	8	20	10	6	5	61	39	375	3	65	1	1	2	—	4	—	1	4
Enteric Fever	3	13	12	11	4	30	50	126	9	66	11	5	3	5	6	13	5	10
Relapsing Fever	—	1	1	1	—	11	9	69	—	6	—	—	—	—	—	—	—	—
Simple Cont. Fever . . .	—	2	2	2	—	5	15	10	3	7	—	1	2	2	4	1	3	1
Infantile Remittent . . .	—	1	—	—	1	10	6	19	1	4	—	—	—	—	1	2	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	3	2	1	—	4	3	14	—	8	2	—	2	2	—	4	1	1
Erysipelas	—	9	3	2	1	7	12	38	3	16	1	—	—	2	1	2	3	1
Pyæmia	—	1	1	—	—	2	—	8	—	1	—	1	—	—	—	—	—	1
Syphilis	—	2	3	—	2	10	4	31	2	14	—	1	—	1	—	1	—	—
Noma	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	2	—	2	—	3	1	16	—	1	—	—	—	—	—	—	—	2
Dropsy	7	7	7	6	—	25	14	75	2	15	—	—	1	—	1	4	2	1
Abscess	—	—	1	4	—	6	5	26	2	8	1	1	1	—	1	—	1	—
Ulcer	—	2	—	—	—	3	—	4	1	4	—	—	—	—	2	1	—	—
Fistula	—	—	—	—	—	1	—	4	—	1	—	—	—	—	—	1	1	—
Mortification	—	1	—	4	1	3	3	10	1	6	—	—	—	—	2	1	2	1
Cancer	1	18	5	14	2	18	34	74	10	65	7	8	5	1	12	11	6	7
Gout	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Scrofula	—	10	4	9	6	35	32	131	11	57	4	3	2	2	1	10	9	6
Tabes Mesenterica . . .	2	17	9	1	3	37	48	234	12	83	2	5	3	—	9	8	2	1
Phthisis	35	100	93	84	24	292	276	1271	58	405	29	22	9	16	57	111	63	36
Hydrocephalus	6	26	27	13	6	96	88	368	33	168	4	5	3	9	11	17	9	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	290	—	—	—	—	4	3	1	9	6	27	2	25	9	12	—
Apoplexy . . .	724	1	6	3	1	8	11	2	7	9	46	6	47	32	30	3
Paralysis . . .	872	4	10	5	7	14	28	1	12	9	61	14	63	46	37	1
Delirium Tremens . . .	43	—	—	—	—	—	—	—	—	2	1	—	3	—	3	—
Chorea . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Epilepsy . . .	113	2	—	1	—	2	1	2	—	2	5	1	10	9	5	—
Tetanus . . .	20	—	—	—	—	3	—	—	—	—	—	—	3	1	2	—
Insanity . . .	8	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—
Convulsions . . .	538	1	—	3	1	7	7	—	6	8	48	3	49	9	19	—
Brain Disease . . .	498	2	1	1	—	3	4	—	4	7	35	3	34	19	13	—
V. Pericarditis . . .	47	—	1	1	1	—	2	—	—	—	2	—	3	3	2	—
Aneurism . . .	59	—	—	3	—	—	—	—	1	1	6	1	3	4	3	—
Heart Disease . . .	1683	4	8	19	4	15	28	3	17	15	99	15	153	95	84	7
VI. Laryngitis . . .	72	1	1	—	—	1	—	—	1	1	5	—	4	3	3	—
Bronchitis . . .	3754	6	14	13	4	19	41	4	23	40	215	24	316	81	153	2
Pleurisy . . .	140	—	—	—	—	1	8	—	2	2	11	—	9	11	5	1
Pneumonia . . .	1366	4	2	11	3	17	16	2	10	21	88	11	71	44	73	3
Asthma . . .	264	6	5	1	2	9	2	1	1	7	6	1	17	8	9	—
Lung Disease . . .	200	—	1	2	—	5	—	—	—	—	5	—	5	7	6	—
VII. Teething . . .	552	—	2	4	2	4	8	4	10	8	37	2	48	17	22	—
Quinsey . . .	46	—	1	—	—	—	—	—	2	1	4	1	1	3	1	—
Gastritis . . .	91	—	2	2	—	1	2	1	1	1	3	—	5	8	6	—
Enteritis . . .	467	—	1	4	1	8	15	—	3	6	18	4	12	18	12	—
Peritonitis . . .	152	—	5	3	—	—	7	2	—	3	7	—	11	3	4	1
Ascites . . .	25	—	—	1	—	1	1	—	1	—	—	—	1	1	2	—
Ulceration of Intestines	92	—	1	2	—	1	2	—	1	5	9	—	3	2	6	—
Hernia . . .	48	—	—	—	—	—	2	—	—	3	7	1	3	6	1	—
Ileus . . .	150	—	2	1	—	8	5	—	3	9	20	1	10	6	4	—
Intussusception . . .	29	—	—	—	1	—	—	—	—	1	2	—	1	1	2	2
Stricture of Intestines	17	—	1	—	—	—	1	—	—	1	1	—	2	—	1	—
Stomach Disease . . .	328	1	5	3	3	7	10	—	1	—	17	3	13	16	22	1
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	81	1	1	—	—	1	—	—	3	1	6	—	9	2	1	—
Jaundice . . .	116	—	—	1	—	1	1	1	3	1	10	3	8	4	5	1
Liver Disease . . .	378	—	3	2	2	2	11	1	7	8	18	3	29	24	16	—
Spleen Disease . . .	21	—	—	—	—	2	—	—	—	2	1	—	2	—	4	—
VIII. Nephritis . . .	53	—	1	—	—	1	2	—	1	2	2	—	3	—	2	—
Nephria . . .	197	—	1	2	—	2	3	—	2	7	22	—	9	4	6	—
Addison's Disease . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Ischuria . . .	43	—	3	—	—	1	—	—	1	1	7	2	4	2	2	—
Diabetes . . .	56	—	—	—	—	1	4	—	—	—	2	2	4	2	4	—
Stone . . .	51	1	4	3	1	1	1	—	1	2	13	1	3	1	1	—
Cystitis . . .	156	—	3	3	—	1	6	—	—	8	16	3	10	5	13	—
Stricture of Urethra . . .	12	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Kidney Disease . . .	159	2	1	2	1	4	3	—	1	2	22	1	8	8	8	—
IX. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease . . .	73	—	—	1	1	—	2	—	1	3	5	—	4	3	1	—
Rheumatism . . .	70	—	—	3	1	—	3	—	—	1	3	1	3	6	2	—
Joint Disease . . .	92	—	—	—	—	2	2	—	1	—	2	—	8	2	—	—
XI. Carbuncle . . .	17	—	—	—	1	1	—	—	—	—	—	—	—	—	2	—
Phlegmon . . .	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Skin Disease . . .	33	—	2	2	—	—	1	—	—	—	5	—	1	3	2	—
XVII. Intemperance . . .	56	—	—	—	—	—	—	—	—	—	1	—	3	—	2	—
Privation . . .	5	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Want of Breast Milk . . .	73	—	—	1	—	—	—	—	—	—	6	1	2	2	8	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	18	—	—	2	1	1	4	—	1	1	—	—	—	—	—	—
Poison . . .	34	—	—	—	—	—	1	—	—	1	1	—	1	3	3	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	147	—	2	1	1	1	1	1	1	1	7	1	7	3	7	—
Hanging, etc. . .	42	—	—	—	1	—	—	—	—	—	—	—	2	4	9	—
Suffocation . . .	106	—	—	—	—	—	2	—	1	1	17	2	9	—	4	1
Drowning . . .	423	13	14	7	3	10	16	6	2	4	18	4	18	20	20	—
Fracture and Contusion	787	3	2	4	7	5	13	1	5	5	45	1	45	29	27	—
Gunshot Wounds . . .	16	—	—	—	—	1	—	—	—	—	1	—	—	1	2	—
Cuts and Stabs . . .	32	—	1	—	—	—	2	—	—	—	3	1	5	1	1	—
Other Violent Causes . . .	54	—	—	—	—	—	2	—	—	1	1	—	1	3	2	—
Not Specified . . .	1209	29	21	15	21	108	74	2	29	27	67	6	34	39	52	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—MALES. (Continued.)

DISEASES.	Clack- manan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	3	5	4	8	1	19	16	87	6	25	—	2	—	1	9	4	2	—
Apoplexy	—	17	20	21	5	59	54	168	9	92	10	12	4	4	15	12	5	5
Paralysis	3	25	18	22	9	43	48	195	8	103	11	9	3	4	20	22	6	11
Delirium Tremens . .	—	—	3	1	—	5	—	12	—	8	—	—	—	—	3	2	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	2	1	1	1	4	6	29	—	17	2	1	—	—	—	3	3	2
Tetanus	—	—	—	1	—	1	—	4	—	2	1	—	1	—	—	—	—	1
Insanity	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
Convulsions	1	8	8	4	2	23	26	198	3	71	6	7	2	1	6	10	1	—
Brain Disease	2	16	5	10	1	32	37	156	1	65	4	6	1	1	9	13	6	7
Pericarditis	—	2	1	—	1	1	3	7	—	11	—	—	—	—	1	1	3	1
Aneurism	—	—	1	—	—	3	3	11	—	15	1	—	—	1	—	1	1	—
Heart Disease	9	48	27	36	8	93	80	370	19	239	30	33	4	4	43	40	15	19
Laryngitis	—	2	1	3	—	3	3	27	—	5	1	1	—	1	2	—	2	1
Bronchitis	19	95	63	66	8	260	230	1457	58	336	27	20	9	7	42	60	21	21
Pleurisy	—	1	5	1	—	11	8	30	3	20	1	1	—	2	3	1	3	—
Pneumonia	4	42	12	21	11	106	74	451	20	141	13	10	2	3	15	36	13	16
Asthma	1	16	4	7	—	14	36	76	2	22	4	—	—	—	1	2	—	4
Lung Disease	—	12	2	1	2	9	11	92	1	36	—	—	—	—	—	1	—	2
Teething	—	10	16	4	1	65	23	208	5	27	3	2	2	3	3	6	3	3
Quinsey	—	1	—	—	—	7	3	12	1	6	—	1	—	—	—	—	—	1
Gastritis	—	5	3	5	—	4	6	22	—	7	—	—	2	—	—	4	—	1
Enteritis	—	10	14	2	5	40	42	155	11	38	2	2	1	3	10	11	11	8
Peritonitis	—	7	2	4	—	10	11	38	3	19	1	—	—	1	6	4	—	—
Ascites	1	—	—	2	—	—	2	8	—	1	1	—	—	1	—	—	—	—
Ulceration of Intestines	—	2	4	2	—	4	8	12	1	14	—	4	—	—	3	3	2	1
Hernia	—	1	1	—	—	3	5	10	—	3	—	1	—	—	—	—	1	—
Ileus	1	2	3	3	1	8	4	36	1	13	2	2	1	—	2	—	1	1
Intussusception . . .	1	1	—	1	—	—	2	8	—	3	—	1	—	—	—	—	1	1
Stricture of Intestines	—	—	—	1	—	2	—	3	—	3	—	—	—	—	1	—	—	—
Stomach Disease . . .	2	22	10	4	1	12	18	98	2	33	1	4	—	—	2	9	3	5
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	2	1	3	—	7	8	24	2	5	2	—	—	—	—	2	—	—
Jaundice	1	6	2	—	—	6	6	33	—	11	3	3	—	—	1	1	2	2
Liver Disease	1	12	9	15	4	22	19	93	3	31	4	5	2	4	3	15	5	5
Spleen Disease	—	—	—	2	—	1	2	2	—	1	1	—	—	—	1	—	—	—
Nephritis	2	1	—	2	—	1	5	18	2	5	—	—	—	—	2	1	—	—
Nephria	4	5	1	5	1	10	7	48	6	40	1	3	1	—	1	4	1	1
Addison's Disease . .	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—
Ischuria	2	—	2	3	—	2	1	5	—	2	1	—	—	—	—	—	1	1
Diabetes	—	2	2	—	—	2	3	10	1	11	—	1	1	1	—	2	1	—
Stone	—	1	—	—	—	2	3	3	—	6	—	—	—	1	—	—	1	1
Cystitis	1	4	2	4	2	5	8	15	2	31	1	2	—	2	1	4	4	—
Stricture of Urethra .	—	1	1	1	—	2	—	2	—	3	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	8	2	2	1	11	9	35	—	20	—	1	—	1	—	—	1	5
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	1	3	—	2	1	7	5	15	2	8	—	—	1	—	3	1	1	2
Rheumatism	—	—	3	3	—	5	9	17	—	4	—	2	—	—	—	2	2	—
Joint Disease	—	—	3	4	—	6	7	26	—	20	2	1	—	—	1	4	—	1
Carbuncle	—	4	—	—	—	—	1	5	—	1	—	—	—	—	1	—	—	1
Phlegmon	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	2	—	—	2	3	1	3	—	5	—	1	—	—	—	—	—	—
Intemperance	1	—	—	3	—	3	3	21	—	10	2	2	—	2	1	1	—	1
Privation	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	1	—	—	—	5	1	30	—	13	—	—	—	—	1	1	—	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	2	—	—	1	2	1	—	1	—	—	—	—	—	—	—
Poison	—	1	—	—	1	1	3	7	3	7	—	—	—	—	—	1	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	2	1	3	8	1	18	8	45	3	18	—	1	1	—	—	2	1	1
Hanging, etc. . . .	—	1	—	—	—	8	2	6	2	3	—	—	—	—	2	2	—	—
Suffocation	—	2	2	3	—	3	6	28	8	7	—	2	—	1	1	2	1	3
Drowning	1	9	28	26	7	34	21	93	3	15	3	11	—	2	2	5	4	4
Fracture and Contusion	4	21	20	8	1	54	64	280	8	87	7	7	1	—	9	12	8	4
Gunshot Wounds . . .	—	1	—	—	—	1	—	1	—	4	1	1	—	—	—	1	1	—
Cuts and Stabs	—	1	—	—	—	3	1	2	1	7	1	—	—	—	1	1	—	—
Other Violent Causes .	—	1	2	—	—	2	4	17	—	12	—	1	—	—	2	3	—	—
Not Specified	19	45	17	73	12	91	73	180	27	53	17	5	2	—	7	21	21	20

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37299	246	237	310	176	667	734	84	342	481	2221	290	2979	1387	1489	74
SPECIFIED CAUSES . . .	36216	204	227	289	152	562	655	81	331	468	2161	287	2940	1329	1428	71
I. Zymotic Class . . .	7746	7	24	49	14	94	92	7	35	73	381	42	805	302	276	8
II. Diseases of Uncer. Seat	1440	5	12	16	11	30	33	3	18	25	106	19	129	85	64	4
III. Tubercular Class . .	6700	26	20	44	16	55	70	11	63	71	340	48	513	192	227	8
IV. Brain and Nervous Sys.	2835	8	12	16	7	33	56	13	31	52	224	22	227	123	113	9
V. Organs of Circulation	1771	4	11	17	—	5	26	—	16	21	137	16	151	81	93	4
VI. Respiratory Organs . .	5570	15	30	42	17	54	57	8	48	76	320	43	435	161	204	6
VII. Organs of Digestion .	2404	11	16	16	7	24	41	6	24	28	161	24	162	76	80	8
VIII. Urinary Organs . . .	376	1	6	4	—	9	3	5	2	4	25	4	26	14	14	1
IX. Organs of Generation	533	8	3	1	4	10	15	2	6	6	30	3	45	10	19	1
X. Organs of Locomotion	220	1	1	2	2	6	8	—	3	4	16	4	12	9	8	1
XI. Skin, etc.	45	—	—	1	—	—	1	—	1	1	7	—	5	1	3	—
XII. Malformation	110	—	—	—	—	—	—	—	—	3	6	2	11	2	5	1
XIII. Premature Debility .	1549	5	4	7	1	24	18	3	11	20	71	6	130	31	65	2
XIV. Atrophy	257	1	3	2	2	2	1	1	1	5	15	2	12	12	7	—
XV. Age	4030	108	82	66	71	204	220	20	70	72	290	50	231	201	217	14
XVI. Sudden Deaths . . .	60	1	—	—	—	3	1	—	—	—	2	—	3	6	6	—
XVII. Violent Deaths . . .	570	3	3	6	—	9	13	2	2	7	30	2	43	23	27	4
I. Small Pox	42	—	—	—	—	1	—	—	—	—	2	—	1	—	—	—
Measles	415	—	—	1	—	—	11	—	—	2	—	—	12	16	9	1
Scarlatina	2148	—	1	—	—	6	2	—	2	15	69	6	348	142	89	—
Diphtheria	324	—	6	—	1	6	3	1	2	1	24	1	16	14	5	1
Hooping Cough	1005	—	6	11	3	31	14	1	3	1	35	9	121	19	20	—
Croup	382	—	2	1	—	12	8	1	8	2	16	4	18	6	13	2
Thrush	12	—	—	—	—	—	1	—	1	—	2	—	1	—	—	—
Diarrhoea	942	—	—	8	3	10	17	1	5	21	78	7	125	24	36	1
Dysentery	135	1	2	—	—	—	—	—	2	4	21	—	19	3	10	1
Cholera	63	—	—	—	—	—	—	—	—	1	3	—	7	1	—	—
Influenza	98	1	3	2	—	5	2	—	—	8	12	2	5	3	4	—
Purpura	17	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Typhus	710	2	3	7	2	15	16	—	1	5	27	—	38	20	16	1
Enteric Fever	641	—	—	11	1	5	8	2	4	5	48	6	42	26	37	—
Relapsing Fever	98	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—
Simple Cont. Fever	69	1	1	1	—	—	—	—	1	—	3	—	3	2	4	—
Infantile Remittent	73	—	—	—	1	—	—	—	1	—	4	1	4	2	6	—
Metria	202	1	—	3	1	—	3	—	2	1	10	2	10	5	9	—
Rheumatic Fever	82	—	—	3	2	—	2	1	1	1	12	2	6	7	4	1
Erysipelas	181	—	—	1	—	1	5	—	2	4	8	2	16	11	10	—
Pyæmia	13	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—
Syphilis	82	1	—	—	—	1	—	—	—	2	3	—	10	—	2	—
Noma	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	36	—	—	2	—	1	1	—	1	—	3	1	3	1	1	1
Dropsy	358	1	9	2	5	6	13	1	1	5	15	3	36	22	7	1
Abscess	61	—	—	—	—	1	—	—	—	2	5	1	8	3	2	—
Ulcer	25	2	—	—	—	—	1	—	—	—	1	1	1	2	3	—
Fistula	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	60	1	1	—	1	—	1	—	1	—	7	1	5	2	5	—
Cancer	887	1	2	12	5	22	16	2	14	17	75	12	76	55	46	2
Gout	7	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—
III. Scrofula	349	2	—	2	—	4	3	—	1	11	16	3	19	7	14	—
Tabes Mesenterica	456	1	—	1	—	2	4	—	—	1	15	4	17	9	8	—
Phthisis	4987	22	19	33	13	47	57	11	49	53	265	35	407	154	171	7
Hydrocephalus	908	1	1	8	3	2	6	—	13	6	44	6	70	22	34	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—FEMALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	253	1005	675	710	188	2497	2336	10688	445	3779	336	290	96	98	566	814	437	369
SPECIFIED CAUSES . . .	248	962	653	654	182	2423	2290	10535	428	3743	322	284	94	98	554	786	422	353
Zymotic Class . . .	59	216	127	90	23	586	574	2552	118	756	66	31	11	18	88	121	47	54
Uncertain Seat . . .	15	33	26	30	14	94	92	276	9	161	13	5	8	6	27	37	20	14
Tubercular Class . . .	33	165	161	100	43	492	498	2295	61	641	52	35	11	22	101	145	79	62
Brain, etc.	15	72	39	53	26	172	166	699	25	353	24	38	13	6	60	62	43	23
Heart, etc.	9	34	33	40	12	106	107	341	31	255	25	36	7	9	48	37	36	23
Respiratory Organs . . .	48	150	82	75	17	355	283	1988	67	598	36	32	10	10	72	119	49	63
Digestive Organs . . .	11	82	53	41	13	176	137	693	34	225	24	22	6	6	42	79	50	26
Urinary Organs	1	4	4	12	2	23	18	104	1	61	1	4	3	1	7	8	3	1
Generative Organs . . .	6	15	7	8	2	38	32	147	4	64	4	10	6	—	4	13	5	5
Locomotive Organs . . .	1	5	6	6	2	14	9	49	3	24	—	2	1	—	4	10	3	4
Skin	—	—	—	1	—	3	—	8	—	5	2	—	1	—	1	2	1	1
Malformation	3	3	3	—	—	10	7	20	2	16	—	3	—	—	3	5	2	3
Premature Debility . . .	10	55	30	23	4	99	88	527	21	163	16	18	6	10	31	20	13	17
Atrophy	2	7	4	4	—	27	15	88	1	30	5	1	—	—	4	3	—	—
Age	29	109	64	154	23	185	237	583	41	298	47	41	11	8	54	116	66	48
Sudden Deaths	—	—	—	—	—	6	3	19	2	5	2	—	—	—	—	1	—	—
Violent Deaths	6	12	14	17	1	37	24	146	8	88	5	6	—	2	8	8	5	9
Small Pox	—	2	—	—	—	20	—	14	—	—	2	—	—	—	—	—	—	—
Measles	6	9	11	8	2	81	50	137	11	20	1	2	—	2	5	17	1	—
Scarlatina	17	77	30	24	2	127	213	646	51	193	27	3	1	—	4	27	16	10
Diphtheria	1	11	4	3	—	13	27	95	7	70	1	3	—	—	2	4	1	1
Hooping Cough	6	8	18	11	2	85	50	418	3	66	1	6	3	3	24	4	12	11
Croup	—	7	9	9	2	21	25	126	3	66	5	2	—	1	4	4	3	2
Thrush	—	—	—	—	—	2	—	3	—	2	—	—	—	—	—	—	—	—
Diarrhoea	3	29	17	15	3	71	41	268	14	91	8	6	1	5	8	16	2	8
Dysentery	—	4	5	3	2	7	9	27	2	7	2	—	—	—	—	4	—	—
Cholera	1	1	1	—	—	6	12	18	2	8	—	—	—	—	—	1	1	—
Influenza	—	5	2	1	—	—	13	15	—	8	—	—	—	—	1	1	2	3
Purpura	—	—	—	—	—	2	2	6	—	2	—	—	—	—	—	2	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Typhus	13	19	5	4	4	56	35	346	2	58	3	—	1	1	6	2	1	1
Enteric Fever	7	20	8	6	3	37	46	165	11	70	8	6	1	4	15	23	3	13
Relapsing Fever	—	1	—	—	—	10	2	73	1	5	—	—	—	—	1	1	1	—
Simple Cont. Fever . . .	—	1	3	—	—	3	10	22	1	4	1	—	—	1	5	1	1	—
Infantile Remittent . . .	1	4	1	1	1	9	7	22	1	3	—	—	—	—	1	2	—	1
Metria	1	9	5	2	1	18	15	61	3	26	1	1	4	1	3	4	—	—
Rheumatic Fever	1	2	3	—	—	5	3	8	2	11	1	1	—	—	—	1	1	1
Erysipelas	1	5	2	2	—	9	11	43	3	25	2	1	—	—	7	6	2	2
Pyæmia	—	—	—	—	—	—	1	3	1	1	1	—	—	—	1	1	—	—
Syphilis	1	2	3	1	1	1	—	33	—	18	2	—	—	—	—	—	—	1
Noma	—	—	—	—	—	3	1	2	—	2	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	2	—	—	1	5	4	—	4	—	—	—	—	—	2	1	1
Dropsy	7	14	7	10	—	35	26	92	2	22	1	1	2	—	1	7	3	1
Abscess	—	1	2	2	—	7	8	11	1	3	1	—	1	—	—	1	—	1
Ulcer	—	—	—	—	—	1	2	5	—	4	—	—	—	—	1	1	—	—
Fistula	—	—	—	—	—	1	—	3	—	1	—	—	—	—	—	1	—	—
Mortification	—	4	—	—	1	5	5	8	—	8	—	—	—	2	—	1	1	—
Cancer	8	13	15	18	12	44	45	153	6	119	10	4	5	4	25	24	14	11
Gout	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—
Scrofula	1	11	11	7	2	25	22	118	2	38	4	3	1	1	5	6	6	4
Tabes Mesenterica . . .	2	12	5	2	2	22	42	205	8	63	4	6	—	1	9	5	2	4
Phthisis	27	117	119	75	32	378	365	1680	36	420	40	19	6	18	76	120	63	53
Hydrocephalus	3	25	26	16	7	67	69	292	15	120	4	7	4	2	11	14	8	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—FEMALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	257	2	1	2	2	3	2	3	2	5	20	3	11	6	10	—
Apoplexy . . .	683	—	1	4	—	4	7	2	8	12	45	4	66	38	31	4
Paralysis . . .	922	4	6	8	5	15	33	7	9	18	68	8	78	54	48	4
Delirium Tremens . . .	9	—	—	—	—	—	—	—	—	1	—	—	5	—	—	—
Chorea . . .	7	—	—	—	—	—	—	—	—	1	1	1	—	—	1	—
Epilepsy . . .	102	—	3	—	—	3	5	—	1	3	7	—	7	7	5	—
Tetanus . . .	21	—	—	—	—	2	3	—	—	—	—	1	1	1	—	—
Insanity . . .	25	—	1	—	—	—	—	—	1	3	—	—	1	1	1	—
Convulsions . . .	433	2	—	—	—	3	5	—	4	6	37	3	38	6	5	1
Brain Disease . . .	376	—	—	2	—	3	1	1	6	5	43	2	20	10	12	—
V. Pericarditis . . .	43	—	1	—	—	—	1	—	—	—	1	3	6	1	4	—
Aneurism . . .	25	—	1	2	—	—	—	—	—	1	—	—	1	3	1	—
Heart Disease . . .	1703	4	9	15	—	5	25	—	16	20	136	13	144	77	88	4
VI. Laryngitis . . .	64	—	1	—	—	1	1	—	2	1	8	1	1	4	1	—
Bronchitis . . .	4023	8	20	29	8	26	32	8	32	50	238	26	336	100	123	5
Pleurisy . . .	73	1	—	—	—	—	3	—	2	1	6	—	6	2	5	—
Pneumonia . . .	1049	3	5	7	2	14	10	—	11	22	56	12	68	38	62	1
Asthma . . .	222	3	2	5	6	12	10	—	1	1	8	1	19	13	13	—
Lung Disease . . .	139	—	2	1	1	1	1	—	—	1	4	3	5	4	—	—
VII. Teething . . .	413	2	1	—	—	3	4	5	5	7	41	2	42	6	11	1
Quinsey . . .	21	—	—	—	—	3	—	—	—	—	1	—	3	—	—	—
Gastritis . . .	94	—	—	3	—	1	2	—	1	1	7	—	8	3	2	—
Enteritis . . .	413	—	1	1	2	1	10	1	1	1	12	4	22	8	17	1
Peritonitis . . .	167	—	—	2	1	—	4	—	2	4	13	—	11	1	2	—
Ascites . . .	39	—	—	—	1	1	3	—	1	2	1	1	2	1	1	—
Ulceration of Intestines	99	—	—	1	—	2	1	—	—	—	14	3	6	5	2	—
Hernia . . .	68	—	—	—	—	3	—	—	—	1	5	—	9	6	3	—
Ileus . . .	143	1	3	1	—	—	1	—	2	3	14	4	15	9	7	1
Intussusception . . .	20	—	—	—	—	1	—	—	1	1	1	—	1	1	1	1
Stricture of Intestines	9	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Stomach Disease . . .	357	3	8	1	—	4	6	—	4	1	26	6	21	18	10	1
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	73	2	1	—	—	—	—	—	—	1	4	—	1	2	1	2
Jaundice . . .	101	3	—	3	1	1	3	—	—	—	5	—	5	5	7	1
Liver Disease . . .	369	—	2	4	2	4	7	—	7	6	16	4	12	10	13	—
Spleen Disease . . .	18	—	—	—	—	—	—	—	—	—	1	—	3	1	2	—
VIII. Nephritis . . .	40	—	2	—	—	—	—	—	—	—	2	—	7	—	1	—
Nephria . . .	142	—	1	3	—	3	—	3	1	2	4	—	8	2	6	—
Addison's Disease . . .	4	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Ischuria . . .	12	—	—	—	—	—	—	1	—	—	1	—	1	—	1	—
Diabetes . . .	40	1	—	—	—	1	1	1	—	2	3	—	2	—	2	1
Stone . . .	5	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Cystitis . . .	19	—	1	—	—	1	1	—	1	—	3	—	1	1	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	114	—	1	1	—	4	1	—	—	—	11	3	7	11	3	—
IX. Paramenia . . .	24	—	—	—	—	—	1	—	—	1	2	—	—	—	1	—
Ovarian Dropsy . . .	71	1	1	1	—	3	—	—	—	2	7	—	10	1	2	1
Childbirth . . .	381	7	2	—	3	6	12	2	6	2	17	3	34	7	12	—
Organs of Generation . . .	57	—	—	—	1	1	2	—	—	1	4	—	1	2	4	—
X. Bone Disease . . .	39	—	1	—	—	—	1	—	1	1	—	1	1	—	2	—
Rheumatism . . .	100	1	—	2	—	6	7	—	—	3	7	3	2	7	5	—
Joint Disease . . .	81	—	—	—	2	—	—	—	2	—	9	—	9	2	1	1
XI. Carbuncle . . .	8	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—
Phlegmon . . .	15	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
Skin Disease . . .	22	—	—	1	—	—	1	—	1	—	5	—	3	—	3	—
XVII. Intemperance . . .	42	—	—	—	—	—	1	—	—	—	1	—	2	—	2	—
Privation . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	41	—	—	—	—	—	—	—	—	—	2	—	—	1	3	—
Neglect . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	6	—	1	—	—	—	2	—	—	—	1	—	—	—	—	—
Poison . . .	15	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
Poisoned Wounds . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Burns and Scalds . . .	123	1	1	2	—	1	3	—	—	1	6	—	7	7	6	—
Hanging, etc. . .	13	—	—	—	—	—	—	—	1	—	—	—	1	2	—	—
Suffocation . . .	61	—	—	—	—	—	1	—	—	2	8	—	8	2	3	—
Drowning . . .	72	1	1	1	—	3	1	1	—	—	4	1	7	4	2	3
Fracture and Contusion . . .	152	1	—	3	—	3	4	1	1	4	7	1	12	4	8	1
Gunshot Wounds . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cuts and Stabs . . .	10	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—
Other Violent Causes . . .	28	—	—	—	—	2	1	—	—	—	1	—	1	2	—	—
Not Specified . . .	1083	42	10	21	24	105	79	3	11	13	60	3	39	58	61	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1870.—FEMALES. (Continued.)

DISEASES.	Clack- manan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	1	6	5	5	5	18	18	63	7	31	1	3	1	1	9	6	4	1
Apoplexy	5	8	10	13	7	42	40	161	1	96	4	10	7	1	11	20	17	4
Paralysis	2	25	12	17	10	65	49	166	6	105	11	15	1	1	20	23	16	13
Delirium Tremens . .	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	5	2	1	—	5	8	24	1	9	1	1	1	—	1	1	—	—
Tetanus	—	—	—	1	—	2	2	3	—	3	—	1	—	1	—	—	—	—
Insanity	—	1	—	—	—	3	—	1	—	10	—	—	—	—	—	1	—	—
Convulsions	4	14	7	7	1	17	26	160	7	45	5	5	3	—	11	6	4	1
Brain Disease . . .	2	13	3	9	3	19	23	117	3	53	2	3	—	2	8	5	2	4
Pericarditis	—	—	1	4	—	1	2	5	1	7	—	—	—	—	3	1	—	1
Aneurism	—	—	—	1	—	—	1	4	—	8	—	1	—	—	—	1	—	—
Heart Disease . . .	9	34	32	35	12	105	104	332	30	240	25	35	7	9	45	35	36	22
Laryngitis	—	3	1	1	2	—	4	15	—	8	2	1	—	1	1	1	1	2
Bronchitis	35	101	59	52	14	254	220	1515	52	417	21	23	10	7	55	74	34	39
Pleurisy	1	1	—	3	—	2	1	11	6	18	—	—	—	—	—	3	1	—
Pneumonia	11	26	10	14	1	77	50	336	9	115	10	7	—	2	14	32	10	14
Asthma	—	4	7	4	—	19	8	51	—	18	2	1	—	—	1	6	3	4
Lung Disease . . .	1	15	5	1	—	3	—	60	—	22	1	—	—	—	1	3	—	4
Teething	3	12	12	2	1	50	11	147	8	22	3	1	1	2	1	4	—	3
Quinsey	—	—	—	1	—	2	1	6	—	2	—	—	1	—	—	—	1	—
Gastritis	—	2	1	5	—	9	9	26	—	3	—	—	1	—	3	4	3	—
Enteritis	—	12	7	4	2	47	32	144	11	26	3	3	1	1	7	17	10	4
Peritonitis	—	9	—	3	—	12	9	43	3	20	—	2	2	—	5	7	10	2
Ascites	—	1	2	—	—	4	2	9	—	2	—	—	—	—	—	—	1	4
Ulceration of Intestines	—	3	4	—	1	3	11	16	1	15	—	1	—	—	2	5	1	2
Hernia	—	4	1	1	—	4	4	15	1	6	1	—	—	—	2	—	1	1
Ileus	3	8	2	1	3	3	5	29	1	11	3	—	—	—	2	6	1	4
Intussusception . .	—	1	1	1	—	2	2	2	—	1	—	—	—	—	1	—	1	—
Stricture of Intestines	—	—	1	—	—	—	—	2	—	2	—	—	—	—	1	1	—	—
Stomach Disease . .	1	13	9	6	2	9	21	105	1	38	4	9	—	2	4	14	9	1
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	3	4	6	—	5	4	18	1	5	1	—	—	—	2	7	1	—
Jaundice	2	5	1	2	1	7	10	22	—	7	—	5	—	—	1	2	1	1
Liver Disease . . .	—	9	7	8	3	19	16	105	6	62	8	1	—	1	11	12	10	4
Spleen Disease . . .	—	—	1	1	—	—	—	4	1	3	1	—	—	—	—	—	—	—
Nephritis	—	1	—	1	—	2	4	11	—	7	—	1	—	—	—	—	1	—
Nephria	—	—	—	7	2	11	7	34	1	31	—	3	2	—	5	5	1	—
Addison's Disease .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Ischuria	—	—	—	1	—	—	2	1	—	3	—	—	—	—	1	—	—	—
Diabetes	1	—	—	1	—	1	3	16	—	3	—	—	1	—	—	—	—	—
Stone	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cystitis	—	1	1	—	—	1	1	5	—	1	—	—	—	—	—	—	—	—
Stricture of Urethra .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	2	2	1	—	8	1	36	—	15	1	—	—	1	1	2	1	1
Paramenia	2	—	—	1	—	1	1	5	—	3	1	2	—	—	—	2	—	1
Ovarian Dropsy . . .	1	1	1	—	—	7	5	9	—	12	—	1	2	—	1	2	—	—
Childbirth	3	12	5	6	2	29	21	121	4	37	3	6	2	—	3	6	5	3
Organs of Generation	—	2	1	1	—	1	5	12	—	12	—	1	2	—	—	3	—	1
Bone Disease	—	3	3	—	2	5	2	5	—	5	—	1	—	—	1	3	—	1
Rheumatism	1	2	3	5	—	5	3	19	—	8	—	1	1	—	—	4	2	3
Joint Disease	—	—	—	1	—	4	4	25	3	11	—	—	—	—	3	3	1	—
Carbuncle	—	—	—	1	—	1	—	3	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	1	—	3	—	3	—	—	1	—	1	1	1	1
Skin Disease	—	—	—	—	—	1	—	2	—	2	2	—	—	—	—	1	—	—
Intemperance	—	2	—	3	—	2	1	14	—	10	1	—	—	1	2	—	—	—
Privation	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	1	2	—	—	2	—	18	—	10	—	—	—	1	—	—	—	1
Neglect	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Poison	1	—	—	1	—	—	—	4	—	4	1	—	—	—	—	1	—	—
Poisoned Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . .	3	3	7	1	—	11	7	26	3	19	1	2	—	—	3	1	—	1
Hanging, etc.	—	—	—	—	—	3	—	4	—	2	—	—	—	—	—	—	—	—
Suffocation	1	1	2	1	—	—	3	15	2	6	1	1	—	—	—	2	2	—
Drowning	1	2	—	6	—	3	7	15	1	3	—	—	—	—	—	—	3	2
Fracture and Contusion	—	2	1	3	1	11	5	37	1	27	1	3	—	—	3	2	—	5
Gunshot Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	1	—	—	—	1	—	1	—	2	—	—	—	—	—	1	—	—
Other Violent Causes .	—	—	—	2	—	4	—	9	1	4	—	—	—	—	—	1	—	—
Not Specified	5	43	22	56	6	74	46	153	17	36	14	6	2	—	12	28	15	16

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	13955	1050	1107	4715	3185	1927	1352	1674	1059	641
SPECIFIED CAUSES	13821	1037	1089	4682	3167	1915	1305	1612	1052	627
I. Zymotic Class	2933	227	237	872	813	368	291	436	239	135
II. Diseases of Uncertain Seat	306	21	17	170	105	64	52	40	37	26
III. Tubercular Class	2931	232	241	884	575	307	258	289	221	115
IV. Brain and Nervous System	1049	82	115	454	247	245	99	106	87	50
V. Organs of Circulation	489	40	35	370	161	125	44	68	53	55
VI. Respiratory Organs	2994	159	166	760	540	312	189	241	180	78
VII. Organs of Digestion	962	56	79	271	169	150	113	118	57	35
VIII. Urinary Organs	162	8	13	130	26	44	17	25	17	6
IX. Organs of Generation	92	6	14	42	25	13	10	15	6	1
X. Organs of Locomotion	73	5	5	42	17	10	10	10	3	3
XI. Skin, etc.	8	—	2	4	3	9	2	4	3	—
XII. Malformation	45	—	7	26	10	10	5	4	6	2
XIII. Premature Debility	764	48	66	201	217	61	65	87	54	20
XIV. Atrophy	103	21	4	30	21	7	9	18	8	16
XV. Age	469	107	42	256	140	124	92	77	36	59
XVI. Sudden Deaths	45	2	2	4	9	1	8	7	—	3
XVII. Violent Deaths	396	23	44	166	89	65	41	67	45	23
I. Small Pox	25	—	4	1	1	3	4	34	1	—
Measles	120	3	8	18	25	1	52	81	—	11
Scarlatina	466	23	62	179	249	84	49	44	87	49
Diphtheria	117	7	11	97	10	12	10	11	7	2
Hooping Cough	563	25	33	79	162	60	14	59	35	18
Croup	169	12	17	103	13	20	20	16	18	7
Thrush	3	—	1	1	1	11	1	—	1	—
Diarrhoea	359	39	27	122	174	59	32	62	44	11
Dysentery	23	2	1	11	13	14	5	3	1	1
Cholera	17	5	2	7	15	1	4	6	3	—
Influenza	11	—	1	11	2	7	—	—	—	2
Purpura	4	—	6	3	1	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—
Worms	1	1	—	—	—	—	—	—	—	—
Typhus	544	83	16	91	54	29	38	65	12	16
Enteric Fever	165	13	21	55	39	31	20	27	8	4
Relapsing Fever	121	9	5	6	3	1	13	8	4	—
Simple Continued Fever	22	—	1	3	2	1	4	1	3	1
Infantile Remittent	30	2	1	4	4	7	8	2	1	1
Metria	47	—	4	16	2	3	3	6	5	1
Rheumatic Fever	13	—	4	11	4	6	2	—	1	3
Erysipelas	57	1	6	30	16	8	4	5	4	4
Pyæmia	8	—	1	2	1	—	1	1	—	1
Syphilis	45	2	5	20	21	10	6	3	4	3
Noma	3	—	—	2	—	—	1	1	—	—
Hydrophobia	—	—	—	—	1	—	—	—	—	—
II. Hæmorrhage	13	1	1	5	2	4	1	2	—	—
Dropsy	104	7	5	18	41	10	23	16	13	6
Abscess	21	3	1	8	8	2	3	1	—	1
Ulcer	6	2	—	5	1	1	1	2	2	1
Fistula	4	—	—	—	1	—	1	1	—	—
Mortification	13	—	1	11	3	3	3	1	1	—
Cancer	144	7	9	123	49	44	20	17	21	18
Gout	1	1	—	—	—	—	—	—	—	—
III. Scrofula	150	42	3	66	19	19	19	26	5	2
Tabes Mesenterica	287	15	15	87	42	22	25	8	24	11
Phthisis	2030	144	168	558	424	211	165	201	112	85
Hydrocephalus	464	31	55	173	90	55	49	54	80	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	399	556	394	349	295	223	417	472	631	384	359	570	506
SPECIFIED CAUSES .	396	554	382	345	292	220	414	462	631	360	353	567	499
Zymotic Class . . .	72	182	160	45	60	46	113	87	165	84	107	217	94
Uncertain Seat . . .	13	26	9	22	12	6	7	19	15	11	12	9	21
Tubercular Class . . .	47	97	62	72	59	30	55	89	131	57	49	136	91
Brain, etc.	45	38	27	52	18	12	33	41	50	28	22	24	39
Heart, etc.	22	30	19	22	16	13	23	19	32	20	5	6	19
Respiratory Organs . . .	43	71	42	45	54	35	59	73	94	65	62	67	103
Digestive Organs . . .	42	30	15	20	15	12	38	34	42	20	39	30	32
Urinary Organs	13	10	4	6	7	4	3	8	6	8	5	5	6
Generative Organs . . .	3	4	—	5	—	2	5	2	2	2	1	6	5
Locomotive Organs . . .	4	2	2	—	1	1	1	4	7	2	—	—	5
Skin	2	—	—	—	1	1	1	—	—	1	—	2	1
Malformation	1	4	1	—	—	—	—	2	—	2	1	1	—
Premature Debility . . .	19	29	21	13	17	22	31	21	36	22	14	26	20
Atrophy	1	2	3	1	1	3	7	4	1	3	2	1	2
Age	51	23	15	33	25	18	31	48	32	25	24	10	44
Sudden Deaths	—	—	—	—	—	3	1	1	—	—	2	—	—
Violent Deaths	18	6	2	9	6	12	6	10	18	10	8	27	17
Small Pox	—	—	—	—	—	—	1	1	—	—	—	4	—
Measles	—	—	—	1	10	2	7	—	4	5	17	46	1
Scarlatina	3	136	122	1	6	1	49	47	46	45	36	118	43
Diphtheria	4	1	—	1	—	—	5	7	4	2	1	3	1
Hooping Cough	1	2	12	4	15	—	2	7	19	3	16	—	—
Croup	15	5	10	1	2	4	3	5	3	2	3	9	3
Thrush	—	—	—	—	—	—	—	—	—	1	—	1	—
Diarrhœa	26	13	7	14	8	13	22	7	26	9	15	13	18
Dysentery	1	2	—	2	3	2	—	—	8	—	3	1	3
Cholera	1	1	—	1	—	—	—	—	18	2	1	1	1
Influenza	—	2	—	—	2	2	2	—	—	—	1	—	—
Purpura	—	—	—	—	1	—	—	1	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	4	2	10	1	7	10	3	15	5	4	4	—
Enteric Fever	11	7	3	5	3	13	6	3	12	4	7	7	8
Relapsing Fever	—	—	—	—	—	—	—	2	1	—	—	2	2
Simple Cont. Fever	—	—	—	—	2	—	—	1	2	—	—	3	—
Infantile Remittent	—	—	—	—	2	1	1	—	1	—	—	—	2
Metria	1	1	1	—	—	—	1	—	4	2	1	—	4
Rheumatic Fever	1	3	—	1	—	—	—	—	—	1	—	1	2
Erysipelas	3	4	2	4	3	1	2	1	2	—	2	3	6
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	1	—
Syphilis	1	1	1	—	2	—	2	2	—	3	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	1	—	—	—	—	1	—	1	—	—
Dropsy	2	9	1	—	—	3	—	7	2	5	5	4	7
Abscess	—	3	—	1	—	—	—	1	4	1	1	1	1
Ulcer	—	—	—	1	—	—	1	—	—	—	—	—	2
Fistula	—	—	—	—	—	—	—	—	—	1	—	—	—
Mortification	—	—	1	2	—	—	2	1	1	—	—	—	1
Cancer	10	14	7	17	12	3	4	10	7	4	5	4	10
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	3	6	—	5	4	4	5	10	—	3	3	3	6
Tabes Mesenterica	—	2	6	3	1	2	6	15	9	—	13	26	4
Phthisis	36	69	48	55	43	22	40	52	101	50	30	84	68
Hydrocephalus	8	20	8	9	11	2	4	12	21	4	3	23	13

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—BOTH SEXES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	102	10	13	35	22	21	1	17	4	2
Apoplexy	220	21	21	120	59	43	23	29	13	17
Paralysis	221	24	23	129	75	68	53	20	24	17
Delirium Tremens	10	—	—	7	1	—	1	1	—	—
Chorea	3	—	—	—	—	—	—	—	—	—
Epilepsy	24	5	5	15	7	4	5	2	6	1
Tetanus	3	—	2	1	1	—	1	2	3	1
Insanity	2	1	—	4	—	4	1	2	—	1
Convulsions	277	10	20	70	67	59	8	18	28	5
Brain Disease	187	11	31	73	15	46	6	15	9	6
V. Pericarditis	7	—	—	14	4	2	—	1	1	—
Aneurism	11	1	1	18	—	4	1	2	4	2
Heart Disease	471	39	34	338	157	119	43	65	48	53
VI. Laryngitis	39	2	—	9	3	7	1	1	1	4
Bronchitis	2206	109	106	492	420	232	134	156	116	52
Pleurisy	18	3	1	21	5	6	1	7	9	1
Pneumonia	538	41	50	171	82	52	41	63	44	16
Asthma	79	3	2	25	26	9	10	8	5	4
Lung Disease	114	1	7	42	4	6	2	6	5	1
VII. Teething	282	12	11	31	61	41	31	44	8	7
Quinsey	11	—	2	5	2	4	1	3	—	—
Gastritis	30	1	2	6	7	5	2	3	—	1
Enteritis	179	9	15	30	11	10	37	21	12	3
Peritonitis	36	4	6	28	15	6	4	12	6	—
Ascites	12	2	—	2	1	—	3	—	—	—
Ulceration of Intestines	11	4	2	16	2	6	3	1	7	3
Hernia	16	1	—	8	6	6	—	5	—	6
Ileus	40	4	2	15	14	14	3	5	4	4
Intussusception	5	—	—	3	—	—	—	—	—	—
Stricture of Intestines	5	—	—	3	2	1	—	1	—	—
Stomach Disease	137	8	19	41	15	23	9	2	7	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	18	—	6	6	7	6	7	—	—	—
Jaundice	33	4	2	14	6	8	3	7	2	2
Liver Disease	142	7	12	60	17	18	10	14	10	4
Spleen Disease	5	—	—	3	3	2	—	—	1	—
VIII. Nephritis	19	1	7	5	6	2	2	—	2	—
Nephria	50	4	4	57	9	8	10	5	4	1
Addison's Disease	—	—	—	—	—	—	—	1	—	—
Ischuria	3	1	—	5	—	2	2	—	—	—
Diabetes	19	1	—	6	4	3	—	2	4	—
Stone	1	—	—	6	—	4	—	2	—	1
Cystitis	11	1	1	23	5	5	1	3	2	—
Stricture of Urethra	2	—	—	3	—	—	—	1	—	—
Kidney Disease	57	—	1	25	2	20	2	11	5	4
IX. Paramenia	3	1	—	2	—	1	—	—	—	—
Ovarian Dropsy	9	—	—	9	4	4	2	1	—	—
Childbirth	74	5	11	21	21	7	8	14	4	—
Organs of Generation	6	—	3	10	—	1	—	—	2	1
X. Bone Disease	13	2	—	9	—	2	3	2	—	1
Rheumatism	18	2	3	7	4	4	4	5	1	2
Joint Disease	42	1	2	26	13	4	3	3	2	—
XI. Carbuncle	3	—	1	1	1	1	—	—	—	—
Phlegmon	3	—	—	1	—	1	1	1	—	—
Skin Disease	2	—	1	2	2	7	1	3	3	—
XVII. Intemperance	28	—	1	15	3	1	—	3	1	—
Privation	1	1	—	—	—	—	—	—	1	—
Want of Breast Milk	36	—	4	19	1	4	1	5	1	—
Neglect	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—
Poison	8	—	1	9	2	—	—	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	39	3	5	17	10	5	5	13	9	—
Hanging, etc.	5	—	—	4	2	—	5	2	1	2
Suffocation	30	1	2	9	12	19	2	—	1	2
Drowning	68	8	9	4	14	6	8	10	8	7
Fracture and Contusion	167	9	19	66	40	26	17	28	20	9
Gunshot Wounds	—	—	—	3	—	1	—	1	1	1
Cuts and Stabs	1	—	—	7	5	3	2	2	2	—
Other Violent Causes	13	1	3	13	—	—	1	2	—	2
Not Specified	134	13	18	33	18	12	47	62	7	14

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—BOTH SEXES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	3	3	1	2	2	3	—	3	2	1	2	2	2
Apoplexy	11	14	5	16	1	2	3	10	12	9	7	4	8
Paralysis	18	8	10	17	7	5	12	22	15	11	8	2	16
Delirium Tremens	—	4	—	—	—	—	—	—	—	—	—	—	2
Chorea	—	—	—	—	1	—	—	—	—	—	—	—	—
Epilepsy	4	—	3	4	—	—	—	—	—	3	1	2	1
Tetanus	1	1	—	1	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	2	—	—	—	1	—	—	—	—	1
Convulsions	6	1	4	—	4	2	5	3	12	2	1	10	3
Brain Disease	2	7	4	10	3	—	13	2	9	2	3	4	6
Pericarditis	1	3	2	—	2	1	—	—	1	1	—	1	2
Aneurism	—	—	2	—	—	—	—	—	1	1	—	—	—
Heart Disease	21	27	15	22	14	12	23	19	30	18	5	5	17
Laryngitis	1	1	—	—	—	—	2	—	2	—	—	1	—
Bronchitis	31	55	34	37	35	18	40	49	71	54	48	37	72
Pleurisy	1	—	1	—	1	3	—	1	2	1	—	2	3
Pneumonia	8	9	7	6	15	14	14	11	15	6	8	16	24
Asthma	2	3	—	2	3	—	—	12	3	1	3	11	1
Lung Disease	—	3	—	—	—	—	3	—	1	3	3	—	3
Teething	7	10	4	2	1	2	10	9	5	2	5	6	1
Quinsey	—	1	1	—	—	—	—	—	2	—	—	2	—
Gastritis	—	—	—	2	—	—	2	—	—	—	4	4	—
Enteritis	15	6	1	3	2	3	2	4	13	—	9	7	4
Peritonitis	3	1	1	3	—	—	3	2	3	7	2	4	4
Ascites	1	—	—	—	1	—	—	2	—	—	1	—	—
Ulceration of Intestines	—	1	1	3	4	—	—	—	2	—	2	—	—
Hernia	1	2	—	1	—	—	2	—	—	1	1	—	1
Ileus	1	—	—	2	1	—	2	2	1	3	1	1	3
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	5	3	4	1	4	—	9	5	8	1	7	3	11
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	3	—	—	—	—	1	1	2	2	—	1	—
Jaundice	2	1	—	—	1	3	—	4	1	—	1	2	—
Liver Disease	7	2	3	3	1	2	7	5	5	4	6	—	7
Spleen Disease	—	—	—	—	—	2	—	—	—	—	—	—	—
Nephritis	2	2	—	—	—	—	—	4	—	—	—	1	—
Nephria	2	2	1	1	1	1	2	—	2	2	2	—	3
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	1	—	—	1	—	—	—	—	—
Diabetes	3	1	—	—	—	—	—	2	—	2	1	—	—
Stone	—	2	—	1	1	—	—	—	—	—	—	1	—
Cystitis	4	—	1	1	2	3	—	1	1	2	—	—	2
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	3	2	3	2	—	1	—	3	2	2	3	1
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	—	2	—	1	—	1	1	—	—	—	—	—	—
Childbirth	2	1	—	4	—	1	4	1	2	2	1	5	3
Organs of Generation	1	1	—	—	—	—	—	1	—	—	—	1	1
Bone Disease	2	2	2	—	1	1	1	1	1	—	—	—	2
Rheumatism	—	—	—	—	—	—	—	2	2	1	—	—	2
Joint Disease	2	—	—	—	—	—	—	1	4	1	—	—	1
Carbuncle	—	—	—	—	1	—	1	—	—	1	—	1	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	2	—	—	—	—	1	—	—	—	—	—	1	—
Intemperance	—	—	—	1	1	1	—	2	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	1	—	—	1	2	1	1	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	1	—
Poison	1	—	—	—	1	1	—	—	1	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	2	1	1	2	1	3	4	2	1	1
Hanging, etc.	—	1	—	—	—	1	—	—	—	—	1	—	1
Suffocation	2	1	—	—	2	—	—	1	3	1	—	—	1
Drowning	2	3	—	3	—	3	1	2	3	—	1	6	5
Fracture and Contusion	10	1	1	2	1	3	3	4	7	3	3	17	5
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	1	1	—	1	—	—	—	—	—	—	1
Other Violent Causes	2	—	—	—	—	—	—	—	—	—	—	1	2
Not Specified	3	2	12	4	3	3	3	10	—	24	6	3	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6962	525	574	2355	1567	947	668	863	547	325
SPECIFIED CAUSES	6893	520	564	2338	1562	943	642	833	546	320
I. Zymotic Class	1407	121	114	426	395	187	142	233	130	70
II. Diseases of Uncertain Seat	127	11	6	70	42	23	24	13	13	8
III. Tubercular Class	1414	109	108	464	264	150	118	142	119	61
IV. Brain and Nervous System	560	49	76	243	125	123	48	53	40	25
V. Organs of Circulation	265	14	21	194	86	55	24	33	25	34
VI. Respiratory Organs	1504	83	90	365	267	155	104	126	86	35
VII. Organs of Digestion	512	25	42	124	87	75	53	63	30	19
VIII. Urinary Organs	88	6	6	89	14	35	9	19	11	4
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	40	1	2	26	7	2	6	3	2	2
XI. Skin, etc.	3	—	1	2	1	3	1	3	3	—
XII. Malformation	35	—	5	14	6	5	1	2	5	1
XIII. Premature Debility	405	27	40	108	137	36	40	49	36	11
XIV. Atrophy	45	10	1	14	13	3	4	5	4	10
XV. Age	161	45	12	82	50	42	39	25	9	20
XVI. Sudden Deaths	30	2	2	3	6	—	4	5	—	1
XVII. Violent Deaths	297	17	38	114	62	49	25	59	33	19
I. Small Pox	15	—	2	1	—	2	3	25	1	—
Measles	57	2	6	9	14	1	27	46	—	4
Scarlatina	238	11	32	83	129	47	18	23	40	24
Diphtheria	46	4	8	50	2	5	8	6	4	1
Hooping Cough	245	10	15	33	60	32	8	25	20	7
Croup	94	9	8	59	9	10	12	10	11	4
Thrush	1	—	1	—	—	9	—	—	—	—
Diarrhœa	199	17	10	67	86	28	12	33	32	5
Dysentery	7	2	—	7	5	7	4	1	1	1
Cholera	9	1	2	3	8	—	1	3	2	—
Influenza	3	—	—	3	1	2	—	—	—	1
Purpura	3	—	2	2	1	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—
Worms	—	1	—	—	—	—	—	—	—	—
Typhus	269	48	11	45	30	11	19	35	8	10
Enteric Fever	71	8	6	27	25	15	9	12	3	3
Relapsing Fever	57	5	5	4	2	1	7	4	2	—
Simple Continued Fever	6	—	—	3	1	—	1	1	1	1
Infantile Remittent	14	2	—	3	1	5	4	2	1	1
Metria	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	10	—	2	4	1	—	1	—	1	3
Erysipelas	31	—	2	14	8	5	2	2	1	1
Pyæmia	6	—	1	1	—	—	1	1	—	1
Syphilis	24	1	1	8	11	7	5	3	2	3
Noma	2	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	1	—	—	—	—	—
II. Hæmorrhage	11	1	1	1	1	1	1	1	—	—
Dropsy	44	4	3	9	19	5	11	7	5	3
Abscess	14	2	1	6	4	2	2	—	—	—
Ulcer	4	—	—	4	1	—	1	2	—	—
Fistula	3	—	—	—	1	—	—	1	—	—
Mortification	6	—	1	5	1	—	1	—	1	—
Cancer	44	3	—	45	15	15	8	2	7	5
Gout	1	1	—	—	—	—	—	—	—	—
III. Scrofula	81	23	2	38	12	12	11	15	4	1
Tabes Mesenterica	161	9	5	47	30	13	17	4	16	7
Phthisis	907	58	69	278	176	95	67	91	53	40
Hydrocephalus	265	19	32	101	46	30	23	32	46	13

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	215	271	193	158	143	117	212	237	324	205	161	291	232
SPECIFIED CAUSES . .	214	270	185	156	143	116	210	233	324	192	159	289	228
Zymotic Class	38	92	76	22	27	25	60	47	87	46	48	107	43
Uncertain Seat	2	4	1	11	5	1	3	6	7	8	6	6	8
Tubercular Class	24	51	28	36	27	15	25	45	62	26	17	59	43
Brain, etc.	28	18	15	24	10	5	15	19	28	15	7	13	20
Heart, etc.	12	15	12	8	10	6	16	8	11	13	3	4	9
Respiratory Organs . .	27	38	19	20	28	16	28	41	51	30	35	39	47
Digestive Organs . . .	24	12	8	7	9	9	17	18	20	11	19	14	12
Urinary Organs	12	5	2	5	6	3	3	5	5	6	2	4	4
Generative Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . .	3	1	2	—	—	—	1	2	5	1	—	—	2
Skin	1	—	—	—	1	1	1	—	—	1	—	1	—
Malformation	1	2	—	—	—	—	—	2	—	1	1	1	—
Premature Debility . .	11	19	15	5	9	15	20	13	25	14	11	15	13
Atrophy	1	1	—	1	—	2	4	1	—	1	—	1	—
Age	16	7	7	12	7	7	13	16	10	11	4	2	14
Sudden Deaths	—	—	—	—	—	2	1	1	—	—	—	—	—
Violent Deaths	14	5	—	5	4	9	3	9	13	8	6	23	13
Small Pox	—	—	—	—	—	—	—	1	—	—	—	2	—
Measles	—	—	—	1	6	1	3	—	2	4	10	22	—
Scarlatina	2	75	61	—	3	1	31	29	25	25	17	55	21
Diphtheria	1	—	—	—	—	—	2	4	2	1	—	2	1
Whooping Cough . . .	1	—	3	—	4	—	1	2	9	1	6	—	—
Croup	8	2	4	1	2	3	1	1	1	1	2	3	2
Thrush	—	—	—	—	—	—	—	—	—	1	—	1	—
Diarrhoea	13	8	4	7	2	9	10	2	14	4	6	7	10
Dysentery	1	—	—	1	1	1	—	—	4	—	1	—	2
Cholera	1	1	—	1	—	—	—	—	10	2	1	1	1
Influenza	—	1	—	—	2	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	1	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	3	2	1	4	1	3	5	2	10	4	1	4	—
Enteric Fever	7	—	2	3	2	6	3	2	6	1	4	5	3
Relapsing Fever	—	—	—	—	—	—	—	1	1	—	—	1	—
Simple Cont. Fever . . .	—	—	—	—	—	—	—	1	1	—	—	2	—
Infantile Remittent . .	—	—	—	—	1	—	—	—	1	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	1	—	1	—	—	—	—	—	1	—	—	2
Erysipelas	—	1	—	3	1	1	2	—	1	—	—	1	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	1	—
Syphilis	1	1	1	—	1	—	2	2	—	1	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	1	—	—	—	—	1	—	—	—	—
Dropsy	—	2	—	—	—	1	—	3	—	4	3	3	2
Abscess	—	—	—	—	—	—	—	—	2	1	1	1	—
Ulcer	—	—	—	—	—	—	1	—	—	—	—	—	1
Fistula	—	—	—	—	—	—	—	—	—	1	—	—	—
Mortification	—	—	—	—	—	—	—	1	—	—	—	—	1
Cancer	2	2	1	10	5	—	2	2	4	2	2	2	4
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	3	5	—	3	2	2	2	7	—	1	2	1	3
Tabes Mesenterica . . .	—	2	4	1	1	1	3	8	7	—	6	12	1
Phthisis	17	36	20	30	18	12	19	24	41	24	8	34	32
Hydrocephalus	4	8	4	2	6	—	1	6	14	1	1	12	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—MALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	63	2	7	16	17	11	1	7	2	—
Apoplexy	109	12	12	57	22	21	13	17	6	8
Paralysis	110	17	20	64	38	32	21	8	13	8
Delirium Tremens	9	—	—	7	1	—	—	1	—	—
Chorea	—	—	—	—	—	—	—	—	—	—
Epilepsy	11	3	5	12	4	2	2	1	2	1
Tetanus	2	—	1	—	1	—	1	—	2	—
Insanity	1	1	—	—	—	1	—	—	—	—
Convulsions	151	7	13	48	35	35	4	11	11	4
Brain Disease	104	7	18	39	7	21	6	8	4	4
V. Pericarditis	5	—	—	7	—	2	—	1	1	—
Aneurism	9	1	—	11	—	4	1	2	4	2
Heart Disease	251	13	21	176	86	49	23	30	20	32
VI. Laryngitis	25	1	—	3	2	3	1	1	—	2
Bronchitis	1059	57	55	218	204	109	71	77	48	23
Pleurisy	10	3	1	13	3	5	1	5	4	—
Pneumonia	307	19	30	92	41	29	26	36	26	7
Asthma	41	2	—	13	14	4	4	3	4	2
Lung Disease	62	1	4	26	3	5	1	4	4	1
VII. Teething	171	4	6	18	32	19	16	25	5	6
Quinsey	9	—	—	4	—	3	—	2	—	—
Gastritis	14	1	1	4	2	1	1	1	—	1
Enteritis	87	3	9	13	6	6	14	11	9	2
Peritonitis	17	3	2	15	8	3	2	4	1	—
Ascites	5	2	—	—	—	—	—	—	—	—
Ulceration of Intestines	4	2	2	7	—	1	2	—	4	2
Hernia	8	—	—	3	1	4	—	1	—	3
Ileus	22	2	1	8	7	10	2	4	2	1
Intussusception	4	—	—	2	—	—	—	—	—	—
Stricture of Intestines	3	—	—	1	1	1	—	1	—	—
Stomach Disease	70	2	10	17	6	7	5	2	3	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	9	—	5	3	6	3	4	—	—	—
Jaundice	19	1	1	9	3	6	—	5	1	1
Liver Disease	69	5	5	19	14	10	7	7	5	2
Spleen Disease	1	—	—	1	1	1	—	—	—	—
VIII. Nephritis	12	—	4	3	1	1	—	—	1	—
Nephria	28	3	1	35	5	6	5	4	1	1
Addison's Disease	—	—	—	—	—	—	—	1	—	—
Ischuria	2	1	—	2	—	2	2	—	—	—
Diabetes	8	1	—	5	3	2	—	2	4	—
Stone	1	—	—	6	—	4	—	2	—	1
Cystitis	7	1	—	22	4	5	1	2	2	—
Stricture of Urethra	2	—	—	3	—	—	—	1	—	—
Kidney Disease	28	—	1	13	1	15	1	7	3	2
IX. Paramenia	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	10	1	—	6	—	2	2	—	—	1
Rheumatism	10	—	—	2	2	—	3	1	1	1
Joint Disease	20	—	2	18	5	—	1	2	1	—
XI. Carbuncle	1	—	1	1	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	1	—	1	—	—
Skin Disease	1	—	—	1	1	2	1	2	3	—
XVII. Intemperance	15	—	1	8	2	—	—	2	—	—
Privation	1	—	—	—	—	—	—	—	1	—
Want of Breast Milk	21	—	3	12	1	3	—	4	—	—
Neglect	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—
Poison	5	—	1	6	1	—	—	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	25	1	4	8	6	3	3	10	8	—
Hanging, etc.	2	—	—	2	2	—	3	2	1	2
Suffocation	22	—	—	5	6	11	2	—	—	—
Drowning	59	7	9	2	8	4	7	10	7	7
Fracture and Contusion	139	8	18	52	32	24	9	26	14	8
Gunshot Wounds	—	—	—	3	—	1	—	1	1	1
Cuts and Stabs	1	—	—	6	4	3	1	2	1	—
Other Violent Causes	7	1	2	10	—	—	—	1	—	1
Not Specified	69	5	10	17	5	4	26	30	1	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—MALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	3	-	-	2	-	2	-	1	-	1	-	-	1
Apoplexy	7	7	3	6	-	1	2	4	7	5	3	3	4
Paralysis	10	2	4	6	3	1	6	9	6	5	2	-	6
Delirium Tremens	-	1	-	-	-	-	-	-	-	-	-	-	2
Chorea	-	-	-	-	1	-	-	-	-	-	-	-	-
Epilepsy	1	-	2	3	-	-	-	-	-	1	-	2	1
Tetanus	-	1	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	-	-	1	-	-	-	1	-	-	-	-	-
Convulsions	5	1	3	-	4	1	3	2	9	2	-	6	1
Brain Disease	2	6	3	6	2	-	4	2	6	1	2	2	5
Pericarditis	1	2	1	-	2	-	-	-	1	1	-	-	2
Aneurism	-	-	2	-	-	-	-	-	-	1	-	-	-
Heart Disease	11	13	9	8	8	6	16	8	10	11	3	4	7
Laryngitis	-	1	-	-	-	-	1	-	1	-	-	1	-
Bronchitis	20	28	17	17	18	9	18	26	35	22	24	18	32
Pleurisy	-	-	1	-	1	1	-	1	2	-	-	2	1
Pneumonia	7	6	1	2	8	6	7	4	9	5	6	11	14
Asthma	-	1	-	1	1	-	-	10	3	1	2	7	-
Lung Disease	-	2	-	-	-	-	2	-	1	2	3	-	-
Teething	3	4	2	2	-	2	4	5	3	1	3	3	1
Quinsey	-	-	1	-	-	-	-	-	2	-	-	1	-
Gastritis	-	-	-	1	-	-	2	-	-	-	1	2	-
Enteritis	8	-	-	-	1	3	1	3	5	-	6	2	3
Peritonitis	2	-	1	-	-	-	-	1	1	5	1	1	1
Ascites	1	-	-	-	1	-	-	2	-	-	-	-	-
Ulceration of Intestines	-	1	-	1	3	-	-	-	-	-	1	-	-
Hernia	1	2	-	-	-	-	-	-	-	1	-	-	-
Ileus	-	-	-	1	-	-	-	-	-	1	-	1	-
Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	5	1	2	-	3	-	6	2	4	1	5	1	4
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	3	-	-	-	-	-	1	2	-	-	1	-
Jaundice	-	-	-	-	-	2	-	2	1	-	1	2	-
Liver Disease	4	1	2	2	1	1	4	3	2	2	1	-	3
Spleen Disease	-	-	-	-	-	1	-	-	-	-	-	-	-
Nephritis	2	1	-	-	-	-	-	2	-	-	-	1	-
Nephria	2	1	-	1	1	-	2	-	1	2	2	-	2
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	-	-	-	1	-	-	1	-	-	-	-	-
Diabetes	3	-	-	-	-	-	-	1	-	-	-	-	-
Stone	-	2	-	1	-	-	-	-	-	-	-	1	-
Cystitis	3	-	1	1	2	3	-	1	1	2	-	-	2
Stricture of Urethra	1	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	1	1	1	2	2	-	1	-	3	2	-	2	-
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone Disease	1	1	2	-	-	-	1	-	1	-	-	-	1
Rheumatism	-	-	-	-	-	-	-	1	1	-	-	-	1
Joint Disease	2	-	-	-	-	-	-	1	3	1	-	-	-
Carbuncle	-	-	-	-	1	-	1	-	-	1	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	1	-	-	-	-	1	-	-	-	-	-	1	-
Intemperance	-	-	-	1	-	1	-	1	-	-	-	-	1
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	1	2	1	1	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	-	-	-	-	-	-	1	-
Poison	1	-	-	-	1	1	-	-	1	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	-	-	1	1	1	-	1	1	3	1	1	1
Hanging, etc.	-	-	-	-	-	1	-	-	-	-	1	-	1
Suffocation	2	1	-	-	1	-	-	1	2	-	-	-	-
Drowning	2	3	-	2	-	2	1	2	1	-	-	4	2
Fracture and Contusion	8	1	-	1	1	3	2	4	7	3	3	15	5
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	1
Other Violent Causes	1	-	-	-	-	-	-	-	-	-	-	1	2
Not Specified	1	1	8	2	-	1	2	4	-	13	2	2	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6993	525	533	2360	1618	980	684	811	512	316
SPECIFIED CAUSES	6928	517	525	2344	1605	972	663	779	506	307
I. Zymotic Class	1526	106	123	446	418	181	149	203	109	65
II. Diseases of Uncertain Seat	179	10	11	100	63	41	28	27	24	18
III. Tubercular Class	1517	123	133	420	311	157	140	147	102	54
IV. Brain and Nervous System	489	33	39	211	122	122	51	53	47	25
V. Organs of Circulation	224	26	14	176	75	70	20	35	28	21
VI. Respiratory Organs	1490	76	76	395	273	157	85	115	94	43
VII. Organs of Digestion	450	31	37	147	82	75	60	55	27	16
VIII. Urinary Organs	74	2	7	41	12	9	8	6	6	2
IX. Organs of Generation	92	6	14	42	25	13	10	15	6	1
X. Organs of Locomotion	33	4	3	16	10	8	4	7	1	1
XI. Skin, etc.	5	—	1	2	2	6	1	1	—	—
XII. Malformation	10	—	2	12	4	5	4	2	1	1
XIII. Premature Debility	359	21	26	93	80	25	25	38	18	9
XIV. Atrophy	58	11	3	16	8	4	5	13	4	6
XV. Age	308	62	30	174	90	82	53	52	27	39
XVI. Sudden Deaths	15	—	—	1	3	1	4	2	—	2
XVII. Violent Deaths	99	6	6	52	27	16	16	8	12	4
I. Small Pox	10	—	2	—	1	1	1	9	—	—
Measles	63	1	2	9	11	—	25	35	—	7
Scarlatina	228	12	30	96	120	37	31	21	47	25
Diphtheria	71	3	3	47	8	7	2	5	3	1
Hooping Cough	318	15	18	46	102	28	6	34	15	11
Croup	75	3	9	44	4	10	8	6	7	3
Thrush	2	—	—	1	1	2	1	—	1	—
Diarrhœa	160	22	17	55	88	31	20	29	12	6
Dysentery	16	—	1	4	8	7	1	2	—	—
Cholera	8	4	—	4	7	1	3	3	1	—
Influenza	8	—	1	8	1	5	—	—	—	1
Purpura	1	—	4	1	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	—
Typhus	275	35	5	46	24	18	19	30	4	6
Enteric Fever	94	5	15	28	14	16	11	15	5	1
Relapsing Fever	64	4	—	2	1	—	6	4	2	—
Simple Continued Fever	16	—	1	—	1	1	3	—	2	—
Infantile Remittent	16	—	1	1	3	2	4	—	—	—
Metria	47	—	4	16	2	3	3	6	5	1
Rheumatic Fever	3	—	2	7	3	6	1	—	—	—
Erysipelas	26	1	4	16	8	3	2	3	3	3
Pyæmia	2	—	—	1	1	—	—	—	—	—
Syphilis	21	1	4	12	10	3	1	—	2	—
Noma	1	—	—	2	—	—	1	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	4	1	3	—	1	—	—
Dropsy	60	3	2	9	22	5	12	9	8	3
Abscess	7	1	—	2	4	—	1	1	—	1
Ulcer	2	2	—	1	—	1	—	—	2	1
Fistula	1	—	—	—	—	—	1	—	—	—
Mortification	7	—	—	6	2	3	2	1	—	—
Cancer	100	4	9	78	34	29	12	15	14	13
Gout	—	—	—	—	—	—	—	—	—	—
III. Scrofula	69	19	1	28	7	7	8	11	1	1
Tabes Mesenterica	126	6	10	40	12	9	8	4	8	4
Phthisis	1123	86	99	280	248	116	98	110	59	45
Hydrocephalus	199	12	23	72	44	25	26	22	34	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	184	285	201	191	152	106	205	235	307	179	198	279	274
SPECIFIED CAUSES . . .	182	284	197	189	149	104	204	229	307	168	194	278	271
Zymotic Class . . .	34	90	84	23	33	21	53	40	78	38	59	110	51
Uncertain Seat . . .	11	22	8	11	7	5	4	13	8	3	6	3	13
Tubercular Class . . .	23	46	34	36	32	15	30	44	69	31	32	77	48
Brain, etc.	17	20	12	28	8	7	18	22	22	13	15	11	19
Heart, etc.	10	15	7	14	6	7	7	11	21	7	2	2	10
Respiratory Organs . . .	16	33	23	25	26	19	31	32	43	35	27	28	56
Digestive Organs . . .	18	18	7	13	6	3	21	16	22	9	20	16	20
Urinary Organs . . .	1	5	2	1	1	1	—	3	1	2	3	1	2
Generative Organs . . .	3	4	—	5	—	2	5	2	2	2	1	6	5
Locomotive Organs . . .	1	1	—	—	1	1	—	2	2	1	—	—	3
Skin	1	—	—	—	—	—	—	—	—	—	—	1	1
Malformation	—	2	1	—	—	—	—	—	—	1	—	—	—
Premature Debility . . .	8	10	6	8	8	7	11	8	11	8	3	11	7
Atrophy	—	1	3	—	1	1	3	3	1	2	2	—	2
Age	35	16	8	21	18	11	18	32	22	14	20	8	30
Sudden Deaths	—	—	—	—	—	1	—	—	—	—	2	—	—
Violent Deaths	4	1	2	4	2	3	3	1	5	2	2	4	4
Small Pox	—	—	—	—	—	—	1	—	—	—	—	2	—
Measles	—	—	—	—	4	1	4	—	2	1	7	24	1
Scarlatina	1	61	61	1	3	—	18	18	21	20	19	63	22
Diphtheria	3	1	—	1	—	—	3	3	2	1	1	1	—
Hooping Cough	—	2	9	4	11	—	1	5	10	2	10	—	—
Croup	7	3	6	—	—	1	2	4	2	1	1	6	1
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	13	5	3	7	6	4	12	5	12	5	9	6	8
Dysentery	—	2	—	1	2	1	—	—	4	—	2	1	1
Cholera	—	—	—	—	—	—	—	—	8	—	—	—	—
Influenza	—	1	—	—	—	2	2	—	—	—	1	—	—
Purpura	—	—	—	—	—	—	—	1	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	1	2	1	6	—	4	5	1	5	1	3	—	—
Enteric Fever	4	7	1	2	1	7	3	1	6	3	3	2	5
Relapsing Fever	—	—	—	—	—	—	—	1	—	—	—	1	2
Simple Cont. Fever	—	—	—	—	2	—	—	—	1	—	—	1	—
Infantile Remittent	—	—	—	—	1	1	1	—	—	—	—	—	2
Metria	1	1	1	—	—	—	1	—	4	2	1	—	4
Rheumatic Fever	1	2	—	—	—	—	—	—	—	—	—	1	—
Erysipelas	3	3	2	1	2	—	—	1	1	—	2	2	5
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	1	—	—	—	—	2	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	1	—	—
Dropsy	2	7	1	—	—	2	—	4	2	1	2	1	5
Abscess	—	3	—	1	—	—	—	1	2	—	—	—	1
Ulcer	—	—	—	1	—	—	—	—	—	—	—	—	1
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	1	2	—	—	2	—	1	—	—	—	—
Cancer	8	12	6	7	7	3	2	8	3	2	3	2	6
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	1	—	2	2	2	3	3	—	2	1	2	3
Tabes Mesenterica	—	—	2	2	—	1	3	7	2	—	7	14	3
Phthisis	19	33	28	25	25	10	21	28	60	26	22	50	36
Hydrocephalus	4	12	4	7	5	2	3	6	7	3	2	11	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—FEMALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	39	8	6	19	5	10	—	10	2	2
Apoplexy	111	9	9	63	37	22	10	12	7	9
Paralysis	111	7	3	65	37	36	32	12	11	9
Delirium Tremens	1	—	—	—	—	—	1	—	—	—
Chorea	3	—	—	—	—	—	—	—	—	—
Epilepsy	13	2	—	3	3	2	3	1	4	—
Tetanus	1	—	1	1	—	—	—	2	1	1
Insanity	1	—	—	4	—	3	1	2	—	1
Convulsions	126	3	7	22	32	24	4	7	17	1
Brain Disease	83	4	13	34	8	25	—	7	5	2
V. Pericarditis	2	—	—	7	4	—	—	—	—	—
Aneurism	2	—	1	7	—	—	—	—	—	—
Heart Disease	220	26	13	162	71	70	20	35	28	21
VI. Laryngitis	14	1	—	6	1	4	—	—	1	2
Bronchitis	1147	52	51	274	216	123	63	79	68	29
Pleurisy	8	—	—	8	2	1	—	2	5	1
Pneumonia	231	22	20	79	41	23	15	27	18	9
Asthma	38	1	2	12	12	5	6	5	1	2
Lung Disease	52	—	3	16	1	1	1	2	1	—
VII. Teething	111	8	5	13	29	22	15	19	3	1
Quinsey	2	—	2	1	2	1	1	1	—	—
Gastritis	16	—	1	2	5	4	1	2	—	—
Enteritis	92	6	6	17	5	4	23	10	3	1
Peritonitis	19	1	4	13	7	3	2	8	5	—
Ascites	7	—	—	2	1	—	3	—	—	—
Ulceration of Intestines	7	2	—	9	2	5	1	1	3	1
Hernia	8	1	—	5	5	2	—	4	—	3
Ileus	18	2	1	7	7	4	1	1	2	3
Intussusception	1	—	—	1	—	—	—	—	—	—
Stricture of Intestines	2	—	—	2	1	—	—	—	—	—
Stomach Disease	67	6	9	24	9	16	4	—	4	4
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	9	—	1	3	1	3	3	—	—	—
Jaundice	14	3	1	5	3	2	3	2	1	1
Liver Disease	73	2	7	41	3	8	3	7	5	2
Spleen Disease	4	—	—	2	2	1	—	—	1	—
VIII. Nephritis	7	1	3	2	5	1	2	—	1	—
Nephria	22	1	3	22	4	2	5	1	3	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	3	—	—	—	—	—	—
Diabetes	11	—	—	1	1	1	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	1	1	1	—	—	1	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—
Kidney Disease	29	—	—	12	1	5	1	4	2	2
IX. Paramenia	3	1	—	2	—	1	—	—	—	—
Ovarian Dropsy	9	—	—	9	4	4	2	1	—	—
Childbirth	74	5	11	21	21	7	8	14	4	—
Organs of Generation	6	—	3	10	—	1	—	—	2	1
X. Bone Disease	3	1	—	3	—	—	1	2	—	—
Rheumatism	8	2	3	5	2	4	1	4	—	1
Joint Disease	22	1	—	8	8	4	2	1	1	—
XI. Carbuncle	2	—	—	—	1	1	—	—	—	—
Phlegmon	2	—	—	1	—	—	1	—	—	—
Skin Disease	1	—	1	1	1	5	—	1	—	—
XVII. Intemperance	13	—	—	7	1	1	—	1	1	—
Privation	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	15	—	1	7	—	1	1	1	1	—
Neglect	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	3	1	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	14	2	1	9	4	2	2	3	1	—
Hanging, etc.	3	—	—	2	—	—	2	—	—	—
Suffocation	8	1	2	4	6	8	—	—	1	2
Drowning	9	1	—	2	6	2	1	—	1	—
Fracture and Contusion	28	1	1	14	8	2	8	2	6	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	1	1	—	1	—	1	—
Other Violent Causes	6	—	1	3	—	—	1	1	—	1
Not Specified	65	8	8	16	13	8	21	32	6	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1870.—FEMALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	—	3	1	—	2	1	—	2	2	—	2	2	1
Apoplexy	4	7	2	10	1	1	1	6	5	4	4	1	4
Paralysis	8	6	6	11	4	4	6	13	9	6	6	2	10
Delirium Tremens	—	3	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	1	1	—	—	—	—	—	2	1	—	—
Tetanus	1	—	—	1	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	1	—	—	—	—	—	—	—	—	1
Convulsions	1	—	1	—	—	1	2	1	3	—	1	4	2
Brain Disease	—	1	1	4	1	—	9	—	3	1	1	2	1
Pericarditis	—	1	1	—	—	1	—	—	—	—	—	1	—
Aneurism	—	—	—	—	—	—	—	—	1	—	—	—	—
Heart Disease	10	14	6	14	6	6	7	11	20	7	2	1	10
Laryngitis	1	—	—	—	—	—	1	—	1	—	—	—	—
Bronchitis	11	27	17	20	17	9	22	23	36	32	24	19	40
Pleurisy	1	—	—	—	—	2	—	—	—	1	—	—	2
Pneumonia	1	3	6	4	7	8	7	7	6	1	2	5	10
Asthma	2	2	—	1	2	—	—	2	—	—	1	4	1
Lung Disease	—	1	—	—	—	—	1	—	—	1	—	—	3
Teething	4	6	2	—	1	—	6	4	2	1	2	3	—
Quinsey	—	1	—	—	—	—	—	—	—	—	—	1	—
Gastritis	—	—	—	1	—	—	—	—	—	—	3	2	—
Enteritis	7	6	1	3	1	—	1	1	8	—	3	5	1
Peritonitis	1	1	—	3	—	—	3	2	2	2	1	3	3
Ascites	—	—	—	—	—	—	—	—	—	—	1	—	—
Ulceration of Intestines	—	—	1	2	1	—	—	—	2	—	1	—	—
Hernia	—	—	—	1	—	—	2	—	—	—	1	—	1
Ileus	1	—	—	1	1	—	2	2	1	2	1	—	3
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	—	2	2	1	1	—	3	3	4	—	2	2	7
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	1	—	—	2	—	—	—
Jaundice	2	1	—	—	1	1	—	2	—	—	—	—	—
Liver Disease	3	1	1	1	—	1	3	2	3	2	5	—	4
Spleen Disease	—	—	—	—	—	1	—	—	—	—	—	—	—
Nephritis	—	1	—	—	—	—	—	2	—	—	—	—	—
Nephria	—	1	1	—	—	1	—	—	1	—	—	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	1	—	—	—	—	—	1	—	2	1	—	—
Stone	—	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	2	1	1	—	—	—	—	—	—	2	1	1
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	—	2	—	1	—	1	1	—	—	—	—	—	—
Childbirth	2	1	—	4	—	1	4	1	2	2	1	5	3
Organs of Generation	1	1	—	—	—	—	—	1	—	—	—	1	1
Bone Disease	1	1	—	—	1	1	—	1	—	—	—	—	1
Rheumatism	—	—	—	—	—	—	—	1	1	1	—	—	1
Joint Disease	—	—	—	—	—	—	—	—	1	—	—	—	1
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	1	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	—	1	—	—	1	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	1	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	1	—	—	2	—	2	1	1	—	—
Hanging, etc.	—	1	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	1	—	—	—	1	1	—	—	1
Drowning	—	—	—	1	—	1	—	—	2	—	1	2	3
Fracture and Contusion	2	—	1	1	—	—	1	—	—	—	—	2	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	1	1	—	1	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	2	1	4	2	3	2	1	6	—	11	4	1	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES.

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	...
ALL CAUSES	12097	66	88	83	199	97	198	98	182	32	22	90	92	207	30	74	34	14
SPECIFIED CAUSES ? . . .	11692	63	81	81	188	94	185	97	170	31	20	86	92	175	30	73	33	18
I. Zymotic Class	2485	8	8	12	27	6	14	16	34	5	4	19	11	25	4	10	2	3
II. Diseases of Uncert. Seat	397	1	2	1	9	4	9	8	9	1	—	8	1	10	3	2	2	—
III. Tubercular Class . . .	2248	4	18	16	33	19	43	12	34	—	5	13	29	26	7	11	3	3
IV. Brain and Nervous Syst.	954	5	5	4	10	11	29	12	15	4	—	11	6	12	1	5	8	11
V. Organs of Circulation . .	562	5	3	4	18	1	10	3	6	1	—	4	3	10	1	6	2	—
VI. Respiratory Organs . . .	1744	13	12	12	30	13	31	15	31	8	3	16	18	25	5	7	3	4
VII. Organs of Digestion . .	790	1	8	5	7	13	17	9	6	4	—	7	2	11	1	4	2	—
VIII. Urinary Organs	153	2	2	3	3	5	3	3	4	2	—	2	1	3	—	2	—	—
IX. Organs of Generation . .	79	2	—	—	1	2	4	—	—	—	—	—	—	5	—	—	1	—
X. Organs of Locomotion . .	93	1	—	—	3	—	2	1	1	—	—	—	—	3	—	3	1	—
XI. Skin, etc.	17	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	47	—	—	—	—	—	1	—	1	—	—	—	—	—	1	1	—	—
XIII. Premature Debility . .	635	4	—	4	13	5	9	7	5	2	4	2	7	9	—	2	—	1
XIV. Atrophy	72	—	1	1	—	1	—	—	—	1	—	—	1	—	—	3	—	—
XV. Age	1037	17	21	13	30	6	8	10	19	3	4	1	9	33	6	15	8	12
XVI. Sudden Deaths	19	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	360	—	1	5	3	7	4	1	5	—	—	3	4	3	1	2	1	2
I. Small Pox	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	150	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	849	—	2	—	—	1	—	1	11	2	1	1	—	1	—	2	—	10
Diphtheria	94	1	1	—	—	—	—	3	—	1	—	2	1	—	—	—	1	—
Hooping Cough	254	—	—	3	6	—	—	—	—	—	—	—	—	—	1	2	—	—
Croup	121	1	1	—	—	—	1	7	3	—	—	1	1	2	—	2	—	—
Thrush	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	289	2	—	1	6	2	4	4	7	—	1	11	6	6	—	2	1	4
Dysentery	46	—	—	—	—	—	2	—	4	—	—	—	1	4	—	—	—	—
Cholera	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
Influenza	25	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—
Purpura	7	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	154	1	—	3	5	—	1	—	2	1	—	2	—	—	—	—	—	3
Enteric Fever	235	—	—	3	4	1	2	—	1	—	—	1	—	3	—	1	—	10
Relapsing Fever	11	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Simple Continued Fever . . .	28	—	4	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	23	—	—	—	—	—	—	—	1	—	—	—	—	—	3	—	—	—
Metria	36	1	—	1	2	—	1	—	—	—	—	—	2	1	—	—	—	—
Rheumatic Fever	31	1	—	—	1	1	1	1	1	—	—	—	—	3	—	—	—	1
Erysipelas	49	—	—	—	1	—	1	—	1	—	2	—	—	1	—	—	—	1
Pyæmia	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Syphilis	29	1	—	1	—	—	—	—	2	—	—	—	—	2	—	—	—	1
Noma	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	91	—	1	—	3	1	1	—	2	—	—	3	—	1	1	—	—	4
Abscess	27	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Ulcer	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	16	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—
Cancer	239	—	1	1	5	3	8	7	7	1	—	5	—	5	1	1	1	2
Gout	4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
III. Scrofula	135	—	—	2	2	—	1	—	5	—	—	1	3	5	1	—	—	1
Tabes Mesenterica	166	—	1	—	1	—	1	—	1	—	—	—	—	3	—	1	—	1
Phthisis	1589	3	15	11	23	16	34	8	24	—	5	8	24	15	5	6	3	31
Hydrocephalus	358	1	2	3	7	3	7	4	4	—	—	4	2	3	1	4	—	6

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES.

DISEASES.	Kirriemuir.	Monifieth.	Blaigowrie.	Grieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry	Alva.	Campsie.	Falkirk (Burgh).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
ALL CAUSES . . .	173	163	121	138	58	151	162	154	250	109	75	128	247	135	134	225	286	179	166	167	220
SPECIFIED CAUSES . . .	166	160	120	126	56	149	147	153	237	105	74	119	238	127	120	222	262	176	166	159	212
Zymotic Class . . .	59	55	20	57	7	16	20	24	60	21	10	9	53	21	12	48	52	43	18	21	32
Uncertain Seat . . .	3	—	4	2	6	6	6	8	14	5	9	1	4	3	4	4	9	3	3	12	9
Tubercular Class . . .	24	11	26	14	7	21	28	18	39	21	17	26	38	26	27	67	67	45	39	16	66
Brain, etc.	12	15	20	8	2	13	7	17	12	6	6	10	19	9	9	16	24	11	15	12	21
Heart, etc.	18	8	11	9	5	16	4	9	14	2	3	3	13	5	7	11	11	5	10	13	8
Respiratory Organs . . .	15	17	14	11	5	13	26	23	27	16	11	26	51	21	19	26	40	17	16	25	22
Digestive Organs . . .	5	19	4	6	7	14	13	9	7	9	2	17	12	12	15	25	13	21	16	6	15
Urinary Organs	1	2	1	1	—	—	2	3	7	2	—	2	1	2	3	1	2	1	2	7	5
Generative Organs . . .	1	2	—	—	—	1	1	1	4	1	—	1	—	—	2	—	2	1	—	2	1
Locomotive Organs . . .	—	3	1	—	—	1	—	1	—	2	—	1	—	1	2	3	1	1	2	4	3
Skin	—	—	1	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Malformation	1	—	—	—	—	—	—	1	3	2	—	—	—	—	—	1	—	—	—	—	—
Premature Debility . . .	7	6	6	5	—	15	4	15	18	5	8	6	11	10	10	2	13	8	11	14	7
Atrophy	—	—	—	—	—	4	—	2	4	—	—	—	—	2	3	1	—	1	2	1	—
Age	17	17	6	10	12	25	27	14	21	11	4	13	31	9	5	11	14	15	24	19	21
Sudden Deaths	—	—	—	—	—	—	2	3	—	—	—	—	1	1	—	—	—	—	—	—	—
Violent Deaths	3	5	6	2	5	3	7	5	7	2	4	3	4	4	2	6	14	4	8	7	2
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Measles	—	1	1	—	—	—	—	—	4	10	2	1	—	1	—	—	13	3	2	6	2
Scarlatina	47	37	7	38	—	4	—	14	39	—	—	2	30	6	3	16	10	8	4	3	3
Diphtheria	—	—	—	7	—	1	2	1	1	1	—	1	1	—	—	1	3	1	—	1	—
Hooping Cough	—	3	—	1	—	2	1	—	—	6	—	—	2	—	—	13	2	1	4	—	1
Croup	1	2	—	2	1	—	—	—	1	—	1	—	1	2	1	2	1	1	3	1	3
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarrhoea	3	7	2	2	2	1	2	8	1	—	2	—	8	2	1	2	6	10	1	8	3
Dysentery	2	—	—	—	—	—	—	1	—	1	1	2	—	—	—	2	2	—	—	—	2
Cholera	—	—	—	1	—	—	—	—	1	—	—	—	1	—	1	—	1	1	—	—	1
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	3	1	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	2	1	1	—	4	—	3	2	—	—	5	3	3	2	2	6	2	1	7
Enteric Fever	3	3	8	3	—	7	5	—	7	—	1	1	2	3	1	4	3	4	—	1	5
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Simple Cont. Fever . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Infantile Remittent . . .	—	1	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1
Metria	1	1	—	—	—	—	4	—	1	—	—	—	1	1	—	1	—	—	—	—	1
Rheumatic Fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	1	1	1	—	—
Erysipelas	—	—	—	—	—	1	2	—	—	—	3	1	—	1	1	1	1	—	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	1	4	—	—	2
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Dropsy	1	—	1	—	1	—	4	3	8	2	4	—	1	2	—	—	4	2	—	2	—
Abscess	—	—	1	—	2	—	—	1	—	—	1	—	—	—	—	1	1	—	—	2	—
Ulcer	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	1
Cancer	1	—	2	2	1	5	2	4	6	3	3	1	3	1	3	2	4	1	3	7	7
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Scrofula	5	—	—	—	—	—	2	—	—	—	—	—	2	2	1	2	—	2	6	2	8
Tabes Mesenterica	3	—	—	3	—	1	2	—	—	1	2	2	6	1	1	1	2	5	—	1	4
Chisis	13	9	19	8	6	18	23	15	36	15	15	19	20	21	16	52	46	33	29	10	41
Hydrocephalus	3	2	7	3	1	2	1	3	3	5	—	5	10	2	9	12	19	5	4	3	13

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Abbey(Landward).	Johnstone.	Eastwood.	Neilston.	Barthead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Aberdeen.
ALL CAUSES . . .	116	214	338	98	140	301	130	59	74	125	184	184	132	264	95	196	108	132	158	112	14
SPECIFIED CAUSES . . .	116	211	336	93	140	295	122	57	72	116	174	184	132	262	95	194	101	130	157	108	13
Zymotic Class . . .	31	42	78	10	24	112	30	11	14	6	25	70	25	57	23	53	19	42	51	20	3
Uncertain Seat . . .	1	6	5	5	2	5	8	1	4	5	9	5	—	7	1	5	4	6	8	2	—
Tubercular Class . . .	19	42	96	20	25	40	27	14	22	41	47	33	36	46	18	47	16	19	21	25	2
Brain, etc.	8	18	21	5	9	21	10	4	2	7	8	10	9	28	9	12	5	15	11	17	1
Heart, etc.	7	7	12	3	6	11	6	—	2	6	6	12	3	7	5	2	5	8	5	3	—
Respiratory Organs . . .	19	46	68	19	39	45	10	7	8	16	40	15	18	33	19	26	18	11	20	12	2
Digestive Organs . . .	9	15	21	6	6	21	6	6	8	10	9	5	10	6	8	20	5	4	11	12	—
Urinary Organs . . .	—	—	1	2	1	—	1	—	1	1	5	1	—	3	1	5	2	—	3	1	—
Generative Organs . . .	—	—	1	1	4	2	1	1	—	1	1	—	1	2	1	1	2	2	2	3	—
Locomotive Organs . . .	2	1	3	—	2	—	1	—	—	—	2	1	—	—	2	1	1	2	3	1	—
Skin	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Malformation	1	1	4	2	—	—	—	—	—	—	2	1	—	2	—	—	—	—	2	2	—
Premature Debility . . .	4	13	12	5	13	9	6	2	6	6	4	17	9	12	1	8	5	8	5	—	—
Atrophy	2	4	—	1	1	1	1	—	—	—	1	1	2	2	—	2	—	—	3	—	—
Age	7	13	7	10	5	17	11	11	4	11	4	11	16	50	3	6	16	9	8	5	—
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—
Violent Deaths	6	3	7	4	3	11	4	—	1	5	10	2	3	7	3	6	2	4	4	5	—
Small Pox	6	4	—	—	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	3	6	3	1	—	2	2	—	—	—	1	5	4	2	—	3	—	3	6	4	—
Scarlatina	2	6	29	4	9	65	8	4	10	1	6	34	—	30	8	15	6	17	23	1	2
Diphtheria	—	2	—	—	—	2	—	1	2	—	5	2	1	2	—	2	1	2	4	—	—
Hooping Cough	13	12	25	2	6	24	7	—	—	—	—	2	6	2	—	1	1	8	3	1	—
Croup	1	1	3	—	1	3	1	—	—	1	—	1	2	4	2	1	3	1	—	1	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	4	1	8	2	2	3	5	—	1	2	3	2	1	8	3	1	2	2	6	4	—
Dysentery	—	—	1	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—
Cholera	—	1	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	1	1	—	—
Influenza	—	—	—	—	—	—	—	1	—	—	—	4	4	—	—	—	—	1	—	—	—
Purpura	—	—	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	1	1	1	1	4	—	1	1	1	2	5	2	—	4	17	—	5	5	1	—
Enteric Fever	—	1	5	—	1	1	2	—	—	—	5	6	2	4	3	8	4	—	—	7	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—
Simple Cont. Fever	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	2	—	—
Infantile Remittent	—	3	—	—	1	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—
Metria	—	1	—	—	—	2	1	—	—	—	1	1	—	1	1	—	—	2	—	—	—
Rheumatic Fever	—	1	1	—	—	—	1	2	—	—	—	—	—	—	—	2	—	—	—	—	—
Erysipelas	1	—	—	—	1	1	1	1	—	—	—	2	—	—	1	1	2	—	—	1	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Dropsy	1	2	—	4	—	2	2	—	—	4	1	1	—	2	—	—	—	5	3	—	—
Abscess	—	3	1	—	—	1	—	—	1	—	—	—	—	2	—	—	—	—	—	1	—
Ulcer	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	—	1	3	1	1	2	4	1	2	1	6	4	—	3	1	4	3	1	4	1	—
Gout	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	2	3	3	—	1	1	2	—	3	2	—	2	2	3	2	4	2	—	3	2	—
Tuberc Mesenterica	2	4	6	2	—	—	3	1	2	1	10	6	—	2	—	10	3	6	4	2	—
Psoriasis	19	33	70	16	18	10	18	11	10	36	28	20	20	30	—	50	10	13	13	20	—
Malocclusion	3	2	17	3	6	4	4	—	3	3	3	3	3	6	7	3	—	—	—	—	—

CAUSES OF DEATH in the SMALL TOWN DISTRICTS OF SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Cambusethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES . . .	374	225	245	250	104	182	66	121	153	175	148	290	101	119	106	96	211	86	119	126	142	136
SPECIFIED CAUSES .	359	220	245	245	103	179	61	118	146	166	148	290	87	118	106	96	211	85	118	124	131	128
Zymotic Class . . .	87	98	51	55	51	16	11	34	54	20	36	63	24	18	26	22	25	8	26	26	36	22
Uncertain Seat . . .	7	8	8	5	3	8	1	—	4	9	7	7	3	5	4	3	6	4	6	6	4	7
Tubercular Class . .	53	28	51	54	15	36	19	21	21	28	31	39	12	18	23	20	53	17	17	26	16	15
Brain, etc.	16	8	13	19	8	16	6	3	7	23	19	40	7	9	9	5	27	10	22	7	11	18
Heart, etc.	10	4	9	10	2	15	4	5	4	11	5	17	6	6	4	8	13	12	7	5	3	9
Respiratory Organs .	58	22	39	43	5	39	12	24	16	15	24	35	14	17	6	13	40	15	13	12	20	25
Digestive Organs . .	35	11	21	14	4	15	2	3	6	6	4	23	6	11	9	8	10	2	9	8	13	10
Urinary Organs . . .	—	6	1	1	—	—	—	1	7	3	1	6	—	2	3	4	1	—	2	—	—	1
Generative Organs . .	4	1	—	1	1	1	—	—	2	4	—	—	—	—	—	—	1	1	—	—	—	1
Locomotive Organs .	3	1	1	3	1	—	1	—	1	3	1	2	—	—	—	—	2	—	1	2	2	3
Skin	1	—	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	1
Malformation	2	—	—	—	2	—	—	2	—	—	2	2	—	—	—	1	1	—	—	1	2	2
Premature Debility .	33	10	20	6	5	12	4	12	8	13	7	18	6	6	13	6	12	5	8	11	2	3
Atrophy	2	2	—	9	—	—	—	—	—	2	—	1	—	—	—	—	—	1	1	3	—	—
Age	23	15	24	9	5	5	—	10	12	27	6	26	9	19	5	3	17	8	9	9	18	5
Sudden Deaths . . .	—	—	—	2	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Violent Deaths . . .	25	6	7	12	1	12	1	3	4	2	5	10	—	6	4	3	4	2	1	7	3	6
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
Measles	5	—	—	5	—	1	—	4	—	—	2	10	—	—	4	8	1	4	2	—	12	—
Scarlatina	39	78	20	—	26	5	—	6	33	3	9	4	7	—	2	—	1	—	1	2	10	1
Diphtheria	4	1	2	4	—	1	2	2	—	3	4	4	3	2	—	—	—	—	—	1	—	—
Whooping Cough . . .	6	2	10	15	—	2	2	4	—	—	6	—	—	1	4	4	5	—	14	8	1	8
Croup	9	3	3	5	1	1	2	—	3	2	2	10	3	2	1	1	4	—	—	1	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	11	2	5	9	1	1	2	7	9	1	4	10	7	3	5	3	1	2	6	3	3	5
Dysentery	—	3	1	—	1	—	—	1	—	2	—	1	1	—	—	—	1	—	—	3	2	—
Cholera	1	1	3	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—	1	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—
Purpura	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	3	1	3	7	—	—	1	—	3	2	—	7	1	—	—	—	6	—	—	—	—	2
Enteric Fever	6	6	3	3	16	2	1	8	4	2	2	10	2	4	5	2	3	—	—	7	6	3
Relapsing Fever . . .	—	—	—	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	1	—	2	3	—	—
Infantile Remittent . .	—	—	—	1	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Metria	—	—	—	—	—	1	—	—	1	—	2	1	—	—	—	1	1	—	—	—	—	—
Rheumatic Fever . . .	—	1	—	—	—	—	—	1	—	2	1	—	—	—	—	2	—	—	—	—	—	1
Erysipelas	1	—	1	1	2	1	—	1	—	—	1	2	—	3	2	—	—	2	—	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	—	2	—	—	—	—	—	—	—	4	—	—	—	1	—	—	—	—	1	—
Erythema	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Dropsy	—	1	1	1	2	—	—	—	—	2	—	—	—	—	—	—	2	—	—	—	—	1
Abscess	—	—	—	2	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Mortification	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Cancer	7	4	6	2	1	6	1	—	4	7	5	7	3	4	3	2	3	4	5	6	3	4
Gout	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Scrofula	7	—	4	1	2	1	1	3	4	5	4	3	2	—	2	—	—	3	—	—	1	—
Tabes Mesenterica . . .	3	3	2	5	1	8	4	3	1	3	1	9	—	—	—	1	6	1	—	4	2	1
Phthisis	38	—	—	37	10	14	9	6	15	19	17	21	7	18	14	16	39	10	16	20	12	12
Hydrocephalus	5	4	—	—	2	13	5	9	1	1	—	—	—	—	7	3	8	—	1	2	1	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
IV. Cephalitis . . .	95	1	—	—	1	2	5	—	1	—	—	2	—	1	—	—	—	1
Apoplexy . . .	239	—	2	—	5	3	6	4	6	2	—	2	5	2	—	—	2	1
Paralysis . . .	306	1	2	2	2	6	9	2	5	2	—	2	—	4	1	3	1	6
Delirium Tremens . . .	10	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	31	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Tetanus . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	8	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Convulsions . . .	116	2	—	1	1	—	6	1	1	—	—	1	—	3	—	—	5	2
Brain Disease . . .	145	1	—	1	—	—	2	4	1	—	—	3	1	2	—	2	—	—
V. Pericarditis . . .	10	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Aneurism . . .	12	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . .	540	5	2	4	14	1	10	3	6	1	—	3	3	10	1	6	2	7
VI. Laryngitis . . .	18	1	1	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—
Bronchitis . . .	1175	10	11	10	16	11	22	8	16	6	1	7	17	14	1	5	2	29
Pleurisy . . .	35	—	—	—	—	—	—	3	1	—	—	—	—	1	—	—	—	5
Pneumonia . . .	389	1	—	2	11	1	9	3	11	1	1	9	1	9	4	—	1	3
Asthma . . .	71	1	—	—	3	1	—	—	2	1	1	—	—	—	—	—	—	1
Lung Disease . . .	56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2
VII. Teething . . .	151	—	—	—	—	9	3	4	1	—	—	—	—	4	—	—	—	—
Quinsey . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	35	—	2	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—
Enteritis . . .	169	—	—	1	1	—	1	—	1	1	—	1	—	—	1	1	1	3
Peritonitis . . .	39	—	—	—	1	2	1	—	1	—	—	—	—	2	—	—	—	1
Ascites . . .	11	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1
Ulceration of Intestines	32	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—
Hernia . . .	14	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ileus . . .	42	—	2	—	—	—	1	3	—	—	—	2	—	—	—	—	—	3
Intussusception . . .	10	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1
Stricture of Intestines	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	90	1	—	2	—	—	1	1	—	—	—	—	1	—	—	2	1	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . .	37	—	—	—	2	1	—	—	—	—	—	1	—	1	—	—	—	—
Liver Disease . . .	115	—	2	2	2	1	7	1	1	2	—	2	—	—	—	1	—	—
Spleen Disease . . .	11	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
VIII. Nephritis . . .	12	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Nephria . . .	56	—	—	1	2	3	1	1	3	1	—	—	—	—	—	—	—	1
Addison's Disease . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Ischuria . . .	9	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1
Diabetes . . .	13	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Stone . . .	7	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—
Cystitis . . .	28	—	—	2	—	—	1	—	—	1	—	1	1	—	—	—	—	—
Stricture of Urethra . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	25	2	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—
IX. Paramenia . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	13	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1
Childbirth . . .	55	1	—	—	—	2	4	—	—	—	—	—	—	3	—	—	1	—
Organs of Generation . . .	9	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
X. Bone Disease . . .	28	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Rheumatism . . .	38	1	—	—	3	—	—	—	1	—	—	—	—	1	—	2	1	—
Joint Disease . . .	27	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—	—	—
XI. Carbuncle . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease . . .	9	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . .	19	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	18	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	36	—	1	—	—	1	1	—	1	—	—	—	—	1	—	—	—	1
Hanging, etc. . .	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . .	24	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Drowning . . .	75	—	—	2	1	6	—	—	1	—	—	2	2	1	1	2	—	—
Fracture and Contusion	141	—	—	3	1	—	3	1	2	—	—	1	1	1	—	—	—	1
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Scalds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total . . .	405	3	7	2	11	3	13	1	12	4	2	4	—	32	—	1	1	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis	1	8	3	1	—	2	—	1	—	1	—	4	—	2	—	—	—	—	3	1	—
Apoplexy	3	2	8	2	—	8	4	1	—	3	2	1	4	6	2	2	2	3	2	8	6
Paralysis	2	4	8	1	3	1	1	2	2	2	3	1	4	9	2	2	1	2	2	1	3
Delirium Tremens	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	1	—	—	—	—	—	—	—	1	4	—	—	—	—	1	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	1	—	—	—	3	1	—	—	—	2	1	—	6	3	3	—	4	1	2	—
Brain Disease	2	3	2	1	5	7	3	1	—	1	1	3	—	—	2	5	2	6	2	5	1
Pericarditis	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Heart Disease	7	7	12	3	6	10	6	—	2	5	6	12	3	6	5	2	5	7	5	3	8
Laryngitis	—	—	—	1	—	—	—	1	—	—	2	—	—	—	—	—	—	—	1	—	—
Bronchitis	17	39	60	12	28	14	7	3	3	12	21	11	10	25	14	19	17	9	6	11	11
Pleurisy	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	1	—	2
Pneumonia	2	5	8	6	5	28	2	2	5	2	11	3	6	7	4	4	1	1	4	1	12
Asthma	—	—	—	—	3	3	1	1	—	1	3	1	2	1	1	1	—	—	8	—	—
Lung Disease	—	—	—	—	3	—	—	—	—	1	2	—	—	—	—	—	—	1	—	—	—
Teething	4	8	3	3	—	11	1	—	2	3	—	—	1	—	1	1	—	—	2	—	4
Quinsey	1	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	4	—	1	—	—	—	—	—	1	—	1	1	—	1	—	—	—	3	1
Enteritis	1	5	6	—	1	4	2	1	1	3	2	—	3	—	2	12	2	1	3	3	—
Peritonitis	—	1	—	1	1	—	—	—	—	—	2	2	1	2	—	1	—	1	—	1	1
Ascites	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	1	—	—	—	—	—	—	1	1	1	1	—	1	1	2	1	1	1	1
Hernia	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	1	1	—	1	—	—
Ileus	1	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1
Intussusception	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	2	—	—	1	2	3	1	2	—	—	—	1	—	1	—	—	—	2	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	1	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	1
Jaundice	—	—	1	—	1	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—	—
Liver Disease	1	1	1	1	1	3	1	—	1	—	1	1	2	1	2	2	—	1	2	1	—
Spleen Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	—	—	1	—	—
Nephria	—	—	1	2	—	—	—	—	—	—	1	—	—	1	—	—	2	—	1	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—
Stone	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	2	—	—	—	—	3
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	2	—	—	1	—	1
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	2	—
Childbirth	—	—	1	1	2	1	1	1	—	1	—	—	1	1	1	1	2	2	1	—	—
Organs of Generation	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Bone Disease	1	1	2	—	1	—	1	—	—	—	1	1	—	—	—	—	—	—	1	1	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1	1	—	1
Joint Disease	1	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	2
Carbuncle	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	1	—	1	2	2	—	—	—	—	—	—	—	—	1	—	2	1	—	—
Hanging, etc.	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1
Suffocation	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Drowning	3	—	2	1	—	3	2	—	—	2	—	—	3	—	2	—	—	—	—	1	—
Fracture and Contusion	1	2	4	—	1	6	—	—	1	2	8	2	—	4	—	4	2	2	2	2	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	1	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
Cephalitis . . .	5	—	—	—	—	3	2	—	2	1	3	—	—	1	1	—	6	1	—	2	1	—
Apoplexy . . .	2	2	3	3	3	5	1	2	—	4	—	9	5	2	3	2	3	3	4	—	1	—
Paralysis . . .	3	2	4	5	3	6	1	1	1	7	10	12	1	4	2	2	12	3	12	1	6	10
Delirium Tremens .	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	1	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	—	1	2	1	—	—	—	—	—	2	—	2	—	—	—	—	1	—	—	—	1	—
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Insanity . . .	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	3	3	2	6	1	1	2	—	3	3	1	4	1	1	—	1	4	—	2	1	1	—
Brain Disease . . .	2	—	2	4	1	1	—	—	1	5	5	7	—	1	2	—	1	2	3	2	1	7
Pericarditis . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Aneurism . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Heart Disease . . .	10	4	9	10	2	14	4	5	4	11	5	17	5	6	4	7	13	12	6	5	3	8
Laryngitis . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	1	—	—
Bronchitis . . .	51	20	27	31	4	31	8	16	13	8	16	23	7	14	4	8	30	9	10	9	9	11
Pleurisy . . .	—	—	—	—	—	—	—	5	—	1	2	1	—	—	1	—	—	1	—	—	—	—
Pneumonia . . .	7	1	9	9	1	8	3	2	2	3	4	4	6	3	1	4	10	5	2	2	10	11
Asthma . . .	—	1	1	1	—	—	—	1	1	2	5	—	—	—	—	—	—	—	—	—	1	—
Lung Disease . . .	—	—	2	2	—	—	1	—	—	1	2	1	1	—	—	—	—	—	—	—	—	3
Teething . . .	13	—	5	2	—	1	1	1	—	2	—	3	—	1	3	2	1	—	—	2	3	1
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—	—
Enteritis . . .	10	7	8	7	1	11	—	—	1	1	—	4	1	1	2	2	2	1	1	3	6	2
Peritonitis . . .	1	—	—	—	—	1	1	—	2	—	1	—	1	—	—	1	—	1	1	—	—	2
Ascites . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer, of Intestines	1	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
Hernia . . .	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Ileus . . .	—	—	—	1	—	1	—	—	—	—	—	1	1	1	—	—	—	—	1	—	1	2
Intussusception . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Strict, of Intestines	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Stomach Disease . .	1	2	3	—	2	1	—	—	—	2	1	3	1	3	2	—	—	—	2	1	2	1
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	2	—	1	2	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—
Jaundice . . .	1	1	2	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1
Liver Disease . . .	4	1	1	1	—	—	—	2	2	—	1	6	—	3	2	3	4	—	1	—	1	—
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—
Nephritis . . .	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	—
Nephria . . .	—	6	—	1	—	—	—	1	2	—	—	3	—	1	—	—	1	—	1	—	—	—
Addison's Disease .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . .	—	—	1	—	—	—	—	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	1	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	—	—	—	—	—	—	—	—	2	—	1	—	1	2	—	—	—	—	—	—	1
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Childbirth . . .	3	1	—	1	1	1	—	—	2	4	—	—	—	—	—	—	—	—	1	—	—	—
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Bone Disease . . .	—	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	1	—	1
Rheumatism . . .	3	—	—	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2	1
Joint Disease . . .	—	—	—	1	—	—	1	—	1	1	—	1	—	—	—	—	1	—	1	—	—	1
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Skin Disease . . .	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Intemperance . . .	1	—	—	—	—	—	—	—	—	—	—	3	—	2	2	1	—	—	—	2	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	2
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . .	—	1	1	1	—	1	—	1	—	—	—	1	—	—	—	—	1	1	—	1	—	1
Hanging, etc. . . .	—	—	1	1	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Suffocation . . .	3	—	1	—	—	7	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	1
Drowning . . .	2	—	—	8	—	—	—	—	2	—	—	1	—	—	—	2	—	—	—	—	3	—
Fracture & Contusion	15	5	3	2	1	1	—	2	—	2	3	3	—	2	—	—	1	—	1	4	—	2
Gunshot Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Other Violent Causes	2	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Crieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
ALL CAUSES . . .	88	80	58	61	23	67	70	78	125	50	40	55	119	66	63	105	138	93	75	78	94
SPECIFIED CAUSES . . .	84	79	58	55	23	66	62	78	114	48	39	50	116	60	56	103	131	91	75	74	91
Zymotic Class . . .	30	23	6	24	4	9	9	9	32	8	4	5	26	8	7	22	27	19	7	10	16
Uncertain Seat . . .	2	—	1	—	4	—	3	5	4	1	5	1	1	—	2	1	2	1	1	7	—
Tubercular Class . . .	14	6	17	8	3	8	10	7	26	11	10	11	18	14	13	32	32	20	16	10	31
Brain, etc.	4	10	11	7	1	5	4	6	3	5	2	2	11	4	5	10	11	6	11	7	8
Heart, etc.	8	4	4	3	2	6	2	6	6	2	3	—	7	4	3	3	7	4	3	7	3
Respiratory Organs . . .	6	7	7	4	2	8	12	16	10	4	6	11	24	6	11	12	24	11	5	11	12
Digestive Organs . . .	3	13	4	3	3	7	8	7	3	3	2	5	7	6	4	14	8	11	9	1	5
Urinary Organs . . .	1	1	1	—	—	—	1	2	6	2	—	1	1	2	2	1	1	1	2	4	3
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	3	—	—	—	1	—	—	—	1	—	1	—	—	—	2	1	1	1	2	1
Skin	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	4	5	2	3	—	7	1	8	12	4	3	4	5	5	4	2	6	7	2	7	5
Atrophy	—	—	—	—	—	3	—	2	2	—	—	—	—	1	1	—	—	—	1	—	—
Age	10	4	2	1	—	9	6	4	4	5	1	6	12	4	2	2	3	6	9	3	6
Sudden Deaths	—	—	—	—	—	—	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Violent Deaths	2	3	2	2	4	3	5	3	5	1	3	2	3	4	2	2	9	4	8	5	1
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	—	—	—	—	—	—	—	—	4	5	1	—	—	1	—	—	6	1	1	3	2
Scarlatina	25	16	3	17	—	3	—	7	22	—	—	2	13	2	3	8	5	3	1	1	1
Diphtheria	—	—	—	3	—	—	2	—	1	—	—	1	1	—	—	—	2	—	—	—	—
Whooping Cough	—	2	—	—	—	1	1	—	—	1	—	—	1	—	—	4	1	—	1	—	—
Croup	—	2	—	1	1	—	—	—	1	—	1	—	1	1	1	2	1	1	1	—	1
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhoea	2	2	—	1	2	1	2	2	—	—	—	—	5	—	1	1	4	3	—	4	2
Dysentery	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—	1
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	1	—	—	—	2	—	2	1	—	—	2	3	1	—	1	5	2	1	4
Enteric Fever	1	1	2	—	—	4	2	—	2	—	—	—	1	1	—	3	1	2	—	1	3
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Infantile Remittent	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	—	1	—	1	—	3	2	4	—	2	—	—	—	—	—	2	1	—	1	—
Abscess	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Cancer	1	—	—	—	—	—	—	2	—	1	3	1	1	—	1	1	—	—	1	3	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	2	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	2	—	1	6
Tabes Mesenterica	3	—	—	2	—	—	1	—	—	—	1	—	4	1	1	—	2	4	—	1	2
Phthisis	6	4	14	5	2	7	8	6	23	9	9	7	9	12	5	25	21	11	16	7	17

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES . . .	65	111	184	41	69	154	71	21	33	63	102	85	63	121	37	101	59	62	87	61	73
SPECIFIED CAUSES . . .	65	109	183	36	69	151	65	20	32	58	97	85	63	120	37	100	53	61	87	58	70
Zymotic Class . . .	12	21	33	4	13	59	18	3	6	3	13	33	12	23	8	25	9	19	34	12	12
Uncertain Seat . . .	—	4	2	—	1	3	4	1	—	1	2	—	—	3	1	2	3	2	3	—	1
Tubercular Class . . .	14	20	56	8	11	14	15	2	10	20	22	14	12	20	4	23	10	4	12	9	11
Brain, etc.	5	10	13	—	7	12	7	1	1	4	4	4	6	13	6	8	3	12	5	11	6
Heart, etc.	4	3	7	1	3	4	2	—	1	2	4	5	1	4	1	2	2	5	1	1	4
Respiratory Organs . . .	10	25	35	10	21	25	3	3	4	10	27	10	12	15	7	13	9	2	13	6	14
Digestive Organs . . .	8	7	14	4	1	15	3	6	3	4	3	4	6	3	3	11	2	4	4	7	5
Urinary Organs . . .	—	—	—	—	1	—	1	—	—	1	4	1	—	1	—	5	1	—	1	1	3
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	2	—	2	—	2	—	1	—	—	—	1	1	—	—	2	1	1	2	2	—	3
Skin	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Malformation	1	1	2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	2	1
Premature Debility . . .	1	8	11	2	7	6	5	1	5	3	4	9	5	6	1	2	3	5	—	—	5
Atrophy	—	2	—	—	—	—	1	—	—	—	1	1	—	2	—	1	—	—	3	—	—
Age	2	6	3	3	—	3	3	3	1	6	1	1	7	22	3	1	8	3	3	5	4
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Violent Deaths	6	2	5	3	2	10	2	—	1	3	10	2	2	7	1	6	2	3	4	4	1
Small Pox	4	3	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	1	1	—	—	1	—	—	—	—	1	2	3	2	—	2	—	—	3	4	—
Scarlatina	1	1	12	1	3	36	4	2	5	1	3	21	—	10	4	5	1	9	17	1	7
Diphtheria	—	—	—	—	—	2	—	—	—	—	3	—	—	1	—	2	1	1	2	—	2
Hooping Cough	5	8	14	2	4	12	4	—	—	—	—	1	2	2	—	1	1	4	2	1	—
Croup	—	1	—	—	1	2	1	—	—	1	—	—	—	1	—	1	2	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	1	4	1	—	1	4	—	1	—	1	—	—	6	1	—	2	2	4	3	1
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	1	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	1	—	—	1	1	—	—	—	—	1	4	2	—	2	6	—	2	4	—	—
Enteric Fever	—	—	2	—	1	—	1	—	—	—	3	2	1	1	—	3	1	—	—	3	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—
Simple Continued Fever . . .	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Infantile Remittent	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Erysipelas	1	—	—	—	1	—	1	1	—	—	—	1	—	—	—	1	1	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	1	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—	2	—	—	1
Abscess	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	—	—	1	—	—	1	2	1	—	—	2	—	—	2	1	2	3	—	3	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	2	2	2	—	—	—	2	—	1	2	—	—	1	1	2	1	2	—	3	—	1
Tabes Mesenterica	1	3	4	—	—	—	2	—	2	1	6	4	—	1	—	5	1	3	1	1	—
Phthisis	6	14	39	6	8	9	8	1	5	15	11	7	9	14	1	16	6	1	8	7	9

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES . . .	208	108	114	112	43	101	44	61	89	89	71	134	55	61	56	58	93	39	49	58	69	59
SPECIFIED CAUSES . . .	202	106	114	109	42	98	41	60	82	83	71	134	46	60	56	58	93	39	49	58	63	54
Zymotic Class . . .	44	54	22	14	21	10	6	11	30	11	20	31	10	12	14	17	8	3	12	9	20	11
Uncertain Seat . . .	4	5	4	2	1	7	1	—	2	3	2	2	—	2	1	—	2	—	2	3	1	2
Tubercular Class . . .	25	10	19	18	9	18	16	13	11	11	14	23	6	6	15	7	18	11	9	11	8	6
Brain, etc.	9	4	8	11	4	9	3	3	3	17	7	15	5	5	5	4	14	4	9	3	7	12
Heart, etc.	7	1	3	6	1	5	1	4	1	9	1	7	4	4	1	3	8	5	4	3	2	2
Respiratory Organs . . .	35	9	20	27	2	19	9	13	10	7	13	20	8	10	3	8	21	8	4	8	7	9
Digestive Organs . . .	15	7	9	10	2	7	1	1	3	3	2	12	6	3	4	7	5	—	3	3	5	3
Urinary Organs . . .	—	3	1	—	—	—	—	1	7	1	—	3	—	1	2	4	1	—	1	—	—	1
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	2	1	1	1	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	2	—	1
Skin	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Malformation	2	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—	—	1
Premature Debility . . .	23	4	14	—	—	7	3	8	7	6	4	9	3	3	6	3	4	4	1	8	1	1
Atrophy	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Age	11	4	7	2	1	2	—	3	6	12	2	4	4	10	2	2	8	3	3	2	8	2
Sudden Deaths	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Violent Deaths	24	4	6	10	1	11	1	3	2	1	4	6	—	4	3	2	3	1	—	5	3	3
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Measles	3	—	—	2	—	1	—	1	—	—	2	5	—	—	2	8	—	2	—	—	6	—
Scarlatina	17	45	10	—	12	4	—	3	21	2	6	2	4	—	2	—	1	—	—	—	6	1
Diphtheria	3	1	2	2	—	1	1	—	—	1	1	1	2	2	—	—	—	—	—	1	—	—
Hooping Cough	3	—	3	2	—	1	2	3	—	—	4	—	—	1	2	3	1	—	6	3	1	6
Croup	4	2	—	1	1	1	—	—	2	1	1	6	1	1	—	1	2	—	—	1	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	5	1	3	3	1	1	2	3	3	1	2	4	2	3	2	1	1	1	3	1	2	1
Dysentery	—	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Cholera	1	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—
Purpura	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	3	1	1	1	—	—	—	—	2	1	—	5	—	—	—	—	1	—	—	—	—	1
Enteric Fever	3	1	1	1	7	—	1	1	2	2	1	5	1	3	2	1	1	—	—	1	2	1
Relapsing Fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	2	2	—	—
Infantile Remittent . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1
Erysipelas	1	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Dropsy	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Abscess	—	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Mortification	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	4	2	2	—	—	5	1	—	2	3	—	2	—	1	1	—	1	—	1	3	—	1
Gout	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Scrofula	2	—	3	—	1	1	1	3	2	3	1	2	2	—	1	—	—	1	—	—	1	—
Tabes Mesenterica	—	1	1	3	1	4	4	1	—	2	—	7	—	—	—	—	4	1	—	1	2	—
Phthisis	21	8	14	13	5	5	7	2	8	6	9	10	3	6	8	5	11	7	8	9	5	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Crieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward)	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
Cephalitis	—	3	3	—	—	1	1	—	—	1	—	—	—	—	2	—	—	1	—	—	—
Apoplexy	1	—	3	3	—	2	1	2	—	—	—	—	5	2	—	5	4	2	2	5	5
Paralysis	2	2	4	2	1	1	—	1	1	2	—	1	4	1	3	4	1	3	7	2	2
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—	—	—	—
Tetanus	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	2	—	—	—	—	—	1	1	—	1	—	1	—	—	—	3	—	—	—	1
Brain Disease	—	3	1	1	—	1	1	—	1	1	1	1	1	1	—	—	2	—	2	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Aneurism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Heart Disease	8	4	3	3	2	6	2	6	6	2	3	—	6	4	3	3	6	4	3	7	3
Laryngitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Bronchitis	4	2	4	3	1	5	9	7	8	2	5	5	8	4	6	10	16	8	2	9	5
Pleurisy	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—
Pneumonia	2	4	2	—	1	1	3	7	2	1	1	4	8	1	1	2	4	1	2	2	5
Asthma	—	—	—	1	—	1	—	1	—	1	—	—	2	1	4	—	1	1	—	—	—
Lung Disease	—	—	—	—	—	1	—	1	—	—	—	2	6	—	—	—	—	—	1	—	2
Teething	—	4	—	—	1	—	3	1	—	—	—	2	2	—	—	2	3	2	6	—	1
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	2	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—
Enteritis	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	2	—	5	—	—	3
Peritonitis	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—
Ascites	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	—	1	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	2	—	1	—	—
Intussusception	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	1	—	—	—	—	2	—	2	2	—	1	—	2	3	—	3	1	1	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Jaundice	—	1	—	—	—	—	1	—	—	1	1	—	—	1	—	—	—	1	—	—	—
Liver Disease	—	5	3	1	1	2	1	1	—	1	—	—	2	—	1	3	2	1	1	—	1
Spleen Disease	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	1	—	—	—	1	—	4	—	—	—	—	—	2	—	—	—	1	2	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—
Diabetes	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	1	2	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	1
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	—	1	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	1	1
Rheumatism	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Joint Disease	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Intemperance	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	1	—	1	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—
Drowning	—	—	—	—	1	—	—	2	—	1	—	—	1	1	—	1	2	2	5	1	—
Fracture and Contusion	1	1	1	1	1	1	3	—	3	—	1	1	2	2	1	1	6	1	3	2	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrihead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis	—	5	3	—	—	1	—	—	—	—	—	1	—	1	2	—	—	—	2	1	—
Apoplexy	3	2	4	—	—	3	4	—	1	3	1	—	2	2	2	1	—	3	2	6	4
Paralysis	—	—	4	—	3	—	—	1	1	1	2	1	4	5	1	—	—	—	—	—	2
Delirium Tremens	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	1	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	1	—	—	—	3	1	—	—	—	—	1	—	2	1	2	—	3	—	2	—
Brain Disease	2	2	2	—	3	5	1	—	—	—	1	1	—	—	2	5	2	6	—	2	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Heart Disease	4	3	7	1	3	4	2	—	1	2	4	5	1	3	1	2	2	4	1	1	4
Laryngitis	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Bronchitis	9	20	29	7	13	6	2	1	2	6	11	6	6	12	5	9	9	1	2	6	6
Pleurisy	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	1	—	1
Pneumonia	1	3	6	2	4	18	—	1	2	2	8	3	4	3	2	1	—	—	2	—	7
Asthma	—	—	—	—	1	1	1	1	—	1	3	1	2	—	—	1	—	—	8	—	—
Lung Disease	—	—	—	—	3	—	—	—	—	1	2	—	—	—	—	—	—	1	—	—	—
Teething	4	4	2	2	—	7	—	—	2	2	—	—	1	—	1	1	—	—	1	—	3
Quinsey	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Gastritis	—	—	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Enteritis	1	3	5	—	—	2	1	1	—	2	1	—	1	—	—	7	1	1	2	2	—
Peritonitis	—	—	—	1	1	—	—	—	—	—	—	2	1	1	—	—	—	1	—	1	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	1	1	1	1	1
Hernia	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ileus	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	—	—	—	1	2	3	1	—	—	—	—	1	—	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Jaundice	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	1	—	—	—	—	3	—	—	—	—	1	1	2	—	—	2	—	1	—	—	—
Spleen Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Stone	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	2	—	—	—	—	3
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	2	—	—	1	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	1	—	1	—	1	—	1	—	—	—	1	1	—	—	—	—	—	—	1	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1	1	—	1
Joint Disease	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2
Carbuncle	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
Hanging, etc.	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1
Suffocation	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	1	—	—	3	2	—	—	1	—	—	2	—	1	—	—	—	—	1	—
Fracture and Contusion	1	2	4	—	1	5	—	—	1	1	8	2	—	4	—	4	2	2	2	1	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
Cephalitis . . .	4	—	—	—	—	1	1	—	1	1	1	—	—	—	—	—	3	1	—	1	1	—
Apoplexy . . .	—	1	2	3	2	4	1	2	—	3	—	3	4	1	2	2	2	1	2	1	—	—
Paralysis . . .	1	1	4	3	2	3	1	1	1	4	5	6	—	3	2	1	7	2	5	1	3	6
Delirium Tremens .	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	—	—	1	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	1	2	1	2	—	1	—	—	1	3	—	3	1	—	—	1	1	—	—	—	1	—
Brain Disease . . .	2	—	—	2	—	—	—	—	—	3	1	3	—	1	1	—	1	—	1	—	1	6
Pericarditis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Heart Disease . . .	7	1	3	6	1	5	1	4	1	9	1	7	3	4	1	2	8	5	4	3	2	2
Laryngitis . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—
Bronchitis . . .	31	8	13	19	1	14	5	8	7	3	8	11	5	8	2	4	16	3	3	7	3	1
Pleurisy . . .	—	—	—	—	—	—	—	3	—	—	1	—	—	—	1	—	—	1	—	—	—	—
Pneumonia . . .	4	—	5	5	1	5	3	1	2	2	3	3	3	2	—	3	5	4	1	—	4	7
Asthma . . .	—	1	—	1	—	—	—	1	1	1	—	4	—	—	—	—	—	—	—	—	—	—
Lung Disease . . .	—	—	2	2	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1
Teething . . .	6	—	2	2	—	1	1	—	—	1	—	1	—	—	2	1	1	—	—	1	1	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Enteritis . . .	6	7	3	5	1	5	—	—	—	1	—	3	1	—	1	2	2	—	—	1	2	1
Peritonitis . . .	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	1	—	—	—
Ascites . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer. of Intestines	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
Hernia . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . .	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	1
Intussusception . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Strict. of Intestines	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Stomach Disease . .	—	—	2	—	—	1	—	—	—	—	1	2	1	—	—	—	—	—	—	1	1	—
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . .	—	—	2	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—
Liver Disease . . .	1	—	—	—	—	—	—	1	1	—	1	1	—	2	1	3	—	—	—	—	1	—
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Nephritis . . .	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—
Nephria . . .	—	3	—	—	—	—	—	1	2	—	—	—	—	1	—	—	1	—	—	—	—	—
Addison's Disease .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . .	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	1	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease . . .	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—
Rheumatism . . .	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Intemperance . . .	1	—	—	—	—	—	—	—	—	—	—	2	—	2	2	—	—	—	—	1	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . .	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . .	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Suffocation . . .	3	—	—	—	—	7	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1
Drowning . . .	2	—	—	8	—	—	—	—	1	—	—	1	—	—	—	2	—	—	—	—	3	—
Fracture & Contusion	15	4	3	2	1	—	—	2	—	1	3	2	—	1	—	—	1	—	—	4	—	1
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Other Violent Causes	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blaigowrie.	Crief.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
ALL CAUSES . . .	85	83	63	77	35	84	92	76	125	59	35	73	128	69	71	120	148	86	91	89	126
SPECIFIED CAUSES . . .	82	81	62	71	33	83	85	75	123	57	35	69	122	67	64	119	131	85	91	85	121
Zymotic Class . . .	29	32	14	33	3	7	11	15	28	13	6	4	27	13	5	26	25	24	11	11	16
Uncertain Seat . . .	1	—	3	2	2	6	3	3	10	4	4	—	3	3	2	3	7	2	2	5	9
Tubercular Class . . .	10	5	9	6	4	13	18	11	13	10	7	15	20	12	14	35	35	25	23	6	35
Brain, etc.	8	5	9	1	1	8	3	11	9	1	4	8	8	5	4	6	13	5	4	5	13
Heart, etc.	10	4	7	6	3	10	2	3	8	—	—	3	6	1	4	8	4	1	7	6	5
Respiratory Organs . . .	9	10	7	7	3	5	14	7	17	12	5	15	27	15	8	14	16	6	11	14	10
Digestive Organs . . .	2	6	—	3	4	7	5	2	4	6	—	12	5	6	11	11	5	10	7	5	10
Urinary Organs . . .	—	1	—	1	—	—	1	1	1	—	—	1	—	—	1	—	1	—	—	3	2
Generative Organs . . .	1	2	—	—	—	1	1	1	4	1	—	1	—	—	2	—	2	1	—	2	1
Locomotive Organs . . .	—	—	1	—	—	—	—	1	—	1	—	—	—	1	2	1	—	—	1	2	2
Skin	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	1	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—	—	—
Premature Debility . . .	3	1	4	2	—	8	3	7	6	1	5	2	6	5	6	—	7	1	9	7	2
Atrophy	—	—	—	—	—	1	—	—	2	—	—	—	—	1	2	1	—	1	1	1	—
Age	7	13	4	9	12	16	21	10	17	6	3	7	19	5	3	9	11	9	15	16	15
Sudden Deaths	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	1	2	4	—	1	—	2	2	2	1	1	1	1	—	—	4	5	—	—	2	1
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Measles	—	1	1	—	—	—	—	—	—	5	1	1	—	—	—	—	7	2	1	3	—
Scarlatina	22	21	4	21	—	1	—	7	17	—	—	—	17	4	—	8	5	5	3	2	2
Diphtheria	—	—	—	4	—	1	—	1	—	1	—	—	—	—	—	1	1	1	—	1	—
Whooping Cough	—	1	—	1	—	1	—	—	—	5	—	—	1	—	—	9	1	1	3	—	1
Croup	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	1	2
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	5	2	1	—	—	—	6	1	—	2	—	3	2	—	1	2	7	1	4	1
Dysentery	1	—	—	—	—	—	—	1	—	—	1	2	—	—	—	1	2	—	—	—	2
Cholera	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	1	1	1	—	2	—	1	1	—	—	3	—	2	2	1	1	—	—	3
Enteric Fever	2	2	6	3	—	3	3	—	5	—	1	1	1	2	1	1	2	2	—	—	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—
Infantile Remittent . . .	—	1	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1
Metria	1	1	—	—	—	—	4	—	1	—	—	—	1	1	—	1	—	—	—	—	1
Rheumatic Fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	1	—	—
Erysipelas	—	—	—	—	—	1	2	—	—	—	1	—	—	1	1	—	1	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	2	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Dropsy	1	—	—	—	—	—	1	1	4	2	2	—	1	2	—	—	2	1	—	1	—
Abscess	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—
Ulcer	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Cancer	—	—	2	2	1	5	2	2	6	2	—	—	2	1	2	1	4	1	2	4	7
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Scrofula	3	—	—	—	—	—	1	—	—	—	—	—	1	2	—	2	—	—	6	1	2
Tabes Mesenterica . . .	—	—	—	1	—	1	1	—	—	1	1	2	2	—	—	1	—	1	—	—	2
Phthisis	7	5	5	3	4	11	15	9	13	6	6	12	11	9	11	27	25	22	13	3	24

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES . . .	51	103	154	57	71	147	59	38	41	62	82	99	69	143	58	95	49	70	71	51	73
SPECIFIED CAUSES . . .	51	102	153	57	71	144	57	37	40	58	77	99	69	142	58	94	48	69	70	50	69
Zymotic Class . . .	19	21	45	6	11	53	12	8	8	3	12	37	13	34	15	28	10	23	17	8	24
Uncertain Seat . . .	1	2	3	5	1	2	4	—	4	4	7	5	—	4	—	3	1	4	5	2	1
Tubercular Class . . .	5	22	40	12	14	26	12	12	12	21	25	19	24	26	14	24	6	15	9	16	15
Brain, etc.	3	8	8	5	2	9	3	3	1	3	4	6	3	15	3	4	2	3	6	6	4
Heart, etc.	3	4	5	2	3	7	4	—	1	4	2	7	2	3	4	—	3	3	4	2	4
Respiratory Organs . . .	9	21	33	9	18	20	7	4	4	6	13	5	6	18	12	13	9	9	7	6	11
Digestive Organs . . .	1	8	7	2	5	6	3	—	5	6	6	1	4	3	5	9	3	—	7	5	4
Urinary Organs . . .	—	—	1	2	—	—	—	—	1	—	1	—	—	2	1	—	1	—	2	—	1
Generative Organs . . .	—	—	1	1	4	2	1	1	—	1	1	—	1	2	1	1	2	2	2	3	—
Locomotive Organs . . .	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	2	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—
Premature Debility . . .	3	5	1	3	6	3	1	1	1	3	—	8	4	6	—	6	2	3	5	—	1
Atrophy	2	2	—	1	1	1	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—
Age	5	7	4	7	5	14	8	8	3	5	3	10	9	28	—	5	8	6	5	—	4
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Violent Deaths	—	1	2	1	1	1	2	—	—	2	—	—	1	—	2	—	—	1	—	1	—
Small Pox	2	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	3	5	2	1	—	1	2	—	—	—	—	3	1	—	—	1	—	3	3	—	1
Scarlatina	1	5	17	3	6	29	4	2	5	—	3	13	—	20	4	10	5	8	6	—	14
Diphtheria	—	2	—	—	—	—	—	1	2	—	2	2	1	1	—	—	—	1	2	—	2
Hooping Cough	8	4	11	—	2	12	3	—	—	—	—	1	4	—	—	—	—	4	1	—	1
Croup	1	—	3	—	—	1	—	—	—	—	—	1	2	3	2	—	1	1	—	1	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	3	—	4	1	2	2	1	—	—	2	2	2	1	2	2	1	—	—	2	1	—
Dysentery	—	—	1	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Influenza	—	—	—	—	—	—	—	1	—	—	—	4	2	—	—	—	—	1	—	—	1
Purpura	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	1	1	—	3	—	1	1	1	1	1	—	—	2	11	—	3	1	1	3
Enteric Fever	—	1	3	—	—	1	1	—	—	—	2	4	1	3	3	5	3	—	—	4	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Simple Cont. Fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Infantile Remittent	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Metria	—	1	—	—	—	2	1	—	—	—	1	1	—	1	1	—	—	2	—	—	—
Rheumatic Fever	—	1	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	1	—	—	1	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Dropsy	1	1	—	4	—	—	1	—	—	3	1	1	—	2	—	—	—	3	3	—	1
Abscess	—	—	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—
Ulcer	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Cancer	—	1	2	1	1	1	2	—	2	1	4	4	—	1	—	2	—	1	1	1	—
Gout	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	1	1	—	1	1	—	—	2	—	—	2	1	2	—	3	—	—	—	2	1
Tabes Mesenterica	1	1	2	2	—	—	1	1	—	—	4	2	—	1	—	5	2	3	3	1	—
Phthisis	4	19	31	9	10	21	10	10	9	20	17	13	20	21	8	14	4	12	5	13	11

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES . . .	166	117	131	138	61	81	22	60	64	86	77	156	46	58	50	38	118	47	70	68	73	77
SPECIFIED CAUSES . .	157	114	131	136	61	81	20	58	64	83	77	156	41	58	50	38	118	46	69	66	68	74
Zymotic Class . . .	43	44	29	41	30	6	5	23	24	9	16	32	14	6	12	5	17	5	14	17	16	11
Uncertain Seat . . .	3	3	4	3	2	1	—	—	2	6	5	5	3	3	3	3	4	4	4	3	3	5
Tubercular Class . .	28	18	32	36	6	18	3	8	10	17	17	16	6	12	8	13	35	6	8	15	8	9
Brain, etc.	7	4	5	8	4	7	3	—	4	6	12	25	2	4	4	1	13	6	13	4	4	6
Heart, etc.	3	3	6	4	1	10	3	1	3	2	4	10	2	2	3	5	5	7	3	2	1	7
Respiratory Organs .	23	13	19	16	3	20	3	11	6	8	11	15	6	7	3	5	19	7	9	4	13	16
Digestive Organs . .	20	4	12	4	2	8	1	2	3	3	2	11	—	8	5	1	5	2	6	5	8	7
Urinary Organs . . .	—	3	—	1	—	—	—	—	—	2	1	3	—	1	1	—	—	—	1	—	—	—
Generative Organs .	4	1	—	1	1	1	—	—	2	4	—	—	—	—	—	—	—	1	1	—	—	1
Locomotive Organs .	1	—	—	2	1	—	1	—	1	1	1	2	—	—	—	—	1	—	1	—	2	2
Skin	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1
Malformation . . .	—	—	—	—	2	—	—	2	—	—	—	1	—	—	—	—	1	—	—	1	2	1
Premature Debility .	10	6	6	6	5	5	1	4	1	7	3	9	3	3	7	3	8	1	2	3	1	2
Atrophy	2	2	—	3	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	2	—	—
Age	12	11	17	7	4	3	—	7	6	15	4	22	5	9	3	1	9	5	6	7	10	3
Sudden Deaths . . .	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	1	2	1	2	—	1	—	—	2	1	1	4	—	2	1	1	1	1	1	2	—	3
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Measles	2	—	—	3	—	—	—	3	—	—	—	5	—	—	2	—	1	2	2	—	6	—
Scarlatina	22	33	10	—	14	1	—	3	12	1	3	2	3	—	—	—	—	—	1	2	4	—
Diphtheria	1	—	—	2	—	—	1	2	—	2	3	3	1	—	—	—	—	—	—	—	—	—
Whooping Cough . .	3	2	7	13	—	1	—	1	—	1	2	—	—	—	2	1	4	—	8	5	—	2
Croup	5	1	3	4	—	—	2	—	1	1	1	4	2	1	1	—	2	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	6	1	2	6	—	—	—	4	6	—	2	6	5	—	3	2	—	1	3	2	1	4
Dysentery	—	1	—	—	1	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	1	—
Cholera	—	—	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	2	6	—	—	1	—	1	1	—	2	1	—	—	—	5	—	—	—	—	1
Enteric Fever	3	5	2	2	9	2	—	7	2	—	1	5	1	1	3	1	2	—	—	6	4	2
Relapsing Fever . . .	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—
Infantile Remittent .	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Metria	—	—	—	—	—	1	—	—	1	—	2	1	—	—	—	1	1	—	—	—	—	—
Rheumatic Fever . . .	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	1	1	2	1	—	1	—	—	1	1	—	2	—	—	—	2	—	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Dropsy	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	1
Abscess	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Cancer	3	2	4	2	1	1	—	—	2	4	5	5	3	3	2	2	2	4	4	3	3	3
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	5	—	1	1	1	—	—	—	2	2	3	1	—	—	1	—	—	2	—	—	—	—
Tabes Mesenterica . .	3	2	1	2	—	4	—	2	1	1	1	2	—	—	—	1	2	—	—	3	—	1
Phthisis	17	13	28	24	5	9	2	4	7	13	8	11	4	12	6	11	28	3	8	11	7	7

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1870.
At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	74165	6955	2590	4621	5812	3008	2109	1568	4076	2000	2623	2783	2661
SPECIFIED CAUSES	71873	6248	2407	4456	5652	2926	2056	1532	3969	1937	2566	2730	2605
I. Zymotic Class	15181	755	607	1394	2229	1510	1149	909	2145	603	465	394	369
II. Diseases of Uncertain Seat	2388	35	11	14	32	22	19	10	51	29	34	24	46
III. Tubercular Class	13027	202	353	763	944	447	386	224	857	672	1352	1514	1245
IV. Brain and Nervous System	5942	397	173	259	321	126	89	90	233	146	119	109	141
V. Organs of Circulation	3560	16	3	6	4	1	3	6	45	69	94	91	102
VI. Respiratory Organs	11366	750	641	1250	1241	565	272	185	296	108	147	161	198
VII. Organs of Digestion	4997	524	257	533	652	124	45	32	99	77	83	109	140
VIII. Urinary Organs	1107	5	4	5	8	8	17	9	38	24	45	50	55
IX. Organs of Generation	533	—	—	—	1	1	—	1	—	2	23	68	107
X. Organs of Locomotion	455	3	2	—	1	4	7	9	37	56	50	31	18
XI. Skin, etc.	100	19	11	10	5	2	—	—	2	2	2	4	1
XII. Malformation	276	237	15	11	6	2	—	1	1	—	—	2	—
XIII. Premature Debility	3543	3112	263	168	—	—	—	—	—	—	—	—	—
XIV. Atrophy	471	—	—	—	132	46	18	13	20	13	10	14	8
XV. Age	6414	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	150	11	8	7	1	2	—	1	5	4	2	4	5
XVII. Violent Deaths	2363	182	59	36	75	66	51	42	140	132	140	155	170
I. Small Pox	114	6	16	11	6	3	—	4	13	5	8	13	10
Measles	834	11	16	121	297	173	66	45	79	10	4	4	2
Scarlatina	4356	31	41	243	578	607	569	507	1311	272	94	35	28
Diphtheria	630	13	15	44	122	85	83	64	130	29	7	9	4
Hooping Cough	1783	112	122	392	522	275	159	89	104	6	1	—	—
Croup	857	27	24	96	247	162	116	88	96	1	—	—	—
Thrush	32	23	4	4	1	—	—	—	—	—	—	—	—
Diarrhoea	1882	319	257	325	304	63	33	7	27	11	11	10	13
Dysentery	245	9	17	17	14	7	2	1	2	3	1	3	7
Cholera	143	12	8	23	20	5	3	1	11	2	—	2	2
Influenza	168	11	2	8	3	—	1	1	6	3	5	1	3
Purpura	36	1	1	3	1	2	1	1	6	—	3	2	3
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	11	—	—	—	—	2	2	1	5	—	—	—	—
Typhus	1460	3	6	12	23	26	26	23	92	81	110	133	116
Enteric Fever	1207	1	12	18	31	51	51	46	165	121	159	93	71
Relapsing Fever	205	2	2	6	6	7	7	7	15	13	11	10	7
Simple Continued Fever	151	—	2	4	8	8	8	6	19	16	8	8	3
Infantile Remittent	141	6	7	19	29	24	14	10	32	—	—	—	—
Metria	202	—	—	—	—	—	—	—	—	—	9	39	61
Rheumatic Fever	159	—	—	1	—	1	1	1	16	23	26	18	16
Erysipelas	330	80	19	20	6	4	3	2	11	6	3	10	12
Pyæmia	34	4	—	3	—	2	—	1	2	1	3	—	3
Syphilis	186	84	36	23	9	2	1	1	—	—	2	4	7
Noma	14	—	—	1	2	1	3	3	3	—	—	—	1
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	71	10	3	1	—	—	1	2	4	2	4	1	5
Dropsy	612	—	—	1	9	8	8	5	33	18	16	6	15
Abscess	141	13	6	12	8	5	5	1	7	4	7	6	5
Ulcer	49	1	—	—	2	—	—	—	—	—	3	1	2
Fistula	17	—	—	—	—	—	—	—	—	1	—	—	1
Mortification	109	5	1	—	9	2	2	1	2	2	—	—	1
Cancer	1373	6	1	—	4	7	3	1	5	2	4	10	17
Gout	16	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	798	13	33	53	60	34	39	24	107	90	100	58	34
Tabes Mesenterica	1034	73	99	150	233	113	70	41	117	46	34	10	10
Phthisis	9148	20	40	92	183	115	99	71	345	486	1197	1438	1193
Hydrocephalus	2047	96	181	468	468	185	178	88	288	50	21	8	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	2349	2398	2350	2341	2550	2675	3319	3277	3845	3319	2723	1485	529	127	26	46
SPECIFIED CAUSES . . .	2285	2338	2286	2277	2476	2589	3176	3277	3845	3319	2723	1485	529	127	26	31
Zymotic Class . . .	301	273	254	256	256	214	285	222	211	194	119	50	11	4	—	2
Uncertain Seat . . .	59	120	143	174	227	233	274	267	245	162	108	39	9	1	—	—
Tubercular Class . . .	956	811	656	485	399	293	243	114	66	32	8	2	—	—	—	3
Brain, etc.	141	162	185	225	264	346	433	531	544	464	300	118	22	2	—	2
Heart, etc.	145	184	197	248	279	322	413	406	432	270	161	53	5	1	—	4
Respiratory Organs . . .	227	291	341	409	518	574	732	707	743	520	310	146	27	3	—	4
Digestive Organs . . .	133	145	175	206	238	267	338	287	261	164	84	18	4	1	—	1
Urinary Organs . . .	62	67	81	61	60	84	68	116	94	84	40	17	5	—	—	—
Generative Organs . . .	104	85	63	25	14	12	10	5	9	3	—	—	—	—	—	—
Locomotive Organs . . .	14	13	29	14	21	26	22	30	33	19	10	6	—	—	—	—
Skin	2	5	3	4	4	5	8	4	3	3	1	—	—	—	—	—
Malformation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	13	12	20	24	48	80	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	230	508	1131	1373	1560	1025	443	115	26	3
Sudden Deaths . . .	3	9	15	13	6	15	20	7	11	—	—	—	—	—	—	1
Violent Deaths . . .	125	160	124	133	142	118	100	73	62	31	22	11	3	—	—	11
Small Pox	7	4	3	4	—	1	—	—	—	—	—	—	—	—	—	—
Measles	1	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	10	10	6	4	5	—	2	1	1	—	—	1	—	—	—	—
Diphtheria	8	7	4	1	1	1	1	1	1	—	—	—	—	—	—	—
Hooping Cough	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	14	16	18	35	26	38	59	57	62	75	68	27	6	1	—	—
Dysentery	6	7	8	7	11	17	18	23	21	24	14	5	1	—	—	—
Cholera	4	2	3	8	6	6	12	1	5	5	2	—	—	—	—	—
Influenza	1	1	1	5	7	9	18	15	26	23	12	5	—	1	—	—
Purpura	1	2	2	—	—	3	1	—	1	1	1	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	110	116	112	111	117	67	75	41	35	16	3	3	2	—	—	1
Enteric Fever	49	44	44	35	33	37	48	38	27	22	6	3	1	—	—	1
Relapsing Fever	17	9	14	16	12	10	18	6	7	2	1	—	—	—	—	—
Simple Cont. Fever . . .	11	4	5	7	7	4	3	6	5	5	3	1	—	—	—	—
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	47	25	15	6	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	4	11	5	6	9	5	5	5	3	2	—	1	—	—	—	—
Erysipelas	4	5	11	9	15	13	20	26	17	18	9	4	1	2	—	—
Pyæmia	1	4	—	—	2	3	2	2	—	1	—	—	—	—	—	—
Syphilis	6	3	1	2	2	—	3	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	4	4	8	1	4	4	2	4	4	1	2	—	—	—	—	—
Dropsy	16	27	21	37	41	54	65	65	74	53	27	12	1	—	—	—
Abscess	4	10	4	5	7	7	5	6	10	3	1	—	—	—	—	—
Ulcer	—	2	4	3	7	2	5	10	2	1	2	—	2	—	—	—
Fistula	1	2	—	3	3	1	2	1	2	—	—	—	—	—	—	—
Mortification	1	1	1	2	5	2	8	6	12	20	17	5	4	—	—	—
Cancer	33	74	105	122	157	163	181	174	139	83	58	21	2	1	—	—
Gout	—	—	—	1	3	—	6	1	2	1	1	1	—	—	—	—
Scrofula	23	19	32	13	15	17	11	9	5	6	1	1	—	—	—	1
Tabes Mesenterica . . .	4	6	3	7	7	1	6	1	2	—	1	—	—	—	—	—
Phthisis	926	783	620	464	377	275	226	104	59	26	6	1	—	—	—	2
Hydrocephalus	3	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	547	10	22	59	77	27	19	32	92	45	33	22	24
Apoplexy	1407	17	18	19	30	15	12	9	24	17	12	23	29
Paralysis	1794	2	1	2	3	4	4	2	6	9	7	15	22
Delirium Tremens	52	—	—	—	—	—	—	—	—	—	—	4	5
Chorea	8	—	—	—	—	2	—	—	2	—	1	2	—
Epilepsy	215	—	—	—	—	—	—	—	1	28	22	16	19
Tetanus	41	21	—	1	1	—	1	—	2	4	1	2	—
Insanity	33	—	—	—	—	—	—	—	—	—	1	2	—
Convulsions	971	335	121	155	179	56	41	37	47	—	—	—	—
Brain Disease	874	12	11	23	31	22	12	10	59	43	42	23	42
V. Pericarditis	90	—	—	—	—	—	—	1	10	12	7	5	5
Aneurism	84	—	—	—	—	—	—	—	—	—	—	1	6
Heart Disease	3386	16	3	6	4	1	3	5	35	57	87	85	91
VI. Laryngitis	136	5	4	22	14	8	3	8	10	1	3	3	9
Bronchitis	7777	585	525	983	973	439	202	125	176	42	43	59	75
Pleurisy	213	3	4	1	9	6	4	2	9	6	10	10	6
Pneumonia	2415	144	106	232	231	103	57	45	96	50	74	72	85
Asthma	486	—	—	—	1	—	—	—	—	4	5	5	2
Lung Disease	339	13	2	12	13	9	6	5	5	5	12	12	21
VII. Teething	965	6	43	348	499	66	3	—	—	—	—	—	—
Quinsey	67	8	5	9	10	3	2	5	7	—	3	1	2
Gastritis	185	21	5	11	12	2	4	3	3	5	3	10	5
Enteritis	880	249	118	104	68	29	12	4	33	15	14	18	14
Peritonitis	319	25	9	10	4	2	5	1	15	18	16	23	40
Ascites	64	—	—	—	1	1	—	3	2	1	2	4	4
Ulceration of Intestines	191	3	2	2	1	—	1	1	4	2	6	10	12
Hernia	116	3	2	2	1	—	—	1	1	—	1	3	—
Ileus	293	43	7	6	5	2	4	3	7	7	5	6	7
Intussusception	49	1	11	5	2	—	—	1	2	2	2	1	1
Stricture of Intestines	26	1	—	—	—	—	—	—	1	—	—	—	2
Stomach Disease	685	72	44	32	31	7	12	5	18	11	11	15	15
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	154	2	2	—	5	2	1	1	—	—	3	6	9
Jaundice	217	77	5	1	7	4	—	—	1	1	1	—	6
Liver Disease	747	13	4	2	5	6	1	3	3	12	15	12	22
Spleen Disease	39	—	—	1	1	—	—	1	2	1	1	—	1
VIII. Nephritis	93	3	2	2	2	3	5	—	10	3	4	4	4
Nephria	339	—	—	—	2	3	8	3	14	10	14	19	25
Addison's Disease	8	—	—	—	—	—	—	—	—	—	—	1	1
Ischuria	55	2	—	—	—	—	—	—	3	—	—	3	—
Diabetes	96	—	—	—	1	—	—	—	—	4	12	4	7
Stone	56	—	—	—	—	—	—	—	—	1	3	1	—
Cystitis	175	—	—	—	—	—	2	—	1	2	3	3	1
Stricture of Urethra	12	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	273	—	2	3	3	2	2	6	10	4	9	15	17
IX. Paramenia	24	—	—	—	—	—	—	—	—	2	6	4	2
Ovarian Dropsy	71	—	—	—	—	—	—	—	—	—	2	8	6
Childbirth	381	—	—	—	—	—	—	—	—	—	13	53	92
Organs of Generation	57	—	—	—	1	1	—	1	—	—	2	3	7
X. Bone Disease	112	1	1	—	—	2	5	4	7	10	17	10	3
Rheumatism	170	—	—	—	1	—	—	—	4	7	7	2	7
Joint Disease	173	2	1	—	—	2	2	5	26	39	26	19	8
XI. Carbuncle	25	—	—	2	—	—	—	—	—	—	—	—	—
Phlegmon	20	2	—	—	—	—	—	—	2	1	1	4	—
Skin Disease	55	17	11	8	5	2	—	—	—	1	1	—	1
XVII. Intemperance	98	—	—	—	—	—	—	—	—	—	1	—	10
Privation	7	—	—	—	1	1	—	—	1	—	—	—	—
Want of Breast Milk	114	81	23	10	—	—	—	—	—	—	—	—	—
Neglect	2	1	—	—	—	1	—	—	—	—	—	—	—
Cold	24	—	—	2	—	—	—	—	1	1	1	1	1
Poison	49	3	—	—	2	2	2	2	3	—	1	2	2
Poisoned Wounds	1	—	—	—	—	—	—	—	1	—	—	—	—
Burns and Scalds	270	—	2	10	45	32	24	16	34	12	15	8	6
Hanging, etc.	55	—	—	—	—	—	—	—	—	1	1	4	1
Suffocation	167	66	32	8	2	2	4	—	4	—	5	2	7
Drowning	495	2	—	—	15	13	6	3	43	32	50	63	49
Fracture and Contusion	939	2	1	6	9	13	15	20	48	79	61	69	77
Gunshot Wounds	18	—	—	—	—	—	—	—	—	2	2	3	4
Cuts and Stabs	42	—	—	—	—	—	—	—	—	—	2	1	7
Other Violent Causes	82	27	1	—	1	2	—	1	5	5	1	2	6
Not Specified	2292	707	183	165	160	82	53	36	107	63	57	53	56

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1870.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	36866	3962	1436	2496	3029	1508	1053	784	2122	997	1298	1384	1244
SPECIFIED CAUSES	35657	3587	1333	2417	2945	1463	1029	771	2069	963	1268	1351	1213
I. Zymotic Class	7435	399	324	739	1139	743	542	429	1079	297	234	180	142
II. Diseases of Uncertain Seat	948	22	4	10	14	13	10	7	28	15	19	13	17
III. Tubercular Class	6327	129	191	413	506	224	207	121	463	273	592	727	584
IV. Brain and Nervous System	3107	220	108	145	168	67	42	50	116	92	68	57	74
V. Organs of Circulation	1789	11	2	6	1	1	2	2	26	26	40	41	48
VI. Respiratory Organs	5796	437	362	688	638	276	145	96	151	46	77	87	86
VII. Organs of Digestion	2593	313	157	291	359	73	28	18	55	45	46	50	59
VIII. Urinary Organs	731	4	3	3	6	4	9	6	18	11	26	28	31
IX. Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Organs of Locomotion	235	2	2	-	-	1	2	7	16	34	27	19	13
XI. Skin, etc.	55	10	8	7	4	1	-	-	1	2	1	-	-
XII. Malformation	166	145	8	8	3	-	-	-	-	-	-	1	-
XIII. Premature Debility	199 4	1782	129	83	-	-	-	-	-	-	-	-	-
XIV. Atrophy	214	-	-	-	63	22	10	8	10	9	9	8	3
XV. Age	2384	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	90	6	4	4	1	2	-	-	1	2	2	2	4
XVII. Violent Deaths	1793	107	31	20	43	36	32	27	105	111	127	138	152
I. Small Pox	72	2	9	6	2	2	-	3	8	2	5	12	7
Measles	419	4	13	63	146	85	34	22	39	6	2	3	-
Scarlatina	2208	16	23	128	323	312	266	262	667	138	41	9	7
Diphtheria	306	4	6	26	66	50	43	26	52	13	5	5	-
Hooping Cough	778	59	55	178	233	112	62	32	46	-	-	-	-
Croup	475	18	17	61	142	86	62	36	53	-	-	-	-
Thrush	20	13	3	3	1	-	-	-	-	-	-	-	-
Diarrhoea	940	175	131	189	157	34	16	2	12	8	2	7	3
Dysentery	110	3	14	10	8	3	2	-	1	1	1	2	4
Cholera	80	6	8	12	10	4	2	-	4	-	-	-	-
Influenza	70	7	-	5	2	-	1	-	4	3	3	1	2
Purpura	19	-	-	1	1	1	-	-	5	-	2	1	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	8	-	-	-	-	1	1	1	4	-	-	-	-
Typhus	750	2	4	7	8	10	10	11	49	41	61	78	60
Enteric Fever	566	1	5	12	14	19	25	20	89	57	79	39	33
Relapsing Fever	107	1	1	2	1	4	3	4	8	8	6	7	5
Simple Continued Fever	82	-	2	2	3	5	4	3	7	8	6	4	1
Infantile Remittent	68	2	2	13	14	11	9	5	12	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	77	-	-	-	-	1	-	1	9	9	16	7	8
Erysipelas	149	38	7	10	3	-	1	-	6	3	2	3	5
Pyæmia	21	1	-	2	-	1	-	1	2	-	2	-	2
Syphilis	104	47	24	9	4	1	-	-	-	-	1	2	5
Noma	5	-	-	-	1	1	1	-	2	-	-	-	-
Hydrophobia	1	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	35	6	1	1	-	-	1	2	2	-	1	1	3
Dropsy	254	-	-	1	6	3	6	2	20	10	9	2	3
Abscess	80	10	2	8	4	3	1	1	4	2	5	6	3
Ulcer	24	1	-	-	2	-	-	-	-	-	1	-	1
Fistula	11	-	-	-	-	-	-	-	-	1	-	-	-
Mortification	49	3	-	-	1	1	-	1	1	1	-	-	-
Cancer	486	2	1	-	1	6	2	1	1	1	3	4	7
Gout	9	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	449	6	22	29	40	19	15	14	58	55	60	39	16
Tabes Mesenterica	578	46	56	76	137	56	46	27	71	22	13	5	4
Phthisis	4161	12	20	46	85	49	45	35	165	167	505	678	558
Hydrocephalus	1139	65	93	262	244	100	101	45	169	29	14	5	6

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1870.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER.											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	296	4	18	28	39	14	7	19	45	23	21	14	12
Apoplexy	724	10	8	8	19	11	6	6	15	11	4	11	11
Paralysis	872	1	1	1	3	1	4	2	3	4	6	9	10
Delirium Tremens	43	—	—	—	—	—	—	—	—	—	—	4	4
Chorea	1	—	—	—	—	—	—	—	—	—	—	1	—
Epilepsy	113	—	—	—	—	—	—	—	—	18	9	6	10
Tetanus	20	9	—	—	1	—	—	—	1	3	1	1	—
Insanity	8	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	538	189	76	94	91	30	17	19	22	—	—	—	—
Brain Disease	498	7	5	14	15	11	8	4	30	33	27	10	27
V. Pericarditis	47	—	—	—	—	—	—	1	8	8	5	3	1
Aneurism	59	—	—	—	—	—	—	—	—	—	—	1	4
Heart Disease	1683	11	2	6	1	1	2	1	18	18	35	37	43
VI. Laryngitis	72	4	3	10	10	4	1	—	6	1	1	3	5
Bronchitis	3754	338	301	538	501	215	109	67	81	18	17	23	28
Pleurisy	140	1	3	1	4	4	3	2	5	5	7	8	2
Pneumonia	1366	83	55	131	115	49	30	24	57	18	46	42	39
Asthma	264	—	—	—	—	—	—	—	—	3	2	5	2
Lung Disease	200	11	—	8	8	4	2	3	2	1	4	6	10
VII. Teething	552	4	31	204	272	38	3	—	—	—	—	—	—
Quinsey	46	8	4	4	6	2	1	3	3	—	1	1	2
Gastritis	91	9	3	5	6	—	2	2	1	3	1	5	3
Enteritis	467	143	68	48	34	15	4	2	18	12	5	7	9
Peritonitis	152	18	9	8	2	2	3	1	9	9	9	8	9
Ascites	25	—	—	—	—	1	—	1	—	1	1	3	—
Ulceration of Intestines	92	2	1	1	—	—	1	—	2	2	2	5	6
Hernia	48	1	2	2	1	—	—	1	1	—	1	2	—
Ileus	150	28	4	4	1	2	2	2	3	5	4	4	3
Intussusception	29	1	6	2	2	—	—	—	1	1	2	1	—
Stricture of Intestines	17	1	—	—	—	—	—	—	1	—	—	—	1
Stomach Disease	328	38	24	13	22	6	10	2	12	4	5	5	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	81	1	2	—	4	2	1	1	—	1	1	4	6
Jaundice	116	49	1	—	4	2	—	—	1	1	1	—	1
Liver Disease	378	10	2	—	4	3	1	2	1	6	13	5	13
Spleen Disease	21	—	—	—	1	—	—	1	2	—	—	—	1
VIII. Nephritis	53	2	2	1	2	1	2	—	6	—	3	2	2
Nephria	197	—	—	—	1	2	6	3	4	3	7	12	16
Addison's Disease	4	—	—	—	—	—	—	—	—	—	—	—	1
Ischuria	43	2	—	—	—	—	—	—	1	—	—	3	—
Diabetes	56	—	—	—	—	—	—	—	—	2	7	—	3
Stone	51	—	—	—	—	—	—	—	—	1	3	1	—
Cystitis	156	—	—	—	—	—	1	—	1	2	3	—	1
Stricture of Urethra	12	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	159	—	1	2	3	1	—	3	6	3	3	10	8
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	73	1	1	—	—	—	2	4	5	8	8	9	1
Rheumatism	70	—	—	—	—	—	—	—	1	5	4	—	5
Joint Disease	92	1	1	—	—	1	—	3	10	21	15	10	7
XI. Carbuncle	17	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	5	1	—	—	—	—	—	—	1	1	1	—	—
Skin Disease	33	9	8	6	4	1	—	—	—	1	—	—	—
XVII. Intemperance	56	—	—	—	—	—	—	—	—	—	—	—	—
Privation	5	—	—	—	—	1	—	—	1	—	—	—	—
Want of Breast Milk	73	56	11	6	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	18	—	—	1	—	—	—	—	—	1	1	1	—
Poison	34	2	—	—	1	1	2	2	2	—	—	1	2
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	147	—	1	4	24	17	14	9	16	6	13	4	6
Hanging, etc.	42	—	—	—	—	—	—	—	—	1	—	4	—
Suffocation	106	35	18	6	1	2	2	—	3	—	3	2	6
Drowning	423	1	—	—	8	8	3	2	40	31	45	54	44
Fracture and Contusion	787	1	—	3	8	5	11	14	39	67	60	68	74
Gunshot Wounds	16	—	—	—	—	—	—	—	—	1	2	3	4
Cuts and Stabs	32	—	—	—	—	—	—	—	—	—	2	—	5
Other Violent Causes	54	12	1	—	1	2	—	—	4	4	1	1	4
Not Specified	1209	375	103	79	84	45	24	13	53	34	30	33	31

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	37299	2993	1154	2125	2783	1500	1056	784	1954	1008	1325	1399	1417
SPECIFIED CAUSES	36216	2661	1074	2039	2707	1463	1027	761	1900	974	1298	1379	1392
I. Zymotic Class	7746	356	283	655	1090	767	607	480	1066	306	231	214	227
II. Diseases of Uncertain Seat	1440	13	7	4	18	9	9	3	23	14	15	11	29
III. Tubercular Class	6700	73	162	350	438	223	179	103	394	399	760	787	661
IV. Brain and Nervous System	2835	177	65	114	153	59	47	40	117	54	51	52	67
V. Organs of Circulation	1771	5	1	—	3	—	1	4	19	43	54	50	54
VI. Respiratory Organs	5570	313	279	562	603	289	127	89	145	62	70	74	112
VII. Organs of Digestion	2404	211	100	242	293	51	17	14	44	32	37	59	81
VIII. Urinary Organs	376	1	1	2	2	4	8	3	20	13	19	22	24
IX. Organs of Generation	533	—	—	—	1	1	—	1	—	2	23	68	107
X. Organs of Locomotion	220	1	—	—	1	3	5	2	21	22	23	12	5
XI. Skin, etc.	45	9	3	3	1	1	—	—	1	—	1	4	1
XII. Malformation	110	92	7	3	3	2	—	1	1	—	—	1	—
XIII. Premature Debility	1549	1330	134	85	—	—	—	—	—	—	—	—	—
XIV. Atrophy	257	—	—	—	69	24	8	5	10	4	1	6	5
XV. Age	4030	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	60	5	4	3	—	—	—	1	4	2	—	2	1
XVII. Violent Deaths	570	75	28	16	32	30	19	15	35	21	13	17	18
I. Small Pox	42	4	7	5	4	1	—	1	5	3	3	1	3
Measles	415	7	3	58	151	88	32	23	40	4	2	1	2
Scarlatina	2148	15	18	115	255	295	303	245	644	134	53	26	21
Diphtheria	324	9	9	18	56	35	40	38	78	16	2	4	4
Hooping Cough	1005	53	67	214	289	163	97	57	58	6	1	—	—
Croup	382	9	7	35	105	76	54	52	43	1	—	—	—
Thrush	12	10	1	1	—	—	—	—	—	—	—	—	—
Diarrhœa	942	144	126	136	147	29	17	5	15	3	9	3	10
Dysentery	135	6	3	7	6	4	—	1	1	2	—	1	3
Cholera	63	6	—	11	10	1	1	1	7	2	—	2	2
Influenza	98	4	2	3	1	—	—	1	2	—	2	—	1
Purpura	17	1	1	2	—	1	1	1	1	—	1	1	3
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	—	1	1	—	1	—	—	—	—
Typhus	710	1	2	5	15	16	16	12	43	40	49	55	56
Enteric Fever	641	—	7	6	17	32	26	26	76	64	80	54	38
Relapsing Fever	98	1	1	4	5	3	4	3	7	5	5	3	2
Simple Continued Fever	69	—	—	2	5	3	4	3	12	8	2	4	2
Infantile Remittent	73	4	5	6	15	13	5	5	20	—	—	—	—
Metria	202	—	—	—	—	—	—	—	—	—	9	39	61
Rheumatic Fever	82	—	—	1	—	—	1	—	7	14	10	11	8
Erysipelas	181	42	12	10	3	4	2	2	5	3	1	7	7
Pyæmia	13	3	—	1	—	1	—	—	—	1	1	—	1
Syphilis	82	37	12	14	5	1	1	1	—	—	1	2	2
Noma	9	—	—	1	1	—	2	3	1	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	36	4	2	—	—	—	—	—	2	2	3	—	2
Dropsy	358	—	—	—	3	5	2	3	13	8	7	4	12
Abscess	61	3	4	4	4	2	4	—	3	2	2	—	2
Ulcer	25	—	—	—	—	—	—	—	—	—	2	1	1
Fistula	6	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	60	2	1	—	8	1	2	—	1	1	—	—	1
Cancer	887	4	—	—	3	1	1	—	4	1	1	6	10
Gout	7	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	349	7	11	24	20	15	24	10	49	35	40	19	18
Tabes Mesenterica	456	27	43	74	96	57	24	14	46	24	21	5	6
Phthisis	4987	8	20	46	98	66	54	36	180	319	692	760	635
Hydrocephalus	908	31	88	206	224	85	77	43	119	21	7	3	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1870.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	257	6	4	31	38	13	12	13	47	22	12	8	12
Apoplexy	683	7	10	11	11	4	6	3	9	6	8	12	18
Paralysis	922	1	—	1	—	3	—	—	3	5	1	6	12
Delirium Tremens	9	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	7	—	—	—	—	2	—	—	2	—	1	1	—
Epilepsy	102	—	—	—	—	—	—	—	1	10	13	10	9
Tetanus	21	12	—	1	—	—	1	—	1	1	—	1	—
Insanity	25	—	—	—	—	—	—	—	—	—	1	1	—
Convulsions	433	146	45	61	88	26	24	18	25	—	—	—	—
Brain Disease	376	5	6	9	16	11	4	6	29	10	15	13	15
V. Pericarditis	43	—	—	—	—	—	—	—	2	4	2	2	4
Aneurism	25	—	—	—	—	—	—	—	—	—	—	—	2
Heart Disease	1703	5	1	—	3	—	1	4	17	39	52	48	48
VI. Laryngitis	64	1	1	12	4	4	2	8	4	—	2	—	4
Bronchitis	4023	247	224	445	472	224	93	58	95	24	26	36	47
Pleurisy	73	2	1	—	5	2	1	—	4	1	3	2	4
Pneumonia	1049	61	51	101	116	54	27	21	39	32	28	30	46
Asthma	222	—	—	—	1	—	—	—	—	1	3	—	—
Lung Disease	139	2	2	4	5	5	4	2	3	4	8	6	11
VII. Teething	413	2	12	144	227	28	—	—	—	—	—	—	—
Quinsey	21	—	1	5	4	1	1	2	4	—	2	—	—
Gastritis	94	12	2	6	6	2	2	1	2	2	2	5	2
Enteritis	413	106	50	56	34	14	8	2	15	3	9	11	5
Peritonitis	167	7	—	2	2	—	2	—	6	9	7	15	31
Ascites	39	—	—	—	1	—	—	2	2	—	1	1	4
Ulceration of Intestines	99	1	1	1	1	—	—	1	2	—	4	5	6
Hernia	68	2	—	—	—	—	—	—	—	—	—	1	—
Ileus	143	15	3	2	4	—	2	1	4	2	1	2	4
Intussusception	20	—	5	3	—	—	—	1	1	1	—	—	1
Stricture of Intestines	9	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	357	34	20	19	9	1	2	3	6	7	6	10	10
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	73	1	—	—	1	—	—	—	—	1	2	2	3
Jaundice	101	28	4	1	3	2	—	—	—	—	—	—	5
Liver Disease	369	3	2	2	1	3	—	1	2	6	2	7	9
Spleen Disease	18	—	—	1	—	—	—	—	—	1	1	—	—
VIII. Nephritis	40	1	—	1	—	2	3	—	4	3	1	2	2
Nephria	142	—	—	—	1	1	2	—	10	7	7	7	9
Addison's Disease	4	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria	12	—	—	—	—	—	—	—	2	—	—	—	—
Diabetes	40	—	—	—	1	—	—	—	—	2	5	4	4
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	19	—	—	—	—	—	1	—	—	—	—	3	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	114	—	1	1	—	1	2	3	4	1	6	5	9
IX. Paramenia	24	—	—	—	—	—	—	—	—	2	6	4	2
Ovarian Dropsy	71	—	—	—	—	—	—	—	—	—	2	8	6
Childbirth	381	—	—	—	—	—	—	—	—	—	13	53	92
Organs of Generation	57	—	—	—	1	1	—	1	—	—	2	3	7
X. Bone Disease	39	—	—	—	—	2	3	—	2	2	9	1	2
Rheumatism	100	—	—	—	1	—	—	—	3	2	3	2	2
Joint Disease	81	1	—	—	—	1	2	2	16	18	11	9	1
XI. Carbuncle	8	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	15	1	—	—	—	—	—	—	1	—	—	4	—
Skin Disease	22	8	3	2	1	1	—	—	—	—	1	—	1
XVII. Intemperance	42	—	—	—	—	—	—	—	—	—	1	—	3
Privation	2	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	41	25	12	4	—	—	—	—	—	—	—	—	—
Neglect	2	1	—	—	—	1	—	—	—	—	—	—	—
Cold	6	—	—	1	—	—	—	—	1	—	—	—	1
Poison	15	1	—	—	1	1	—	—	1	—	1	1	—
Poisoned Wounds	1	—	—	—	—	—	—	—	1	—	—	—	—
Burns and Scalds	123	—	1	6	21	15	10	7	18	6	2	4	—
Hanging, etc.	13	—	—	—	—	—	—	—	—	—	1	—	1
Suffocation	61	31	14	2	1	—	2	—	1	—	2	—	1
Drowning	72	1	—	—	7	5	3	1	3	1	5	9	5
Fracture and Contusion	152	1	1	3	1	8	4	6	9	12	1	1	3
Gunshot Wounds	2	—	—	—	—	—	—	—	—	1	—	—	—
Cuts and Stabs	10	—	—	—	—	—	—	—	—	—	—	1	2
Other Violent Causes	28	15	—	—	—	—	—	1	1	1	—	1	2
Not Specified	1083	332	80	86	76	37	29	23	54	29	27	20	25

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2568	206	48	107	126	42	35	34	79	53	74	97	87
SPECIFIED CAUSES	2212	107	32	83	87	32	25	28	65	46	63	84	80
I. Zymotic Class	317	24	13	39	41	14	11	17	32	15	13	8	7
II. Diseases of Uncertain Seat	85	—	—	—	—	—	—	—	—	1	2	—	—
III. Tubercular Class	286	3	8	12	11	3	5	4	8	14	22	46	40
IV. Brain and Nervous System	160	6	2	6	2	—	2	1	11	3	2	6	5
V. Organs of Circulation	82	—	—	—	—	—	—	—	—	1	1	3	1
VI. Respiratory Organs	259	10	5	15	19	9	5	3	8	2	3	4	4
VII. Organs of Digestion	152	5	2	5	10	2	2	2	1	4	4	3	7
VIII. Urinary Organs	47	1	—	—	—	—	—	—	2	1	—	3	2
IX. Organs of Generation	22	—	—	—	—	—	—	—	—	—	—	3	1
X. Organs of Locomotion	15	—	—	—	—	—	—	—	—	2	—	—	—
XI. Skin, etc.	5	1	—	2	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	59	57	1	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	10	—	—	—	2	2	—	—	—	—	—	—	1
XV. Age	616	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	94	—	1	3	2	2	—	1	3	3	16	8	12
I. Small Pox	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles	21	1	1	2	6	2	—	2	5	—	1	1	—
Scarlatina	13	—	1	1	2	2	—	1	3	1	2	—	—
Diphtheria	28	4	2	1	5	2	3	3	4	1	—	—	—
Hooping Cough	61	4	1	15	18	3	3	6	9	2	—	—	—
Croup	39	7	3	9	8	3	3	3	3	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	26	2	3	5	1	—	1	—	1	—	1	1	—
Dysentery	7	—	—	—	—	1	—	—	—	—	—	—	1
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	19	2	—	3	1	—	—	—	—	1	2	—	1
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	48	—	—	1	—	1	—	2	4	4	3	4	3
Enteric Fever	19	—	—	—	—	—	1	—	1	1	4	1	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	9	—	—	—	—	—	—	—	1	3	—	—	—
Infantile Remittent	2	—	1	1	—	—	—	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	4	—	—	—	—	—	—	—	—	2	—	—	—
Erysipelas	5	—	1	1	—	—	—	—	1	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	6	2	—	—	—	—	—	—	—	—	—	1	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	1	—	—
Dropsy	30	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	3	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	10	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	37	—	—	—	—	—	—	—	—	—	—	—	—
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	15	—	1	4	—	—	—	—	1	—	2	1	—
Tabes Mesenterica	14	2	1	2	3	—	—	1	4	—	—	—	—
Phthisis	231	—	1	—	2	3	3	—	1	14	19	45	40
Hydrocephalus	26	1	5	6	6	—	2	3	2	—	1	—	—

CAUSES OF DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life,
in 1870.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	82	78	68	69	93	71	134	152	206	217	193	130	56	18	7	6	
SPECIFIED CAUSES .	75	73	58	53	79	61	98	152	206	217	193	130	56	18	7	4	
Zymotic Class . . .	14	8	4	5	11	5	14	9	8	2	1	2	—	—	—	—	
Uncertain Seat . . .	2	4	5	6	14	5	5	10	11	9	10	1	—	—	—	—	
Tubercular Class . .	20	17	12	17	13	10	13	3	4	—	1	—	—	—	—	—	
Brain, etc.	2	4	6	5	6	8	15	20	17	12	11	6	1	—	—	1	
Heart, etc.	3	3	7	2	10	4	9	12	7	14	2	2	—	—	—	1	
Respiratory Organs .	8	7	6	6	8	15	15	28	30	28	15	4	1	1	—	—	
Digestive Organs . .	8	8	6	8	8	6	17	14	16	9	4	—	1	—	—	—	
Urinary Organs . . .	1	4	2	1	3	2	1	5	5	6	7	1	—	—	—	—	
Generative Organs .	5	8	3	1	—	—	—	1	—	—	—	—	—	—	—	—	
Locomotive Organs .	1	—	2	—	1	1	—	1	1	1	2	3	—	—	—	—	
Skin	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	2	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	6	47	104	132	138	111	53	17	7	1	
Sudden Deaths . . .	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	
Violent Deaths . . .	9	10	3	2	5	3	3	2	—	4	1	—	—	—	—	1	
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	1	—	1	—	1	1	1	1	3	1	1	—	—	—	—	—	
Dysentery	—	—	—	—	1	—	1	2	—	—	1	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Influenza	1	—	—	—	—	2	3	2	1	—	—	—	—	—	—	—	
Purpura	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	6	3	3	3	5	—	5	—	1	—	—	—	—	—	—	—	
Enteric Fever . . .	2	3	—	—	1	1	2	1	1	—	—	—	—	—	—	—	
Relapsing Fever . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever .	1	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . .	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
Erysipelas	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	2	1	1	3	3	1	4	6	5	3	1	—	—	—	—	—	
Abscess	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification . . .	—	1	—	—	—	—	—	—	1	3	3	1	—	—	—	—	
Cancer	—	2	4	1	10	3	1	4	5	2	5	—	—	—	—	—	
Gout	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	
Scrofula	1	1	—	—	—	2	1	—	—	—	1	—	—	—	—	—	
Tabes Mesenterica .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	19	15	12	17	13	8	12	3	4	—	—	—	—	—	—	—	
Hydrocephalus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	16	—	1	2	—	—	—	—	5	2	1	2	1
Apoplexy	32	—	—	—	1	—	—	—	1	—	—	—	—
Paralysis	70	—	—	—	—	—	—	1	—	—	1	1	2
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	7	—	—	—	—	—	—	—	—	1	—	1	1
Tetanus	6	5	—	—	—	—	—	—	—	—	—	1	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	11	1	1	4	1	—	1	—	3	—	—	—	—
Brain Disease	16	—	—	—	—	—	1	—	2	—	—	1	1
V. Pericarditis	7	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	74	—	—	—	—	—	—	—	—	—	1	3	1
VI. Laryngitis	5	—	—	1	—	2	—	1	—	—	—	—	—
Bronchitis	160	7	3	13	16	5	4	2	6	—	—	—	1
Pleurisy	12	1	—	—	1	1	—	—	—	—	—	1	—
Pneumonia	44	2	2	—	2	—	1	—	2	2	2	3	2
Asthma	30	—	—	—	—	—	—	—	—	—	1	—	—
Lung Disease	8	—	—	1	—	1	—	—	—	—	—	—	1
VII. Teething	14	—	1	2	9	2	—	—	—	—	—	—	—
Quinsey	4	—	—	1	—	—	—	2	—	—	1	—	—
Gastritis	6	—	—	—	1	—	—	—	—	—	—	—	—
Enteritis	17	1	1	1	—	—	1	—	1	—	1	—	—
Peritonitis	11	2	—	1	—	—	—	—	—	1	1	—	2
Ascites	3	—	—	—	—	—	—	—	—	—	—	1	—
Ulceration of Intestines	4	—	—	—	—	—	—	—	—	1	—	1	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	13	—	—	—	—	—	—	—	—	1	—	—	1
Intussusception	2	1	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	30	—	—	—	—	—	1	—	—	1	—	1	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	10	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	5	1	—	—	—	—	—	—	—	—	—	—	1
Liver Disease	27	—	—	—	—	—	—	—	—	—	1	—	1
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	5	—	—	—	—	—	—	—	1	—	—	2	—
Nephria	8	—	—	—	—	—	—	—	—	1	—	1	—
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	7	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	10	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	9	—	—	—	—	—	—	—	1	—	—	—	2
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	18	—	—	—	—	—	—	—	—	—	—	3	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	5	—	—	—	—	—	—	—	—	1	—	—	—
Rheumatism	8	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	2	—	—	—	—	—	—	—	—	1	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	1	—	2	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	4	—	—	2	—	—	—	—	1	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	9	—	—	1	2	2	—	—	1	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	63	—	—	—	—	—	—	—	1	3	14	8	9
Fracture and Contusion	14	—	1	—	—	—	—	1	—	—	2	—	2
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	3	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	356	99	16	24	39	10	10	6	14	7	11	13	7

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1252	119	33	64	65	24	17	10	40	27	44	54	48
SPECIFIED CAUSES	1063	62	21	53	46	18	13	7	33	24	38	46	42
I. Zymotic Class	156	12	10	22	22	5	5	4	18	6	7	4	3
II. Diseases of Uncertain Seat	34	—	—	—	—	—	—	—	—	1	1	—	—
III. Tubercular Class	136	1	5	9	3	2	3	—	3	6	11	26	19
IV. Brain and Nervous System	90	4	2	4	1	—	1	1	3	—	2	3	1
V. Organs of Circulation	38	—	—	—	—	—	—	—	—	1	—	1	1
VI. Respiratory Organs	140	7	3	10	12	7	3	—	8	2	—	3	1
VII. Organs of Digestion	80	3	—	4	6	1	1	1	—	3	3	2	5
VIII. Urinary Organs	33	1	—	—	—	—	—	—	—	—	—	1	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	5	—	—	—	—	—	—	—	—	2	—	—	—
XI. Skin, etc.	5	1	—	2	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	34	33	1	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	3	—	—	—	1	1	—	—	—	—	—	—	—
XV. Age	230	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	78	—	—	2	1	2	—	1	1	3	14	6	11
I. Small Pox	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles	8	—	1	1	3	—	—	—	1	—	1	1	—
Scarlatina	8	—	1	—	1	1	—	—	3	1	1	—	—
Diphtheria	15	2	1	1	4	1	1	2	3	—	—	—	—
Hooping Cough	24	1	—	7	7	1	1	2	5	—	—	—	—
Croup	25	5	3	7	5	1	2	—	2	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	15	2	2	3	1	—	—	—	1	—	—	1	—
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	10	1	—	1	1	—	—	—	—	1	1	—	1
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	18	—	—	1	—	1	—	—	—	1	2	1	1
Enteric Fever	11	—	—	—	—	—	1	—	1	1	2	—	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	7	—	—	—	—	—	—	—	1	1	—	—	—
Infantile Remittent	1	—	1	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	1	—	—	—
Erysipelas	4	—	1	1	—	—	—	—	1	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	—	—	—	—	—	—	—	—	—	—	1	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	1	—	—
Dropsy	10	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	15	—	—	—	—	—	—	—	—	—	—	—	—
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	1	3	—	—	—	—	1	—	—	1	—
Tabes Mesenterica	7	—	—	2	2	—	—	—	2	—	—	—	—
Phthisis	110	—	—	—	—	2	1	—	—	6	11	25	19
Hydrocephalus	12	1	4	4	1	—	2	—	—	—	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	—	1	1	—	—	—	—	—	—	1	—	—
Apoplexy	21	—	—	—	1	—	—	—	1	—	—	—	—
Paralysis	41	—	—	—	—	—	—	1	—	—	1	1	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	—	—	1	—
Tetanus	3	3	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	6	1	1	3	—	—	—	—	1	—	—	—	—
Brain Disease	11	—	—	—	—	—	1	—	1	—	—	1	1
V. Pericarditis	3	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	35	—	—	—	—	—	—	—	—	—	—	1	1
VI. Laryngitis	2	—	—	—	—	2	—	—	—	—	—	—	—
Bronchitis	82	6	1	9	10	3	3	—	6	—	—	—	—
Pleurisy	8	1	—	—	1	1	—	—	—	—	—	1	—
Pneumonia	27	—	2	—	1	—	—	—	2	2	—	2	—
Asthma	16	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	5	—	—	1	—	1	—	—	—	—	—	—	1
VII. Teething	9	—	—	2	6	1	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	1	—	—	—	—	—
Gastritis	3	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	10	—	—	1	—	—	—	—	—	—	1	—	—
Peritonitis	10	2	—	1	—	—	—	—	—	1	1	—	2
Ascites	1	—	—	—	—	—	—	—	—	—	—	1	—
Ulceration of Intestines	3	—	—	—	—	—	—	—	—	1	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	6	—	—	—	—	—	—	—	—	—	—	—	1
Intussusception	1	1	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestine	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	13	—	—	—	—	—	1	—	—	1	—	1	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	15	—	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	—	—	1	—
Nephria	3	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	6	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	9	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	7	—	—	—	—	—	—	—	—	—	—	—	1
LX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	2	—	—	—	—	—	—	—	—	1	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	2	—	—	—	—	—	—	—	—	1	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	1	—	2	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	1	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	1	1	2	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	57	—	—	—	—	—	—	—	1	3	12	6	9
Fracture and Contusion	10	—	—	—	—	—	—	1	—	—	2	—	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	3	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	189	57	12	11	19	6	4	3	7	3	6	8	6

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1316	87	15	43	61	18	18	24	39	26	30	43	39
SPECIFIED CAUSES	1149	45	11	30	41	14	12	21	32	22	25	38	38
I. Zymotic Class	161	12	3	17	19	9	6	13	14	9	6	4	4
II. Diseases of Uncertain Seat	51	—	—	—	—	—	—	—	—	—	1	—	—
III. Tubercular Class	150	2	3	3	8	1	2	4	5	8	11	20	21
IV. Brain and Nervous System	70	2	—	2	1	—	1	—	8	3	—	3	4
V. Organs of Circulation	44	—	—	—	—	—	—	—	—	—	1	2	—
VI. Respiratory Organs	119	3	2	5	7	2	2	3	—	—	3	1	3
VII. Organs of Digestion	72	2	2	1	4	1	1	1	1	1	1	1	2
VIII. Urinary Organs	14	—	—	—	—	—	—	—	2	1	—	2	1
IX. Organs of Generation	22	—	—	—	—	—	—	—	—	—	—	3	1
X. Organs of Locomotion	10	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	25	24	—	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	1	1	—	—	—	—	—	—	1
XV. Age	386	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	16	—	1	1	1	—	—	—	2	—	2	2	1
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	13	1	—	1	3	2	—	2	4	—	—	—	—
Scarlatina	5	—	—	1	1	1	—	1	—	—	1	—	—
Diphtheria	13	2	1	—	1	1	2	1	1	1	—	—	—
Hooping Cough	37	3	1	8	11	2	2	4	4	2	—	—	—
Croup	14	2	—	2	3	2	1	3	1	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	11	—	1	2	—	—	1	—	—	—	1	—	—
Dysentery	7	—	—	—	—	1	—	—	—	—	—	—	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	9	1	—	2	—	—	—	—	—	—	1	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	30	—	—	—	—	—	—	2	4	3	1	3	2
Enteric Fever	8	—	—	—	—	—	—	—	—	—	2	1	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	2	—	—	—	—	—	—	—	—	2	—	—	—
Infantile Remittent	1	—	—	1	—	—	—	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	2	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	20	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	3	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	22	—	—	—	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	8	—	—	1	—	—	—	—	—	—	2	—	—
Tabes Mesenterica	7	2	1	—	1	—	—	1	2	—	—	—	—
Phthisis	121	—	1	—	2	1	2	—	1	8	8	20	21
Hydrocephalus	14	—	1	2	5	—	—	3	2	—	1	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	12	—	—	1	—	—	—	—	5	2	—	2	1
Apoplexy	11	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	29	—	—	—	—	—	—	—	—	—	—	—	2
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	1	—	—	1
Tetanus	3	2	—	—	—	—	—	—	—	—	—	1	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	—	—	1	1	—	1	—	2	—	—	—	—
Brain Disease	5	—	—	—	—	—	—	—	1	—	—	—	—
V. Pericarditis	4	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	39	—	—	—	—	—	—	—	—	—	1	2	—
VI. Laryngitis	3	—	—	1	—	—	—	1	—	—	—	—	—
Bronchitis	78	1	2	4	6	2	1	2	—	—	—	—	1
Pleurisy	4	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	17	2	—	—	1	—	1	—	—	—	2	1	2
Asthma	14	—	—	—	—	—	—	—	—	—	1	—	—
Lung Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	5	—	1	—	3	1	—	—	—	—	—	—	—
Quinsey	3	—	—	1	—	—	—	1	—	—	1	—	—
Gastritis	3	—	—	—	1	—	—	—	—	—	—	—	—
Enteritis	7	1	1	—	—	—	1	—	1	—	—	—	—
Peritonitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	1	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	7	—	—	—	—	—	—	—	—	1	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	17	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	6	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	5	1	—	—	—	—	—	—	—	—	—	—	1
Liver Disease	12	—	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	3	—	—	—	—	—	—	—	1	—	—	1	—
Nephria	5	—	—	—	—	—	—	—	—	1	—	1	—
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	1	—	—	—	1
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	18	—	—	—	—	—	—	—	—	—	—	3	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	7	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	1	—	—	—	—	1	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	—	—	—	1	—	—	—	1	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	6	—	—	—	—	—	—	—	—	—	2	2	—
Fracture and Contusion	4	—	1	—	—	—	—	—	—	—	—	—	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	2	—	—	1	2	4	—	2	—	—	—	—	—	—	
Paralysis	—	—	—	1	1	2	3	3	7	4	4	1	—	—	—	1	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	—	1	—	—	—	1	—	—	—	1	—	1	—	—	—	
Pericarditis	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
Heart Disease	2	2	3	1	5	1	8	3	3	6	1	1	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Bronchitis	3	1	2	—	3	6	6	5	14	13	5	1	—	—	—	—	
Pleurisy	1	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	
Pneumonia	1	—	—	2	—	—	—	1	1	1	2	—	—	—	—	—	
Asthma	1	1	—	—	2	—	1	3	1	2	1	1	—	—	—	—	
Lung Disease	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	
Peritonitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus	—	—	—	1	—	—	2	—	1	1	—	—	1	—	—	—	
Intussusception	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	1	2	1	2	2	1	3	1	2	2	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	2	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	
Jaundice	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	
Liver Disease	—	—	2	—	1	—	3	1	3	—	1	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Nephria	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
Addison's Disease	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Diabetes	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Childbirth	3	7	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bone Disease	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	
Rheumatism	—	—	1	—	—	1	—	—	1	—	1	3	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
Hanging, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	4	2	5	7	7	7	19	—	—	—	—	—	—	—	—	2	

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35377	3229	1133	1865	2209	1283	898	693	1981	1064	1275	1313	1128
SPECIFIED CAUSES	33879	2753	1004	1767	2131	1231	868	670	1911	1017	1235	1281	1092
I. Zymotic Class	6881	285	252	538	913	698	539	441	1131	361	243	180	142
II. Diseases of Uncertain Seat	1283	17	6	5	17	7	8	7	19	11	9	12	21
III. Tubercular Class	5713	73	135	319	312	169	135	62	360	336	648	732	536
IV. Brain and Nervous System	2819	137	61	100	131	55	24	38	94	77	59	53	59
V. Organs of Circulation	1792	8	3	3	3	—	1	4	23	26	44	38	35
VI. Respiratory Organs	4675	365	261	457	398	198	97	71	109	46	62	67	67
VII. Organs of Digestion	2466	236	133	240	247	42	11	16	51	42	47	55	65
VIII. Urinary Organs	527	2	—	2	2	6	12	5	23	11	17	18	21
IX. Organs of Generation	250	—	—	—	—	1	—	—	—	2	13	32	51
X. Organs of Locomotion	233	2	2	—	1	2	3	2	15	25	20	10	8
XI. Skin, etc.	51	11	4	2	3	1	—	—	1	—	1	2	—
XII. Malformation	149	127	8	7	4	1	—	1	—	—	—	1	—
XIII. Premature Debility	1610	1412	119	79	—	—	—	—	—	—	—	—	—
XIV. Atrophy	193	—	—	—	57	21	7	6	6	5	5	6	5
XV. Age	4017	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	59	4	4	4	—	1	—	1	2	1	—	4	1
XVII. Violent Deaths	1161	74	16	11	43	29	31	16	77	74	67	71	81
I. Small Pox	34	—	2	3	4	1	—	1	5	2	2	4	4
Measles	401	7	7	58	146	84	27	18	37	8	2	3	—
Scarlatina	2398	16	22	117	322	322	313	268	730	172	62	21	13
Diphtheria	289	2	11	17	50	36	42	29	60	20	5	5	3
Hooping Cough	593	62	48	133	138	89	44	30	44	4	—	—	—
Croup	358	12	12	34	85	78	49	38	49	1	—	—	—
Thrush	10	7	1	2	—	—	—	—	—	—	—	—	—
Diarrhoea	736	97	93	110	101	27	9	4	13	4	4	8	5
Dysentery	139	4	11	11	6	2	2	1	2	2	1	1	3
Cholera	56	2	2	8	9	2	—	—	5	1	—	—	1
Influenza	106	8	2	4	—	—	1	—	3	2	2	—	1
Purpura	18	1	1	2	1	1	—	1	2	—	2	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	9	—	—	—	—	2	2	1	3	—	—	—	—
Typhus	395	1	3	4	9	10	12	12	38	39	27	36	22
Enteric Fever	716	1	11	8	18	24	28	21	89	72	103	57	42
Relapsing Fever	27	—	—	—	—	—	—	—	—	5	2	3	1
Simple Continued Fever	96	—	2	2	2	4	3	6	13	10	8	6	3
Infantile Remittent	72	5	5	9	17	12	5	4	15	—	—	—	—
Metria	95	—	—	—	—	—	—	—	—	—	2	18	28
Rheumatic Fever	102	—	—	—	—	1	—	1	14	14	18	11	8
Erysipelas	157	37	7	8	4	1	1	2	7	4	2	5	5
Pyæmia	18	3	—	2	—	1	—	—	1	1	—	—	1
Syphilis	49	20	12	5	—	1	—	1	—	—	1	1	2
Noma	7	—	—	1	1	—	1	3	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	38	3	3	1	—	—	—	2	3	1	—	1	2
Dropsy	294	—	—	—	6	2	2	4	12	7	2	6	7
Abscess	79	7	3	4	5	2	3	1	2	1	3	3	3
Ulcer	21	—	—	—	1	—	—	—	—	—	1	—	1
Fistula	9	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	55	3	—	—	3	1	1	—	1	—	—	—	1
Cancer	777	4	—	—	2	2	2	—	1	2	3	2	7
Gout	10	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	380	2	17	20	17	13	12	7	43	46	58	32	22
Tabes Mesenterica	397	19	44	64	81	40	22	9	39	21	20	4	6
Phthisis	4121	10	15	42	57	41	29	16	144	240	560	691	504
Hydrocephalus	815	42	59	193	157	75	72	30	134	29	10	5	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.		BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12										
IV. Cephalitis	278	4	11	27	40	13	4	15	48	24	16	8	15	
Apoplexy	707	6	3	4	14	7	6	5	10	9	8	16	8	
Paralysis	919	1	—	1	1	2	—	—	1	3	4	9	7	
Delirium Tremens	25	—	—	—	—	—	—	—	—	—	—	2	1	
Chorea	4	—	—	—	—	—	—	—	1	—	1	1	—	
Epilepsy	116	—	—	—	—	—	—	—	—	16	15	6	10	
Tetanus	18	8	—	—	—	—	—	—	—	3	1	—	—	
Insanity	13	—	—	—	—	—	—	—	—	—	1	1	—	
Convulsions	345	112	42	60	66	26	11	14	14	—	—	—	—	
Brain Disease	394	6	5	8	10	7	3	4	20	22	13	10	18	
V. Pericarditis	40	—	—	—	—	—	—	1	3	4	4	2	2	
Aneurism	35	—	—	—	—	—	—	—	—	—	—	—	2	
Heart Disease	1717	8	3	3	3	—	1	3	20	22	40	36	31	
VI. Laryngitis	57	—	2	8	5	3	2	4	6	—	1	2	3	
Bronchitis	3013	284	217	353	311	150	77	42	51	19	16	22	23	
Pleurisy	114	1	3	1	5	3	—	1	6	2	6	6	3	
Pneumonia	1120	76	38	91	75	40	17	23	45	23	32	31	34	
Asthma	244	—	—	—	—	—	—	—	—	2	3	1	1	
Lung Disease	127	4	1	4	2	2	1	1	1	—	4	5	3	
VII. Teething	359	5	17	146	169	22	—	—	—	—	—	—	—	
Quinsey	29	4	3	2	7	1	—	2	2	—	2	—	—	
Gastritis	110	9	2	7	6	—	1	2	1	5	3	3	1	
Enteritis	467	118	64	59	36	12	4	3	19	10	9	10	5	
Peritonitis	158	8	7	7	2	2	1	—	8	8	8	16	17	
Ascites	36	—	—	—	—	1	—	2	1	1	1	2	3	
Ulceration of Intestines	119	—	1	2	1	—	—	—	3	—	4	5	6	
Hernia	57	1	1	1	1	—	—	1	1	—	—	—	—	
Ileus	158	17	5	2	5	—	3	2	3	3	2	2	2	
Intussusception	39	—	8	4	2	—	—	1	2	2	2	—	1	
Stricture of Intestines	11	1	—	—	—	—	—	—	1	—	—	—	—	
Stomach Disease	328	22	17	9	10	1	2	—	6	5	7	9	6	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	84	1	2	—	3	1	—	1	—	2	3	2	6	
Jaundice	116	44	3	—	4	—	—	—	—	1	—	—	4	
Liver Disease	374	6	3	1	1	2	—	1	2	4	6	6	14	
Spleen Disease	21	—	—	—	—	—	—	1	2	1	—	—	—	
VIII. Nephritis	35	1	—	—	1	1	4	—	3	—	1	1	1	
Nephria	160	—	—	—	1	3	7	2	10	4	9	7	11	
Addison's Disease	6	—	—	—	—	—	—	—	—	—	—	1	1	
Ischuria	33	1	—	—	—	—	—	—	3	—	—	2	—	
Diabetes	46	—	—	—	—	—	—	—	—	4	3	1	3	
Stone	32	—	—	—	—	—	—	—	—	1	1	—	—	
Cystitis	96	—	—	—	—	—	1	—	—	1	2	—	—	
Stricture of Urethra	5	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	114	—	—	2	—	2	—	3	7	1	1	6	5	
IX. Paramenia	15	—	—	—	—	—	—	—	—	2	5	3	—	
Ovarian Dropsy	35	—	—	—	—	—	—	—	—	—	1	3	1	
Childbirth	172	—	—	—	—	—	—	—	—	—	7	23	46	
Organs of Generation	28	—	—	—	—	1	—	—	—	—	—	3	4	
X. Bone Disease	62	1	1	—	—	—	3	1	4	6	7	4	2	
Rheumatism	105	—	—	—	1	—	—	—	3	5	3	—	2	
Joint Disease	66	1	1	—	—	2	—	1	8	14	10	6	4	
XI. Carbuncle	13	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	12	2	—	—	—	—	—	—	1	—	1	2	—	
Skin Disease	26	9	4	2	3	1	—	—	—	—	—	—	—	
XVII. Intemperance	40	—	—	—	—	—	—	—	—	—	—	—	6	
Privation	4	—	—	—	1	1	—	—	1	—	—	—	—	
Want of Breast Milk	37	28	6	3	—	—	—	—	—	—	—	—	—	
Neglect	2	1	—	—	—	1	—	—	—	—	—	—	—	
Cold	19	—	—	—	—	—	—	—	—	1	1	1	1	
Poison	23	1	—	—	1	1	2	1	2	—	1	—	1	
Poisoned Wounds	1	—	—	—	—	—	—	—	1	—	—	—	—	
Burns and Scalds	136	—	1	2	29	12	16	6	19	5	4	3	1	
Hanging, etc.	30	—	—	—	—	—	—	—	—	1	1	3	—	
Suffocation	78	29	9	2	—	1	1	—	2	—	4	2	5	
Drowning	261	—	—	—	10	8	5	3	25	14	28	34	25	
Fracture and Contusion	464	2	—	4	2	5	7	6	23	48	27	26	33	
Gunshot Wounds	11	—	—	—	—	—	—	—	—	1	—	2	3	
Cuts and Stabs	13	—	—	—	—	—	—	—	—	—	—	—	1	
Other Violent Causes	42	13	—	—	—	—	—	—	4	4	1	—	5	
Not Specified	1498	476	129	98	78	52	30	23	70	47	40	32	36	

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17522	1828	628	1023	1132	642	439	348	1029	533	626	671	539
SPECIFIED CAUSES	16714	1570	553	972	1090	615	426	340	997	508	606	650	518
I. Zymotic Class	3336	147	127	285	456	352	262	212	572	185	120	79	45
II. Diseases of Uncertain Seat	509	9	2	4	8	4	3	5	11	5	6	6	8
III. Tubercular Class	2784	53	71	173	169	79	67	31	198	125	289	373	271
IV. Brain and Nervous System	1458	79	38	55	59	28	13	22	39	49	34	23	30
V. Organs of Circulation	873	6	2	3	1	—	1	1	12	10	17	17	14
VI. Respiratory Organs	2422	214	161	263	202	94	45	39	59	21	30	36	29
VII. Organs of Digestion	1303	136	85	133	137	28	5	10	30	24	24	26	29
VIII. Urinary Organs	355	2	—	1	1	4	6	3	9	7	10	11	12
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	122	1	2	—	—	1	1	1	5	14	10	8	6
XI. Skin, etc.	27	7	3	1	2	—	—	—	—	—	1	—	—
XII. Malformation	84	72	3	6	3	—	—	—	—	—	—	—	—
XIII. Premature Debility	886	796	52	38	—	—	—	—	—	—	—	—	—
XIV. Atrophy	90	—	—	—	28	9	4	5	3	4	5	4	2
XV. Age	1543	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	32	2	1	3	—	1	—	—	—	1	—	2	1
XVII. Violent Deaths	890	46	6	7	24	15	19	11	59	63	60	65	71
I. Small Pox	19	—	2	3	—	—	—	1	2	1	1	3	2
Measles	196	3	6	26	65	41	13	14	19	5	1	2	—
Scarlatina	1210	8	13	62	178	171	143	130	369	92	30	4	3
Diphtheria	144	1	4	11	30	20	20	12	27	10	4	2	—
Hooping Cough	272	39	17	63	63	35	20	13	21	—	—	—	—
Croup	193	5	9	20	41	41	33	17	27	—	—	—	—
Thrush	7	4	1	2	—	—	—	—	—	—	—	—	—
Diarrhœa	340	49	44	65	49	15	4	2	6	2	—	5	—
Dysentery	64	1	9	4	4	2	2	—	1	1	1	1	2
Cholera	32	1	2	3	5	1	—	—	2	—	—	—	—
Influenza	47	5	—	3	—	—	1	—	3	2	2	—	—
Purpura	8	—	—	—	1	—	—	—	2	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	7	—	—	—	—	1	1	1	3	—	—	—	—
Typhus	206	1	2	2	2	6	4	8	20	24	16	25	9
Enteric Fever	332	1	5	6	8	8	14	10	46	32	45	26	21
Relapsing Fever	16	—	—	—	—	—	—	—	—	3	—	2	1
Simple Continued Fever	57	—	2	1	1	3	2	3	5	5	6	3	1
Infantile Remittent	32	1	1	8	6	6	4	—	6	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	47	—	—	—	—	1	—	1	8	5	10	5	3
Erysipelas	68	18	1	3	2	—	—	—	3	3	2	1	2
Pyæmia	9	1	—	1	—	—	—	—	1	—	—	—	—
Syphilis	27	9	9	2	—	1	—	—	—	—	1	—	1
Noma	3	—	—	—	1	—	1	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	14	1	1	1	—	—	—	2	1	—	—	1	1
Dropsy	116	—	—	—	4	1	1	2	8	4	2	2	1
Abscess	44	5	1	3	2	1	—	1	1	—	2	3	3
Ulcer	10	—	—	—	1	—	—	—	—	—	—	—	1
Fistula	5	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	26	2	—	—	—	—	—	—	1	—	—	—	—
Cancer	289	1	—	—	1	2	2	—	—	1	2	—	2
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	212	1	9	14	11	7	2	3	21	27	35	24	10
Tabes Mesenterica	216	14	25	33	47	19	14	6	24	11	6	2	4
Phthisis	1902	8	5	25	27	15	17	9	70	68	239	343	254
Hydrocephalus	454	30	32	101	84	38	34	13	83	19	9	4	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1870.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	461	481	456	503	561	642	789	889	1003	998	737	403	127	21	2	11
SPECIFIED CAUSES	432	456	433	478	538	601	742	889	1003	998	737	403	127	21	2	9
Zymotic Class	41	48	42	33	43	46	57	48	48	55	23	6	4	—	—	—
Uncertain Seat	12	17	20	19	42	38	54	70	76	44	31	12	3	—	—	—
Tubercular Class	183	161	117	116	90	75	68	39	25	10	1	—	—	—	—	—
Brain, etc.	28	39	41	50	63	74	107	151	148	157	81	40	8	1	—	1
Heart, etc.	20	28	28	52	64	81	97	120	123	99	54	19	2	—	—	2
Respiratory Organs	42	47	67	66	101	121	153	193	159	156	77	39	6	1	—	1
Digestive Organs	33	33	34	52	54	62	100	88	83	59	29	7	2	—	—	—
Urinary Organs	11	15	18	12	16	33	23	43	41	46	18	9	4	—	—	—
Generative Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs	2	2	8	6	8	11	6	9	9	5	5	2	—	—	—	—
Skin	1	1	—	1	1	1	6	—	—	2	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	2	—	1	4	6	13	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	31	100	261	356	413	264	97	19	2	—
Sudden Deaths	2	1	3	1	—	3	7	1	3	—	—	—	—	—	—	—
Violent Deaths	55	64	54	66	50	43	33	27	27	9	5	5	1	—	—	5
Small Pox	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—
Measles	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	1	2	1	—	2	—	—	—	1	—	—	—	—	—	—	—
Diphtheria	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	3	3	3	6	3	10	10	13	14	14	12	5	3	—	—	—
Dysentery	—	3	1	—	2	5	4	4	6	9	2	—	—	—	—	—
Cholera	1	—	1	1	4	3	5	—	2	1	—	—	—	—	—	—
Influenza	—	—	—	3	1	1	3	5	3	9	6	—	—	—	—	—
Purpura	—	—	1	—	—	—	1	—	1	1	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	10	14	12	5	13	4	11	9	4	5	—	—	—	—	—	—
Enteric Fever	14	14	11	10	7	13	15	7	9	8	2	—	—	—	—	—
Relapsing Fever	3	1	2	2	—	1	—	—	1	—	—	—	—	—	—	—
Simple Cont. Fever	5	2	3	2	3	2	—	2	2	4	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	5	—	1	3	2	—	1	1	—	—	—	—	—	—	—
Erysipelas	—	—	4	1	3	2	6	6	4	4	1	1	1	—	—	—
Pyæmia	—	1	—	—	1	2	1	1	—	—	—	—	—	—	—	—
Syphilis	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	—	1	2	—	1	—	—	1	—	—	—	—	—
Dropsy	4	4	1	2	8	7	9	11	17	16	8	4	—	—	—	—
Abscess	1	4	2	1	1	1	2	3	5	1	1	—	—	—	—	—
Ulcer	—	—	2	—	1	1	2	2	—	—	—	—	—	—	—	—
Fistula	1	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	2	—	1	1	4	5	6	2	2	—	—	—
Cancer	5	8	15	13	27	27	39	52	49	22	15	5	1	—	—	—
Gout	—	—	—	1	1	—	1	—	1	—	—	1	—	—	—	—
Scrofula	6	7	13	1	6	6	4	4	—	1	—	—	—	—	—	—
Tabes Mesenterica	3	1	—	4	2	1	—	—	—	—	—	—	—	—	—	—
Phthisis	173	151	103	111	82	68	64	35	25	9	1	—	—	—	—	—
Hydrocephalus	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	150	2	8	14	18	8	1	10	22	15	12	4	8
Apoplexy	374	4	1	2	8	5	4	4	4	6	3	8	5
Paralysis	440	—	—	—	1	1	—	—	1	2	4	3	3
Delirium Tremens	21	—	—	—	—	—	—	—	—	—	—	2	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	57	—	—	—	—	—	—	—	—	9	6	2	5
Tetanus	9	2	—	—	—	—	—	—	—	2	1	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	176	66	27	34	25	10	5	7	2	—	—	—	—
Brain Disease	228	5	2	5	7	4	3	1	10	15	8	3	8
V. Pericarditis	18	—	—	—	—	—	—	1	2	2	3	2	—
Aneurism	22	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	833	6	2	3	1	—	1	—	10	8	14	15	13
VI. Laryngitis	28	—	2	1	3	1	1	—	4	—	—	2	2
Bronchitis	1467	162	133	210	158	72	36	25	26	12	4	10	7
Pleurisy	78	—	3	1	1	2	—	1	3	2	4	4	1
Pneumonia	640	49	23	48	40	19	8	12	26	6	19	17	15
Asthma	135	—	—	—	—	—	—	—	—	1	2	1	1
Lung Disease	74	3	—	3	—	—	—	1	—	—	1	2	3
VII. Teething	208	3	13	84	95	13	—	—	—	—	—	—	—
Quinsey	23	4	2	1	5	1	—	1	2	—	1	—	—
Gastritis	56	2	1	5	3	—	—	1	—	3	1	3	1
Enteritis	265	69	38	30	19	8	1	2	11	9	3	5	5
Peritonitis	75	4	7	5	1	2	—	—	5	4	4	6	4
Ascites	13	—	—	—	—	1	—	—	—	1	—	1	—
Ulceration of Intestines	59	—	1	1	—	—	—	—	2	—	1	4	4
Hernia	23	—	1	1	1	—	—	1	1	—	—	—	—
Ileus	82	11	3	1	1	—	2	2	2	2	2	1	—
Intussusception	22	—	4	1	2	—	—	—	1	1	2	—	—
Stricture of Intestines	8	1	—	—	—	—	—	—	1	—	—	—	—
Stomach Disease	158	12	11	4	6	1	2	—	3	—	4	2	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	40	—	2	—	2	1	—	1	—	1	1	2	3
Jaundice	62	25	—	—	1	—	—	—	—	1	—	—	1
Liver Disease	194	5	2	—	1	1	—	1	—	2	5	2	10
Spleen Disease	15	—	—	—	—	—	—	1	2	—	—	—	—
VIII. Nephritis	23	1	—	—	1	1	1	—	2	—	—	—	—
Nephria	91	—	—	—	—	2	5	2	1	2	5	6	7
Addison's Disease	3	—	—	—	—	—	—	—	—	—	—	—	1
Ischuria	26	1	—	—	—	—	—	—	1	—	—	2	—
Diabetes	26	—	—	—	—	—	—	—	—	2	2	—	1
Stone	28	—	—	—	—	—	—	—	—	1	1	—	—
Cystitis	87	—	—	—	—	—	—	—	—	1	2	—	—
Stricture of Urethra	5	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	66	—	—	1	—	1	—	1	5	1	—	3	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	42	1	1	—	—	—	1	1	2	4	4	3	1
Rheumatism	46	—	—	—	—	—	—	—	1	3	2	—	1
Joint Disease	34	—	1	—	—	1	—	—	2	7	4	5	4
XI. Carbuncle	10	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	1	—	—	—	—	—	—	—	—	1	—	—
Skin Disease	15	6	3	1	2	—	—	—	—	—	—	—	—
XVII. Intemperance	24	—	—	—	—	—	—	—	—	—	—	—	3
Privation	3	—	—	—	—	1	—	—	1	—	—	—	—
Want of Breast Milk	24	21	1	2	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	15	—	—	—	—	—	—	—	—	1	1	1	—
Poison	15	1	—	—	—	1	2	1	1	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	63	—	1	—	14	5	8	2	7	3	3	1	1
Hanging, etc.	25	—	—	—	—	—	—	—	—	1	—	3	—
Suffocation	53	16	4	2	—	1	—	—	2	—	2	2	5
Drowning	227	—	—	—	8	6	2	2	24	14	27	30	22
Fracture and Contusion	394	1	—	3	2	1	7	6	21	41	26	26	32
Gunshot Wounds	9	—	—	—	—	—	—	—	—	—	—	2	3
Cuts and Stabs	10	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	28	7	—	—	—	—	—	—	3	3	1	—	8
Not Specified	808	258	75	51	42	27	13	8	32	25	20	21	21

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	4	4	4	—	5	3	2	—	1	1	—	—	—	—	—
Apoplexy	4	9	9	23	19	29	35	53	49	48	24	11	6	1	—	—
Paralysis	7	10	10	8	24	24	49	60	68	88	50	24	2	—	—	1
Delirium Tremens	2	3	3	1	—	1	3	2	2	1	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	4	3	4	3	1	4	2	4	3	1	1	—	—	—	—
Tetanus	—	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—
Insanity	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	6	9	11	10	16	13	12	31	24	16	5	4	—	—	—	—
Pericarditis	1	—	—	2	1	2	1	—	—	1	—	—	—	—	—	—
Aneurism	—	2	3	2	1	1	3	2	3	1	3	—	—	—	—	—
Heart Disease	19	26	25	48	62	78	93	118	120	97	51	19	2	—	—	2
Laryngitis	1	3	—	—	2	1	2	2	1	—	—	—	—	—	—	—
Bronchitis	9	10	25	29	32	50	82	108	75	107	50	29	4	1	—	1
Pleurisy	3	3	6	3	3	8	6	6	8	5	4	1	—	—	—	—
Pneumonia	19	24	26	22	39	36	36	52	50	30	16	6	2	—	—	—
Asthma	3	2	7	8	17	16	16	21	20	14	5	1	—	—	—	—
Lung Disease	7	5	3	4	8	10	11	4	5	—	2	2	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	1	—	—	—	1	—	3	—	1	—	—	—	—	—	—
Gastritis	3	1	1	3	5	1	3	10	4	2	3	—	—	—	—	—
Enteritis	5	1	3	3	9	11	8	6	9	6	2	1	1	—	—	—
Peritonitis	3	1	3	4	2	4	5	4	2	3	1	1	—	—	—	—
Ascites	—	—	—	—	—	2	3	1	3	—	1	—	—	—	—	—
Ulceration of Intestines	1	5	5	2	5	3	5	5	12	2	1	—	—	—	—	—
Hernia	—	—	—	1	2	1	1	—	2	5	5	—	1	—	—	—
Ileus	3	3	—	6	7	4	6	7	9	5	2	3	—	—	—	—
Intussusception	—	—	—	1	2	—	3	2	1	1	1	—	—	—	—	—
Stricture of Intestines	1	—	—	—	1	—	—	1	2	1	—	—	—	—	—	—
Stomach Disease	2	7	5	10	7	14	24	14	12	15	1	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	2	2	2	2	4	2	5	3	3	—	1	—	—	—	—
Jaundice	3	3	—	1	—	1	7	4	6	4	5	—	—	—	—	—
Liver Disease	9	8	13	18	12	15	31	24	17	11	7	—	—	—	—	—
Spleen Disease	2	1	2	1	—	1	2	2	1	—	—	—	—	—	—	—
Nephritis	—	2	1	1	—	3	1	4	2	1	1	1	—	—	—	—
Nephria	4	3	8	6	7	13	4	6	5	3	1	1	—	—	—	—
Addison's Disease	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	1	—	1	1	2	2	4	5	2	2	1	—	—	—
Diabetes	1	4	3	1	1	1	4	3	2	1	—	—	—	—	—	—
Stone	1	—	—	—	1	5	2	5	6	4	1	—	1	—	—	—
Cystitis	—	2	2	2	2	5	3	17	13	21	10	5	2	—	—	—
Stricture of Urethra	1	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—
Kidney Disease	4	3	2	1	3	5	7	6	7	10	3	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	1	2	2	3	5	2	2	3	3	—	1	—	—	—	—	—
Rheumatism	1	—	3	1	2	7	4	6	6	5	3	1	—	—	—	—
Joint Disease	—	—	3	2	1	2	—	—	—	—	1	1	—	—	—	—
Carbuncle	—	1	—	1	1	1	4	—	—	2	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Intemperance	1	1	5	3	3	3	1	2	2	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	1	1	2	—	1	3	2	—	—	—	—	—	—	—
Poison	2	2	1	1	1	—	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	3	3	2	1	2	2	1	2	—	1	1	—	—	—	—
Hanging, etc.	2	1	1	2	4	4	4	2	1	—	—	—	—	—	—	—
Suffocation	3	6	1	4	—	2	1	—	—	1	—	1	—	—	—	—
Drowning	18	13	12	11	9	10	8	4	1	—	—	1	—	—	—	5
Fracture and Contusion	24	35	27	38	27	20	14	11	18	7	4	2	1	—	—	—
Gunshot Wounds	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—
Cuts and Stabs	—	—	2	2	2	1	1	—	—	1	—	—	—	—	—	—
Other Violent Causes	3	2	1	1	—	1	1	2	—	—	—	—	—	—	—	—
Not Specified	29	25	23	25	23	41	47	—	—	—	—	—	—	—	—	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17855	1401	505	842	1077	641	459	345	952	531	649	642	589
SPECIFIED CAUSES	17165	1183	451	795	1041	616	442	330	914	509	629	631	574
I. Zymotic Class	3545	138	125	253	457	346	277	229	559	176	123	101	97
II. Diseases of Uncertain Seat	774	8	4	1	9	3	5	2	8	6	3	6	13
III. Tubercular Class	2929	20	64	146	143	90	68	31	162	211	359	359	265
IV. Brain and Nervous System	1361	58	23	45	72	27	11	16	55	28	25	30	29
V. Organs of Circulation	919	2	1	—	2	—	—	3	11	16	27	21	21
VI. Respiratory Organs	2253	151	100	194	196	104	52	32	50	25	32	31	38
VII. Organs of Digestion	1163	100	48	107	110	14	6	6	21	18	23	29	36
VIII. Urinary Organs	172	—	—	1	1	2	6	2	14	4	7	7	9
IX. Organs of Generation	250	—	—	—	—	1	—	—	—	2	13	32	51
X. Organs of Locomotion	111	1	—	—	1	1	2	1	10	11	10	2	2
XI. Skin, etc.	24	4	1	1	1	1	—	—	1	—	—	2	—
XII. Malformation	65	55	5	1	1	1	—	1	—	—	—	1	—
XIII. Premature Debility	724	616	67	41	—	—	—	—	—	—	—	—	—
XIV. Atrophy	103	—	—	—	29	12	3	1	3	1	—	2	3
XV. Age	2474	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	27	2	3	1	—	—	—	1	2	—	—	2	—
XVII. Violent Deaths	271	28	10	4	19	14	12	5	18	11	7	6	10
I. Small Pox	15	—	—	—	4	1	—	—	3	1	1	1	2
Measles	205	4	1	32	81	43	14	4	18	3	1	1	—
Scarlatina	1188	8	9	55	144	151	170	138	361	80	32	17	10
Diphtheria	145	1	7	6	20	16	22	17	33	10	1	3	3
Hooping Cough	321	23	31	70	75	54	24	17	23	4	—	—	—
Croup	165	7	3	14	44	37	16	21	22	1	—	—	—
Thrush	3	3	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	396	48	49	45	52	12	5	2	7	2	4	3	5
Dysentery	75	3	2	7	2	—	—	1	1	1	—	—	1
Cholera	24	1	—	5	4	1	—	—	3	1	—	—	1
Influenza	59	3	2	1	—	—	—	—	—	—	—	—	1
Purpura	10	1	1	2	—	1	—	1	—	—	1	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	1	1	—	—	—	—	—	—
Typhus	189	—	1	2	7	4	8	4	18	15	11	11	13
Enteric Fever	384	—	6	2	10	16	14	11	43	40	58	31	21
Relapsing Fever	11	—	—	—	—	—	—	—	—	2	2	1	—
Simple Continued Fever	39	—	—	1	1	1	1	3	8	5	2	3	2
Infantile Remittent	40	4	4	1	11	6	1	4	9	—	—	—	—
Metria	95	—	—	—	—	—	—	—	—	—	2	18	28
Rheumatic Fever	55	—	—	—	—	—	—	—	6	9	8	6	5
Erysipelas	89	19	6	5	2	1	1	2	4	1	—	4	3
Pyæmia	9	2	—	1	—	1	—	—	—	1	—	—	1
Syphilis	22	11	3	3	—	—	—	1	—	—	—	1	1
Noma	4	—	—	1	—	—	—	3	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	24	2	2	—	—	—	—	—	2	1	—	—	1
Dropsy	178	—	—	—	2	1	1	2	4	3	—	4	6
Abscess	35	2	2	1	3	1	3	—	1	1	1	—	—
Ulcer	11	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	4	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	29	1	—	—	3	1	1	—	—	—	—	—	1
Cancer	488	3	—	—	1	—	—	—	1	1	1	2	5
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	168	1	8	6	6	6	10	4	22	19	23	8	12
Tabes Mesenterica	181	5	19	31	34	21	8	3	15	10	14	2	2
Phthisis	2219	2	10	17	30	26	12	7	74	172	321	348	250
Hydrocephalus	361	12	27	92	73	37	38	17	51	10	1	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	128	2	3	13	22	5	3	5	26	9	4	4	7
Apoplexy	333	2	2	2	6	2	2	1	6	3	5	8	3
Paralysis	479	1	—	1	—	1	—	—	—	1	—	6	4
Delirium Tremens	4	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	4	—	—	—	—	—	—	—	1	—	1	1	—
Epilepsy	59	—	—	—	—	—	—	—	—	7	9	4	5
Tetanus	9	6	—	—	—	—	—	—	—	1	—	—	—
Insanity	10	—	—	—	—	—	—	—	—	—	1	—	—
Convulsions	169	46	15	26	41	16	6	7	12	—	—	—	—
Brain Disease	166	1	3	3	3	3	—	3	10	7	5	7	10
V. Pericarditis	22	—	—	—	—	—	—	—	1	2	1	—	2
Aneurism	13	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	884	2	1	—	2	—	—	3	10	14	26	21	18
VI. Laryngitis	29	—	—	7	2	2	1	4	2	—	1	—	1
Bronchitis	1546	122	84	143	153	78	41	17	25	7	12	12	16
Pleurisy	36	1	—	—	4	1	—	—	3	—	2	2	2
Pneumonia	480	27	15	43	35	21	9	11	19	17	13	14	19
Asthma	109	—	—	—	—	—	—	—	—	1	1	—	—
Lung Disease	53	1	1	1	2	2	1	—	1	—	3	3	—
VII. Teething	151	2	4	62	74	9	—	—	—	—	—	—	—
Quinsey	6	—	1	1	2	—	—	1	—	—	1	—	—
Gastritis	54	7	1	2	3	—	1	1	1	2	2	—	—
Enteritis	202	49	26	29	17	4	3	1	8	1	6	5	—
Peritonitis	83	4	—	2	1	—	1	—	3	4	4	10	13
Ascites	23	—	—	—	—	—	—	2	1	—	1	1	3
Ulceration of Intestines	60	—	—	1	1	—	—	—	1	—	3	1	2
Hernia	34	1	—	—	—	—	—	—	—	—	—	—	—
Ileus	76	6	2	1	4	—	1	—	1	1	—	1	2
Intussusception	17	—	4	3	—	—	—	1	1	1	—	—	1
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	170	10	6	5	4	—	—	—	3	5	3	7	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	44	1	—	—	1	—	—	—	—	1	2	—	3
Jaundice	54	19	3	—	3	—	—	—	—	—	—	—	3
Liver Disease	180	1	1	1	—	1	—	—	2	2	1	4	4
Spleen Disease	6	—	—	—	—	—	—	—	—	1	—	—	—
VIII. Nephritis	12	—	—	—	—	—	3	—	1	—	1	1	1
Nephria	69	—	—	—	1	1	2	—	9	2	4	1	4
Addison's Disease	3	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria	7	—	—	—	—	—	—	—	2	—	—	—	—
Diabetes	20	—	—	—	—	—	—	—	—	2	1	1	2
Stone	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	9	—	—	—	—	—	1	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	48	—	—	1	—	1	—	2	2	—	1	3	2
IX. Paramenia	15	—	—	—	—	—	—	—	—	2	5	3	—
Ovarian Dropsy	35	—	—	—	—	—	—	—	—	—	1	3	1
Childbirth	172	—	—	—	—	—	—	—	—	—	7	23	46
Organs of Generation	28	—	—	—	—	1	—	—	—	—	—	3	4
X. Bone Disease	20	—	—	—	—	—	2	—	2	2	3	1	1
Rheumatism	59	—	—	—	1	—	—	—	2	2	1	—	1
Joint Disease	32	1	—	—	—	1	—	1	6	7	6	1	—
XI. Carbuncle	3	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	10	1	—	—	—	—	—	—	1	—	—	2	—
Skin Disease	11	3	1	1	1	1	—	—	—	—	—	—	—
XVII. Intemperance	16	—	—	—	—	—	—	—	—	—	—	—	3
Privation	1	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	13	7	5	1	—	—	—	—	—	—	—	—	—
Neglect	2	1	—	—	—	1	—	—	—	—	—	—	—
Cold	4	—	—	—	—	—	—	—	—	—	—	—	1
Poison	8	—	—	—	1	—	—	—	1	—	1	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	1	—	—	—	—
Burns and Scalds	73	—	—	2	15	7	8	4	12	2	1	2	—
Hanging, etc.	5	—	—	—	—	—	—	—	—	—	1	—	—
Suffocation	25	13	5	—	—	—	1	—	—	—	2	—	—
Drowning	34	—	—	—	2	2	3	1	1	—	1	4	3
Fracture and Contusion	70	1	—	1	—	4	—	—	2	7	1	—	1
Gunshot Wounds	2	—	—	—	—	—	—	—	—	1	—	—	—
Cuts and Stabs	3	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	14	6	—	—	—	—	—	—	1	1	—	—	2
Not Specified	690	218	54	47	36	25	17	15	38	22	20	11	15

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	8	4	1	1	3	2	2	—	1	—	1	—	—	—	—
Apoplexy	13	9	10	17	13	28	36	41	45	44	17	16	2	—	—	—
Paralysis	4	4	13	12	26	24	45	60	89	93	70	20	5	—	—	—
Delirium Tremens	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—
Chorea	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	5	4	2	4	6	2	4	1	—	—	—	1	—	—	—
Tetanus	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	1	—	1	1	3	1	—	1	1	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	6	2	5	9	12	9	11	11	15	12	16	2	1	—	—	—
Pericarditis	2	1	2	—	2	—	1	2	3	—	1	2	—	—	—	—
Aneurism	—	—	1	—	1	2	2	—	2	1	3	—	—	—	—	—
Heart Disease	23	35	38	43	58	67	109	101	138	88	62	22	2	1	—	—
Laryngitis	—	1	1	2	2	—	—	1	—	2	—	—	—	—	—	—
Bronchitis	16	25	24	28	26	54	91	110	161	128	107	56	9	—	—	1
Pleurisy	—	1	1	—	—	1	4	5	3	2	2	2	—	—	—	—
Pneumonia	10	15	9	18	19	19	17	34	50	22	18	5	1	—	—	—
Asthma	1	3	6	1	7	10	20	13	28	11	4	1	1	—	—	1
Lung Disease	2	4	3	6	4	3	3	2	6	3	2	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	4	2	2	2	3	4	7	2	2	3	3	—	—	—	—	—
Enteritis	3	2	2	2	4	10	8	4	10	4	3	1	—	—	—	—
Peritonitis	6	6	4	2	3	3	2	5	4	4	1	1	—	—	—	—
Ascites	—	1	1	1	1	2	1	1	4	2	1	—	—	—	—	—
Ulceration of Intestines	1	5	4	6	6	4	7	9	7	1	1	—	—	—	—	—
Hernia	1	1	—	1	6	3	2	4	6	5	3	1	—	—	—	—
Ileus	2	4	3	2	3	4	7	11	7	10	3	1	—	—	—	—
Intussusception	1	—	1	—	1	1	1	—	—	1	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—
Stomach Disease	7	4	7	8	6	10	25	20	13	13	7	2	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	3	2	2	5	8	3	3	5	1	1	—	—	—	—	—
Jaundice	—	1	—	—	2	4	6	1	5	3	3	—	—	1	—	—
Liver Disease	6	9	10	14	19	20	21	23	20	14	6	—	1	—	—	—
Spleen Disease	—	1	—	—	—	1	1	2	—	—	—	—	—	—	—	—
Nephritis	—	1	—	—	—	—	1	—	1	1	1	—	—	—	—	—
Nephria	1	6	6	4	3	4	2	8	4	4	2	1	—	—	—	—
Addison's Disease	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—
Diabetes	—	1	2	—	4	2	—	4	1	—	—	—	—	—	—	—
Stone	—	—	—	1	—	1	—	—	1	—	1	—	—	—	—	—
Cystitis	1	1	1	—	—	—	1	1	1	1	1	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	1	2	5	6	4	3	7	4	1	1	1	—	—	—	—
Paramenia	3	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	3	—	4	4	3	6	3	2	3	2	—	—	—	—	—	—
Childbirth	31	32	28	5	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	2	1	3	3	2	4	2	3	—	—	—	—	—	—	—
Bone Disease	2	1	1	2	1	—	1	1	—	—	—	—	—	—	—	—
Rheumatism	1	3	3	2	3	4	9	8	10	6	2	1	—	—	—	—
Joint Disease	—	—	2	—	—	1	1	3	—	1	1	—	—	—	—	—
Carbuncle	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—
Phlegmon	1	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Skin Disease	—	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—
Intemperance	2	2	1	3	2	2	—	—	1	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—
Poison	1	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	2	—	3	2	1	2	3	4	2	—	—	—	—	—
Hanging, etc.	1	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—
Suffocation	—	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—
Drowning	2	—	2	4	4	—	2	1	1	—	—	—	—	—	—	1
Fracture and Contusion	4	2	4	6	2	2	4	8	6	6	6	3	1	—	—	—
Gunshot Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	1	—	—	—	2	—	—	1	—	—	—	—	—	—	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	36220	3520	1409	2649	3477	1683	1176	841	2016	883	1274	1373	1446
SPECIFIED CAUSES	35782	3388	1371	2606	3434	1663	1163	834	1993	874	1268	1365	1433
I. Zymotic Class	7983	446	342	817	1275	798	599	451	982	227	209	206	220
II. Diseases of Uncertain Seat	1020	18	5	9	15	15	11	3	32	17	23	12	25
III. Tubercular Class	7028	126	210	432	621	275	246	158	489	322	682	736	669
IV. Brain and Nervous System	2963	254	110	153	188	71	63	51	128	66	58	50	77
V. Organs of Circulation	1686	8	—	3	1	1	2	2	22	42	49	50	66
VI. Respiratory Organs	6432	375	375	778	824	358	170	111	179	60	82	90	127
VII. Organs of Digestion	2379	283	122	288	395	80	32	14	47	31	32	51	68
VIII. Urinary Organs	533	2	4	3	6	2	5	4	13	12	28	29	32
IX. Organs of Generation	261	—	—	—	1	—	—	1	—	—	10	33	55
X. Organs of Locomotion	207	1	—	—	—	2	4	7	22	29	30	21	10
XI. Skin, etc.	44	7	7	6	2	1	—	—	1	2	1	2	1
XII. Malformation	127	110	7	4	2	1	—	—	1	—	—	1	—
XIII. Premature Debility	1874	1643	143	88	—	—	—	—	—	—	—	—	—
XIV. Atrophy	268	—	—	—	73	23	11	7	14	8	5	8	2
XV. Age	1781	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	88	7	4	3	1	1	—	—	3	3	2	—	4
XVII. Violent Deaths	1108	108	42	22	30	35	20	25	60	55	57	76	77
I. Small Pox	79	5	14	8	2	2	—	3	8	3	6	9	6
Measles	412	3	8	61	145	87	39	25	37	2	1	—	2
Scarlatina	1945	15	18	125	254	283	256	238	578	99	30	14	15
Diphtheria	313	7	2	26	67	47	38	32	66	8	2	4	1
Hooping Cough	1129	46	73	244	366	183	112	53	51	—	1	—	—
Croup	460	8	9	53	154	81	64	47	44	—	—	—	—
Thrush	21	15	3	2	1	—	—	—	—	—	—	—	—
Diarrhœa	1120	220	161	210	202	36	23	3	13	7	6	1	8
Dysentery	99	5	6	6	8	4	—	—	—	1	—	2	3
Cholera	86	10	6	15	11	3	3	1	6	1	—	2	1
Influenza	43	1	—	1	2	—	—	1	3	—	1	1	1
Purpura	17	—	—	1	—	1	1	—	4	—	1	1	3
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	—	—	—	2	—	—	—	—
Typhus	1017	2	3	7	14	15	14	9	50	38	80	93	91
Enteric Fever	472	—	1	10	13	27	22	25	75	48	52	35	29
Relapsing Fever	177	2	2	6	6	7	7	7	15	8	9	7	6
Simple Continued Fever	46	—	—	2	6	4	5	—	5	3	—	2	—
Infantile Remittent	67	1	1	9	12	12	9	6	17	—	—	—	—
Metria	102	—	—	—	—	—	—	—	—	—	7	21	32
Rheumatic Fever	53	—	—	1	—	—	1	—	2	7	8	7	8
Erysipelas	168	43	11	11	2	3	2	—	3	2	1	5	7
Pyæmia	16	1	—	1	—	1	—	1	1	—	3	—	2
Syphilis	131	62	24	18	9	1	1	—	—	—	1	2	4
Noma	7	—	—	—	1	1	2	—	2	—	—	—	1
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	32	7	—	—	—	—	1	—	1	1	3	—	3
Dropsy	288	—	—	1	3	6	6	1	21	11	14	—	8
Abscess	61	6	3	8	3	3	2	—	5	3	4	3	2
Ulcer	25	1	—	—	1	—	—	—	—	—	1	1	1
Fistula	8	—	—	—	—	—	—	—	—	1	—	—	1
Mortification	44	2	1	—	6	1	1	1	1	1	—	—	—
Cancer	559	2	1	—	2	5	1	1	4	—	1	8	10
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	403	11	15	29	43	21	27	17	63	44	40	25	12
Tabes Mesenterica	623	52	54	84	149	73	48	31	74	25	14	6	4
Phthisis	4796	10	24	50	124	71	67	55	200	232	618	702	649

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1269	1339	1341	1294	1369	1387	1613	1346	1389	949	707	324	93	26	9	18
SPECIFIED CAUSES	1261	1328	1333	1287	1354	1371	1601	1346	1389	949	707	324	93	26	9	12
Zymotic Class	173	175	165	173	149	120	154	98	87	64	37	10	3	1	—	2
Uncertain Seat	32	76	71	90	99	113	125	96	61	45	21	6	—	—	—	—
Tubercular Class	500	430	380	229	207	139	98	46	17	12	1	—	—	—	—	3
Brain, etc.	81	88	102	126	138	189	214	241	228	144	105	33	4	1	—	—
Heart, etc.	97	117	121	151	144	168	195	171	159	68	39	8	1	—	—	1
Respiratory Organs	148	188	224	282	351	351	429	321	306	168	85	39	9	1	—	1
Digestive Organs	58	65	99	106	115	125	130	100	79	35	18	5	—	—	—	1
Urinary Organs	44	38	50	35	28	38	37	47	36	25	9	5	1	—	—	—
Generative Organs	62	43	26	11	8	4	3	—	3	1	—	—	—	—	—	—
Locomotive Organs	8	7	13	4	8	9	5	8	13	6	—	—	—	—	—	—
Skin	—	3	—	2	3	2	2	1	—	1	—	—	—	—	—	—
Malformation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	7	9	15	17	27	42	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	144	183	376	373	384	215	74	23	9	—
Sudden Deaths	1	7	11	10	4	10	10	5	2	—	—	—	—	—	—	—
Violent Deaths	50	81	56	51	73	61	55	29	22	7	8	3	1	—	—	4
Small Pox	6	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	7	5	4	1	1	—	1	1	—	—	—	—	—	—	—	—
Diphtheria	2	5	3	1	—	1	1	—	—	—	—	—	—	—	—	—
Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	6	12	12	24	14	18	32	24	30	27	25	5	1	—	—	—
Dysentery	4	4	6	2	5	10	8	9	6	8	1	1	—	—	—	—
Cholera	2	2	1	7	1	2	7	—	2	2	1	—	—	—	—	—
Influenza	—	—	1	1	2	3	7	2	10	5	—	—	—	1	—	—
Purpura	1	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	86	94	87	93	85	54	48	25	18	6	1	2	1	—	—	1
Enteric Fever	18	16	19	12	12	11	18	16	6	4	1	—	1	—	—	1
Relapsing Fever	12	8	11	14	11	7	18	5	6	2	1	—	—	—	—	—
Simple Cont. Fever	3	2	—	4	1	2	1	2	2	—	2	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	20	13	6	3	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	3	4	2	2	2	2	1	—	2	—	—	—	—	—	—
Erysipelas	—	2	7	7	11	8	10	12	7	8	4	2	—	—	—	—
Pyæmia	—	3	—	—	1	1	—	1	—	—	—	—	—	—	—	—
Syphilis	5	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	2	6	—	1	2	1	2	—	1	—	—	—	—	—	—
Dropsy	10	20	15	21	26	26	32	30	17	11	6	3	—	—	—	—
Abscess	2	4	1	1	4	—	2	2	3	—	—	—	—	—	—	—
Ulcer	—	2	1	1	5	—	3	5	1	1	1	—	—	—	—	—
Fistula	—	1	—	1	1	—	2	—	1	—	—	—	—	—	—	—
Mortification	1	—	1	1	3	2	7	3	3	6	3	—	—	—	—	—
Cancer	18	47	47	65	59	83	76	53	36	26	11	3	—	—	—	—
Gout	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
Scrofula	9	3	12	7	5	6	3	5	3	2	—	—	—	—	—	1
Tabes Mesenterica	—	1	1	—	4	—	2	1	—	—	—	—	—	—	—	—
Phthisis	489	425	367	222	198	133	93	40	14	10	1	—	—	—	—	2
Hydrocephalus	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	253	6	10	30	37	14	15	17	39	19	16	12	8
Apoplexy	668	11	15	15	15	8	6	4	13	8	4	7	21
Paralysis	805	1	1	1	2	2	4	1	5	6	2	5	13
Delirium Tremens	26	—	—	—	—	—	—	—	—	—	—	2	4
Chorea	4	—	—	—	—	2	—	—	1	—	—	1	—
Epilepsy	92	—	—	—	—	—	—	—	1	11	7	9	8
Tetanus	17	8	—	1	1	—	1	—	2	1	—	1	—
Insanity	19	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	615	222	78	91	112	30	29	23	30	—	—	—	—
Brain Disease	464	6	6	15	21	15	8	6	37	21	29	12	23
V. Pericarditis	43	—	—	—	—	—	—	—	7	7	3	3	3
Aneurism	48	—	—	—	—	—	—	—	—	—	—	1	4
Heart Disease	1595	8	—	5	1	1	2	2	15	35	46	46	59
VI. Laryngitis	74	5	2	13	9	3	1	3	4	1	2	1	6
Bronchitis	4604	294	305	617	646	284	121	81	119	23	27	37	51
Pleurisy	87	1	1	—	3	2	4	1	3	4	4	3	3
Pneumonia	1251	66	66	141	154	63	39	22	49	25	40	38	49
Asthma	212	—	—	—	1	—	—	—	—	2	1	4	1
Lung Disease	204	9	1	7	11	6	5	4	4	5	8	7	17
VII. Teething	592	1	25	200	321	42	3	—	—	—	—	—	—
Quinsey	34	4	2	6	3	2	2	1	5	—	—	1	2
Gastritis	69	12	3	4	5	2	3	1	2	—	—	7	4
Enteritis	396	130	53	44	32	17	7	1	13	5	4	8	9
Peritonitis	150	15	2	2	2	—	4	1	7	9	7	7	21
Ascites	25	—	—	—	1	—	—	1	1	—	—	1	1
Ulceration of Intestines	68	3	1	—	—	—	1	1	1	1	2	4	6
Hernia	57	2	1	1	—	—	—	—	—	—	1	3	—
Ileus	122	26	2	4	—	2	1	1	4	3	3	4	4
Intussusception	8	—	3	1	—	—	—	—	—	—	—	1	—
Stricture of Intestines	13	—	—	—	—	—	—	—	—	—	—	—	2
Stomach Disease	327	50	27	23	21	6	9	5	12	5	4	5	8
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	60	1	—	—	2	1	1	—	—	—	—	4	2
Jaundice	96	32	2	1	3	4	—	—	1	—	1	—	1
Liver Disease	346	7	1	1	4	4	1	2	1	8	8	6	7
Spleen Disease	16	—	—	1	1	—	—	—	—	—	1	—	1
VIII. Nephritis	53	2	2	2	1	2	1	—	6	3	3	1	3
Nephria	171	—	—	—	1	—	1	1	4	5	5	11	14
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	15	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	48	—	—	—	1	—	—	—	—	—	9	3	4
Stone	19	—	—	—	—	—	—	—	—	—	2	1	—
Cystitis	69	—	—	—	—	—	1	—	1	1	1	3	1
Stricture of Urethra	7	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	150	—	2	1	3	—	2	3	2	3	8	9	10
IX. Paramenia	8	—	—	—	—	—	—	—	—	—	1	1	2
Ovarian Dropsy	34	—	—	—	—	—	—	—	—	—	1	5	5
Childbirth	191	—	—	—	—	—	—	—	—	—	6	27	45
Organs of Generation	28	—	—	—	1	—	—	1	—	—	2	—	3
X. Bone Disease	45	—	—	—	—	2	2	3	3	3	10	6	1
Rheumatism	57	—	—	—	—	—	—	—	1	2	4	2	5
Joint Disease	105	1	—	—	—	—	2	4	18	24	16	13	4
XI. Carbuncle	11	—	—	2	—	—	—	—	—	—	—	—	—
Phlegmon	8	—	—	—	—	—	—	—	1	1	—	2	—
Skin Disease	25	7	7	4	2	1	—	—	—	1	1	—	1
XVII. Intemperance	58	—	—	—	—	—	—	—	—	—	1	—	4
Privation	3	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	77	53	17	7	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	25	2	—	—	1	1	—	1	1	—	—	2	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	125	—	1	7	14	18	8	10	14	7	11	5	5
Hanging, etc.	25	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	89	37	23	6	2	1	3	—	2	—	1	—	2
Drowning	171	2	—	—	5	5	1	—	17	15	8	21	15
Fracture and Contusion	461	—	—	2	7	8	8	13	25	31	32	43	42
Gunshot Wounds	7	—	—	—	—	—	—	—	—	1	2	1	1
Cuts and Stabs	26	—	—	—	—	—	—	—	—	—	2	1	5
Other Violent Causes	40	14	1	—	1	2	—	1	1	1	—	2	1
Not Specified	438	132	38	43	43	20	13	7	23	9	6	8	13

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	18092	2015	775	1409	1832	842	597	426	1053	437	628	659	657
SPECIFIED CAUSES	17880	1955	759	1392	1809	830	590	424	1039	431	624	655	653
I. Zymotic Class	3943	240	187	432	661	386	275	213	489	106	107	97	94
II. Diseases of Uncertain Seat	405	13	2	6	6	9	7	2	17	9	12	7	9
III. Tubercular Class	3407	75	115	231	334	143	137	90	262	142	292	328	294
IV. Brain and Nervous System	1559	137	68	86	108	39	28	27	74	43	32	31	43
V. Organs of Circulation	878	5	—	3	—	1	1	1	14	15	23	23	33
VI. Respiratory Organs	3234	216	198	415	424	175	97	57	84	23	47	48	56
VII. Organs of Digestion	1210	174	72	154	216	44	22	7	25	18	19	22	25
VIII. Urinary Organs	343	1	3	2	5	—	3	3	9	4	16	16	18
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	108	1	—	—	—	—	1	6	11	18	17	11	7
XI. Skin, etc.	23	2	5	4	2	1	—	—	1	2	—	—	—
XII. Malformation	82	73	5	2	—	—	—	—	—	—	—	1	—
XIII. Premature Debility	1074	953	76	45	—	—	—	—	—	—	—	—	—
XIV. Atrophy	121	—	—	—	34	12	6	3	7	5	4	4	1
XV. Age	611	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	57	4	3	1	1	1	—	—	1	1	2	—	3
XVII. Violent Deaths	825	61	25	11	18	19	13	15	45	45	53	67	70
I. Small Pox	52	1	7	3	2	2	—	2	6	1	4	9	5
Measles	215	1	6	36	78	44	21	8	19	1	—	—	—
Scarlatina	990	8	9	66	144	140	123	132	295	45	10	5	4
Diphtheria	147	1	1	14	32	29	22	12	22	3	1	3	—
Hooping Cough	482	19	38	108	163	76	41	17	20	—	—	—	—
Croup	257	8	5	34	96	44	27	19	24	—	—	—	—
Thrush	13	9	2	1	1	—	—	—	—	—	—	—	—
Diarrhœa	585	124	85	121	107	19	12	—	5	6	2	1	3
Dysentery	46	2	5	6	4	1	—	—	—	—	—	1	2
Cholera	47	5	6	9	5	3	2	—	2	—	—	—	—
Influenza	13	1	—	1	1	—	—	—	1	—	—	1	1
Purpura	10	—	—	1	—	1	—	—	3	—	1	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	526	1	2	4	6	3	6	3	29	16	43	52	50
Enteric Fever	223	—	—	6	6	11	10	10	42	24	32	13	12
Relapsing Fever	90	1	1	2	1	4	3	4	8	5	6	5	4
Simple Continued Fever	18	—	—	1	2	2	2	—	1	2	—	1	—
Infantile Remittent	35	1	—	5	8	5	5	5	6	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	27	—	—	—	—	—	—	—	1	3	6	2	5
Erysipelas	77	20	5	6	1	—	1	—	2	—	—	2	3
Pyæmia	12	—	—	1	—	1	—	1	1	—	2	—	2
Syphilis	74	38	15	7	4	—	—	—	—	—	—	1	3
Noma	2	—	—	—	—	1	—	—	1	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	20	5	—	—	—	—	1	—	1	—	—	—	2
Dropsy	128	—	—	1	2	2	5	—	12	6	7	—	2
Abscess	36	5	1	5	2	2	1	—	3	2	3	3	—
Ulcer	14	1	—	—	1	—	—	—	—	—	1	—	—
Fistula	6	—	—	—	—	—	—	—	—	1	—	—	—
Mortification	17	1	—	—	1	1	—	1	—	—	—	—	—
Cancer	182	1	1	—	—	4	—	1	1	—	1	4	5
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	230	5	12	12	29	12	13	11	36	28	25	14	6
Tabes Mesenterica	355	32	31	41	88	37	32	21	45	11	7	3	—
Phthisis	2149	4	15	21	58	32	27	26	95	93	255	310	285
Hydrocephalus	673	34	57	157	159	62	65	32	86	10	5	1	3

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	136	2	9	13	21	6	6	9	23	8	8	10	4
Apoplexy	329	6	7	6	10	6	2	2	10	5	1	3	6
Paralysis	391	1	1	1	2	—	4	1	2	2	1	5	7
Delirium Tremens	21	—	—	—	—	—	—	—	—	—	—	2	3
Chorea	1	—	—	—	—	—	—	—	—	—	—	1	—
Epilepsy	53	—	—	—	—	—	—	—	—	9	3	3	5
Tetanus	8	4	—	—	1	—	—	—	1	1	—	1	—
Insanity	5	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	356	122	48	57	66	20	12	12	19	—	—	—	—
Brain Disease	259	2	3	9	8	7	4	3	19	18	19	6	18
V. Pericarditis	26	—	—	—	—	—	—	—	6	5	2	1	1
Aneurism	37	—	—	—	—	—	—	—	—	—	—	1	3
Heart Disease	815	5	—	3	—	1	1	1	8	10	21	21	29
VI. Laryngitis	42	4	1	9	7	1	—	—	2	1	1	1	3
Bronchitis	2205	170	167	319	333	140	70	42	49	6	13	13	21
Pleurisy	54	—	—	—	2	1	3	1	2	3	3	3	1
Pneumonia	699	34	30	83	74	30	22	12	29	10	27	23	24
Asthma	113	—	—	—	—	—	—	—	—	2	—	4	1
Lung Disease	121	8	—	4	8	3	2	2	2	1	3	4	6
VII. Teething	335	1	18	118	171	24	3	—	—	—	—	—	—
Quinsey	22	4	2	3	1	1	1	1	1	—	—	1	2
Gastritis	32	7	2	—	3	—	2	1	1	—	—	2	2
Enteritis	192	74	30	17	15	7	3	—	7	3	1	2	4
Peritonitis	67	12	2	2	1	—	3	1	4	4	4	2	3
Ascites	11	—	—	—	—	—	—	1	—	—	1	1	—
Ulceration of Intestines	30	2	—	—	—	—	1	—	—	1	1	1	2
Hernia	24	1	1	1	—	—	—	—	—	—	1	2	—
Ileus	62	17	1	3	—	2	—	—	1	3	2	3	2
Intussusception	6	—	2	1	—	—	—	—	—	—	—	1	—
Stricture of Intestines	7	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	157	26	13	9	16	5	7	2	9	3	1	2	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	37	1	—	—	2	1	1	—	—	—	—	2	2
Jaundice	54	24	1	—	3	2	—	—	1	—	1	—	—
Liver Disease	169	5	—	—	3	2	1	1	1	4	7	3	3
Spleen Disease	5	—	—	—	1	—	—	—	—	—	—	—	1
VIII. Nephritis	28	1	2	1	1	—	1	—	4	—	3	1	2
Nephria	103	—	—	—	1	—	1	1	3	1	2	6	9
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	11	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	29	—	—	—	—	—	—	—	—	—	5	—	2
Stone	18	—	—	—	—	—	—	—	—	—	2	1	—
Cystitis	60	—	—	—	—	—	1	—	1	1	1	—	1
Stricture of Urethra	7	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	86	—	1	1	3	—	—	2	1	2	3	7	4
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	29	—	—	—	—	—	1	3	3	3	4	6	—
Rheumatism	23	—	—	—	—	—	—	—	—	2	2	—	4
Joint Disease	56	1	—	—	—	—	—	3	8	13	11	5	3
XI. Carbuncle	6	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	—	—	—	1	1	—	—	—
Skin Disease	14	2	5	3	2	1	—	—	—	1	—	—	—
XVII. Intemperance	32	—	—	—	—	—	—	—	—	—	—	—	4
Privation	2	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	49	35	10	4	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	18	1	—	—	1	—	—	1	1	—	—	1	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	79	—	—	3	9	10	6	7	9	3	10	3	5
Hanging, etc.	17	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	53	19	14	4	1	1	2	—	1	—	1	—	1
Drowning	139	1	—	—	—	2	1	—	15	14	6	18	13
Fracture and Contusion	383	—	—	—	6	4	4	7	18	26	32	42	41
Gunshot Wounds	7	—	—	—	—	—	—	—	—	1	2	1	1
Cuts and Stabs	19	—	—	—	—	—	—	—	—	—	2	—	3
Other Violent Causes	26	5	1	—	1	2	—	—	1	1	—	1	1
Not Specified	212	60	16	17	23	12	7	2	14	6	4	4	4

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	18128	1505	634	1240	1645	841	579	415	963	446	646	714	789
SPECIFIED CAUSES	17902	1433	612	1214	1625	833	573	410	954	443	644	710	780
I. Zymotic Class	4040	206	155	385	614	412	324	238	493	121	102	109	126
II. Diseases of Uncertain Seat	615	5	3	3	9	6	4	1	15	8	11	5	16
III. Tubercular Class	3621	51	95	201	287	132	109	68	227	180	390	408	375
IV. Brain and Nervous System	1404	117	42	67	80	32	35	24	54	23	26	19	34
V. Organs of Circulation	808	3	—	—	1	—	1	1	8	27	26	27	33
VI. Respiratory Organs	3198	159	177	363	400	183	73	54	95	37	35	42	71
VII. Organs of Digestion	1169	109	50	134	179	36	10	7	22	13	13	29	43
VIII. Urinary Organs	190	1	1	1	1	2	2	1	4	8	12	13	14
IX. Organs of Generation	261	—	—	—	1	—	—	1	—	—	10	33	55
X. Organs of Locomotion	99	—	—	—	—	2	3	1	11	11	13	10	3
XI. Skin, etc.	21	5	2	2	—	—	—	—	—	—	1	2	1
XII. Malformation	45	37	2	2	2	1	—	—	1	—	—	—	—
XIII. Premature Debility	800	690	67	43	—	—	—	—	—	—	—	—	—
XIV. Atrophy	147	—	—	—	39	11	5	4	7	3	1	4	1
XV. Age	1170	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	31	3	1	2	—	—	—	—	2	2	—	—	1
XVII. Violent Deaths	283	47	17	11	12	16	7	10	15	10	4	9	7
I. Small Pox	27	4	7	5	—	—	—	1	2	2	2	—	1
Measles	197	2	2	25	67	43	18	17	18	1	1	—	2
Scarlatina	955	7	9	59	110	143	133	106	283	54	20	9	11
Diphtheria	166	6	1	12	35	18	16	20	44	5	1	1	1
Hooping Cough	647	27	35	136	203	107	71	36	31	—	1	—	—
Croup	203	—	4	19	58	37	37	28	20	—	—	—	—
Thrush	8	6	1	1	—	—	—	—	—	—	—	—	—
Diarrhœa	535	96	76	89	95	17	11	3	8	1	4	—	5
Dysentery	53	3	1	—	4	3	—	—	—	1	—	1	1
Cholera	39	5	—	6	6	—	1	1	4	1	—	2	1
Influenza	30	—	—	—	1	—	—	1	2	—	1	—	—
Purpura	7	—	—	—	—	—	1	—	1	—	—	—	3
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	491	1	1	3	8	12	8	6	21	22	37	41	41
Enteric Fever	249	—	1	4	7	16	12	15	33	24	20	22	17
Relapsing Fever	87	1	1	4	5	3	4	3	7	3	3	2	2
Simple Continued Fever	28	—	—	1	4	2	3	—	2	1	—	1	—
Infantile Remittent	32	—	1	4	4	7	4	1	11	—	—	—	—
Metria	102	—	—	—	—	—	—	—	—	—	7	21	32
Rheumatic Fever	26	—	—	1	—	—	1	—	1	4	2	5	3
Erysipelas	91	23	6	5	1	3	1	—	1	2	1	3	4
Pyæmia	4	1	—	—	—	—	—	—	—	—	1	—	—
Syphilis	57	24	9	11	5	1	1	—	—	—	1	1	1
Noma	5	—	—	—	1	—	2	—	1	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	2	—	—	—	—	—	—	—	1	3	—	1
Dropsy	160	—	—	—	1	4	1	1	9	5	7	—	6
Abscess	25	1	2	3	1	1	1	—	2	1	1	—	2
Ulcer	11	—	—	—	—	—	—	—	—	—	—	1	1
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	27	1	1	—	5	—	1	—	1	1	—	—	—
Cancer	377	1	—	—	2	1	1	—	3	—	—	4	5
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	173	6	3	17	14	9	14	6	27	16	15	11	6
Tabes Mesenterica	268	20	23	43	61	36	16	10	29	14	7	3	4
Phthisis	2647	6	9	29	66	39	40	29	105	139	363	392	364
Hydrocephalus	533	19	60	112	146	48	39	23	66	11	5	2	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1870.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	117	4	1	17	16	8	9	8	16	11	8	2	4
Apoplexy	339	5	8	9	5	2	4	2	3	3	3	4	15
Paralysis	414	—	—	—	—	2	—	—	3	4	1	—	6
Delirium Tremens	5	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	3	—	—	—	—	2	—	—	1	—	—	—	—
Epilepsy	39	—	—	—	—	—	—	—	1	2	4	6	3
Tetanus	9	4	—	1	—	—	1	—	1	—	—	—	—
Insanity	14	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	259	100	30	34	46	10	17	11	11	—	—	—	—
Brain Disease	205	4	3	6	13	8	4	3	18	3	10	6	5
V. Pericarditis	17	—	—	—	—	—	—	—	1	2	1	2	2
Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	780	3	—	—	1	—	1	1	7	25	25	25	30
VI. Laryngitis	32	1	1	4	2	2	1	3	2	—	1	—	3
Bronchitis	2399	124	138	298	313	144	51	39	70	17	14	24	30
Pleurisy	33	1	1	—	1	1	1	—	1	1	1	—	2
Pneumonia	552	32	36	58	80	33	17	10	20	15	13	15	25
Asthma	99	—	—	—	1	—	—	—	—	—	1	—	—
Lung Disease	83	1	1	3	3	3	3	2	2	4	5	3	11
VII. Teething	257	—	7	82	150	18	—	—	—	—	—	—	—
Quinsey	12	—	—	3	2	1	1	—	4	—	—	—	—
Gastritis	37	5	1	4	2	2	1	—	1	—	—	5	2
Enteritis	204	56	23	27	17	10	4	1	6	2	3	6	5
Peritonitis	83	3	—	—	1	—	1	—	3	5	3	5	18
Ascites	14	—	—	—	1	—	—	—	1	—	—	—	1
Ulceration of Intestines	38	1	1	—	—	—	—	1	1	—	1	3	4
Hernia	33	1	—	—	—	—	—	—	—	—	—	1	—
Ileus	60	9	1	1	—	—	1	1	3	—	1	1	2
Intussusception	2	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	6	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	170	24	14	14	5	1	2	3	3	2	3	3	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	23	—	—	—	—	—	—	—	—	—	—	2	—
Jaundice	42	8	1	1	—	2	—	—	—	—	—	—	1
Liver Disease	177	2	1	1	1	2	—	1	—	4	1	3	4
Spleen Disease	11	—	—	1	—	—	—	—	—	—	1	—	—
VIII. Nephritis	25	1	—	1	—	2	—	—	2	3	—	—	1
Nephria	68	—	—	—	—	—	—	—	1	4	3	5	5
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	19	—	—	—	1	—	—	—	—	—	4	3	2
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	9	—	—	—	—	—	—	—	—	—	—	3	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	64	—	1	—	—	—	2	1	1	1	5	2	6
IX. Paramenia	8	—	—	—	—	—	—	—	—	—	1	1	2
Ovarian Dropsy	34	—	—	—	—	—	—	—	—	—	1	5	5
Childbirth	191	—	—	—	—	—	—	—	—	—	6	27	45
Organs of Generation	28	—	—	—	1	—	—	1	—	—	2	—	3
X. Bone Disease	16	—	—	—	—	2	1	—	—	—	6	—	1
Rheumatism	34	—	—	—	—	—	—	—	1	—	2	2	1
Joint Disease	49	—	—	—	—	—	2	1	10	11	5	8	1
XI. Carbuncle	5	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	5	—	—	—	—	—	—	—	—	—	—	2	—
Skin Disease	11	5	2	1	—	—	—	—	—	—	1	—	1
XVII. Intemperance	26	—	—	—	—	—	—	—	—	—	1	—	—
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	28	18	7	3	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	7	1	—	—	—	1	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	46	—	1	4	5	8	2	3	5	4	1	2	—
Hanging, etc.	8	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	36	18	9	2	1	—	1	—	1	—	—	—	1
Drowning	32	1	—	—	5	3	—	—	2	1	2	3	2
Fracture and Contusion	78	—	—	2	1	4	4	6	7	5	—	1	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	7	—	—	—	—	—	—	—	—	—	—	1	2
Other Violent Causes	14	9	—	—	—	—	—	1	—	—	—	1	—
Not Specified	226	72	22	26	20	8	6	5	9	3	2	4	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1870.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	4	2	—	1	—	3	1	1	—	—	1	—	—	—	—	—	
Apoplexy	13	15	20	24	26	26	31	35	32	30	15	8	—	1	—	—	
Paralysis	5	9	13	19	27	49	62	61	56	45	39	12	1	—	—	—	
Delirium Tremens	—	—	—	1	1	—	—	—	1	—	—	1	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	4	3	4	2	—	3	4	1	1	1	—	—	—	—	—	—	
Tetanus	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Insanity	—	1	—	2	2	5	1	1	1	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	7	7	7	8	15	14	13	18	13	10	7	3	—	—	—	—	
Pericarditis	3	1	2	—	—	—	—	—	2	1	—	—	—	—	—	—	
Aneurism	—	1	—	3	—	2	2	1	—	—	—	—	—	1	—	—	
Heart Disease	53	41	45	66	58	72	94	84	88	36	22	3	—	—	—	—	
Laryngitis	1	—	2	—	3	2	2	1	1	—	—	—	—	—	—	—	
Bronchitis	28	58	70	94	135	150	169	144	147	70	44	20	8	—	—	—	
Pleurisy	1	1	3	3	3	3	2	—	3	2	1	1	—	—	—	—	
Pneumonia	25	22	18	19	16	23	25	13	23	8	5	1	—	—	—	—	
Asthma	4	1	7	12	11	14	18	12	11	5	2	—	—	—	—	—	
Lung Disease	7	7	5	5	8	2	4	2	1	—	—	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Gastritis	1	1	2	2	2	2	1	1	1	1	—	—	—	—	—	—	
Enteritis	3	4	5	2	5	6	11	6	1	1	—	—	—	—	—	—	
Peritonitis	6	5	6	4	5	5	5	3	3	2	—	—	—	—	—	—	
Ascites	1	1	3	1	1	—	1	1	2	—	—	—	—	—	—	—	
Ulceration of Intestines	—	3	4	4	5	1	7	—	2	—	—	—	—	—	—	—	
Hernia	1	2	1	3	2	9	3	3	5	—	1	—	—	—	—	1	
Ileus	1	—	6	6	1	1	8	6	6	3	1	1	—	—	—	—	
Intussusception	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	1	—	—	2	1	1	—	—	—	—	—	—	—	—	—	
Stomach Disease	4	5	9	4	13	9	9	13	14	6	5	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	2	3	2	2	1	4	4	1	2	—	—	—	—	—	—	—	
Jaundice	—	1	2	4	3	3	5	3	3	2	2	1	—	—	—	—	
Liver Disease	8	11	17	17	23	24	16	20	13	7	1	—	—	—	—	—	
Spleen Disease	2	1	3	—	1	1	—	1	—	—	—	—	—	—	—	—	
Nephritis	5	3	—	2	—	2	1	1	—	—	1	—	—	—	—	—	
Nephria	8	7	4	10	4	5	3	5	4	—	—	—	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—	
Diabetes	1	—	3	1	—	1	—	1	2	—	—	—	—	—	—	—	
Stone	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	2	—	—	—	—	—	1	1	1	—	1	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	4	4	8	4	3	6	6	5	4	—	1	—	—	—	—	—	
Paramenia	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	4	4	2	1	5	2	1	—	3	1	—	—	—	—	—	—	
Childbirth	54	36	19	4	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	1	3	5	6	2	2	2	—	—	—	—	—	—	—	—	—	
Bone Disease	—	1	1	—	—	1	1	1	1	—	—	—	—	—	—	—	
Rheumatism	3	2	3	1	5	2	2	2	4	4	—	—	—	—	—	—	
Joint Disease	1	3	—	—	—	3	1	1	2	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—	
Phlegmon	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	1	5	4	2	5	6	1	1	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burus and Scalds	—	—	1	1	1	—	3	3	—	1	—	1	—	—	—	—	
Hanging, etc.	1	1	—	—	—	3	1	1	—	—	—	—	—	—	—	—	
Suffocation	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Drowning	1	3	1	—	1	2	2	3	—	—	—	—	—	—	—	—	
Fracture and Contusion	1	4	—	2	8	4	10	4	6	3	5	—	—	—	—	—	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	
Other Violent Causes	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	2	4	3	4	7	10	7	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	13955	1340	555	1096	1569	725	472	323	784	340	524	557	579
SPECIFIED CAUSES	13821	1304	545	1083	1551	717	468	321	773	337	524	556	574
I. Zymotic Class	2933	141	130	296	501	290	206	135	312	69	87	96	93
II. Diseases of Uncertain Seat	306	7	1	4	6	6	4	1	14	3	8	6	12
III. Tubercular Class	2931	44	71	180	275	138	109	76	224	140	292	301	280
IV. Brain and Nervous System	1049	107	48	54	86	37	25	27	55	28	20	18	21
V. Organs of Circulation	489	1	—	1	—	1	—	1	4	12	16	13	21
VI. Respiratory Organs	2994	133	160	364	437	181	98	59	92	37	52	48	67
VII. Organs of Digestion	962	124	51	133	201	41	12	10	22	11	10	18	21
VIII. Urinary Organs	162	1	1	—	3	1	2	—	5	2	5	12	14
IX. Organs of Generation	92	—	—	—	—	—	—	—	—	—	3	14	14
X. Organs of Locomotion	73	—	—	—	—	—	1	1	11	12	11	5	5
XI. Skin, etc.	8	1	—	—	1	—	—	—	1	—	—	1	—
XII. Malformation	45	42	3	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	764	658	65	41	—	—	—	—	—	—	—	—	—
XIV. Atrophy	103	—	—	—	32	9	3	3	6	4	2	2	2
XV. Age	469	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	45	2	—	1	1	1	—	—	1	3	—	—	1
XVII. Violent Deaths	396	43	15	9	8	12	8	8	26	16	18	22	23
I. Small Pox	25	1	4	4	—	—	—	1	2	—	3	6	2
Measles	120	1	2	14	46	25	3	10	16	1	—	—	2
Scarlatina	466	5	6	41	64	70	67	44	133	17	5	6	1
Diphtheria	117	3	—	8	29	19	15	12	28	1	—	1	—
Hooping Cough	563	14	34	112	194	92	58	31	28	—	—	—	—
Croup	169	3	2	22	65	28	23	13	13	—	—	—	—
Thrush	3	3	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	359	67	64	65	69	15	8	1	4	2	1	—	1
Dysentery	23	1	3	1	2	1	—	—	—	—	—	1	—
Cholera	17	1	2	—	1	1	—	—	1	1	—	1	—
Influenza	11	1	—	—	—	1	—	—	—	—	—	—	1
Purpura	4	—	—	—	—	—	—	—	2	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	544	1	—	5	9	10	9	4	27	17	49	50	54
Enteric Fever	165	—	—	6	8	13	7	11	31	20	15	14	8
Relapsing Fever	121	1	2	6	4	6	7	5	9	5	5	4	3
Simple Continued Fever	22	—	—	—	1	2	2	—	3	2	—	1	—
Infantile Remittent	30	—	—	3	4	5	4	3	11	—	—	—	—
Metria	47	—	—	—	—	—	—	—	—	—	4	9	14
Rheumatic Fever	13	—	—	—	—	—	1	—	—	2	2	1	2
Erysipelas	57	15	5	3	1	1	—	—	1	1	1	1	2
Pyæmia	8	1	—	1	—	—	—	—	1	—	2	—	1
Syphilis	45	23	6	5	4	—	1	—	—	—	—	1	1
Noma	3	—	—	—	—	1	1	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	13	3	—	—	—	—	1	—	1	—	1	—	2
Dropsy	104	—	—	—	—	4	1	1	8	2	5	—	4
Abscess	21	3	—	4	—	1	1	—	3	1	1	1	1
Ulcer	6	1	—	—	1	—	—	—	—	—	1	—	—
Fistula	4	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	13	—	—	—	4	—	—	—	—	—	—	—	—
Cancer	144	—	1	—	1	1	1	—	2	—	—	5	4
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	150	2	3	13	13	11	12	6	30	20	15	8	4
Tabes Mesenterica	287	21	14	36	78	38	24	12	37	11	7	2	3
Phthisis	2030	5	14	28	66	40	28	34	100	102	268	289	273
Hydrocephalus	464	16	40	103	118	49	45	24	57	7	2	2	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	507	538	547	543	580	524	548	408	392	255	147	73	17	8	2	2
SPECIFIED CAUSES . .	504	536	545	542	575	519	543	408	392	255	147	73	17	8	2	2
Zymotic Class . . .	87	78	72	91	68	51	50	33	29	12	4	—	1	—	—	1
Uncertain Seat . . .	12	25	28	22	32	37	34	20	11	8	4	1	—	—	—	—
Tubercular Class . .	170	190	158	100	80	45	35	13	6	4	—	—	—	—	—	—
Brain, etc.	33	27	35	38	60	60	59	78	65	37	22	8	—	1	—	—
Heart, etc.	42	40	50	56	45	43	48	39	33	20	3	—	—	—	—	—
Respiratory Organs .	64	88	105	140	185	174	182	129	112	54	20	11	2	—	—	—
Digestive Organs . .	22	26	33	40	42	43	46	22	21	7	5	1	—	—	—	—
Urinary Organs . . .	13	13	22	14	10	15	11	10	6	1	1	—	—	—	—	—
Generative Organs . .	30	18	5	5	1	1	—	—	1	—	—	—	—	—	—	—
Locomotive Organs .	4	3	2	2	3	2	1	3	5	2	—	—	—	—	—	—
Skin	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	4	2	4	6	10	14	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	51	54	96	108	86	51	14	7	2	—
Sudden Deaths . . .	1	3	8	6	2	5	8	2	—	—	—	—	—	—	—	—
Violent Deaths . . .	22	22	23	22	35	28	18	5	7	2	2	1	—	—	—	1
Small Pox	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	3	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	2	2	4	9	7	7	11	5	9	4	2	—	—	—	—	—
Dysentery	2	2	1	1	1	1	3	1	1	2	—	—	—	—	—	—
Cholera	—	2	1	3	—	1	1	—	—	1	—	—	—	—	—	—
Influenza	—	—	—	—	1	1	2	—	3	2	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	49	53	48	55	40	25	19	12	7	1	—	—	—	—	—	—
Enteric Fever	4	3	4	4	3	6	1	2	3	—	—	—	1	—	—	1
Relapsing Fever . . .	9	5	8	9	8	5	11	3	4	1	1	—	—	—	—	—
Simple Cont. Fever . .	3	—	—	1	1	2	—	2	1	—	1	—	—	—	—	—
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	11	5	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	—	1	—	2	—	—	1	—	—	1	—	—	—	—	—	—
Erysipelas	—	1	2	4	5	3	4	6	1	—	—	—	—	—	—	—
Pyæmia	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	4	—	—	—	—	1	—	—	—	—	—	—	—	—
Dropsy	7	8	7	5	11	11	14	7	5	2	2	—	—	—	—	—
Abscess	—	2	—	1	2	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—
Fistula	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	1	1	2	1	1	2	1	—	—	—	—	—
Cancer	5	14	17	16	16	25	16	9	5	4	1	1	—	—	—	—
Gout	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Scrofula	3	1	3	3	1	1	—	—	1	—	—	—	—	—	—	—
Tabes Mesenterica . .	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—
Phthisis	166	189	154	97	79	44	33	12	5	4	—	—	—	—	—	—
Hydrocephalus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	102	1	6	8	15	5	8	9	15	8	7	5	1
Apoplexy	220	3	9	4	5	5	1	3	3	5	1	3	7
Paralysis	221	—	—	1	1	—	—	—	1	2	1	2	5
Delirium Tremens	10	—	—	—	—	—	—	—	—	—	—	1	2
Chorea	3	—	—	—	—	2	—	—	1	—	—	—	—
Epilepsy	24	—	—	—	—	—	—	—	1	4	—	2	1
Tetanus	3	2	—	—	—	—	—	—	—	—	—	1	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	277	98	31	34	56	17	12	13	16	—	—	—	—
Brain Disease	187	3	2	7	9	8	4	2	18	9	11	4	5
V. Pericarditis	7	—	—	—	—	—	—	—	—	1	1	—	1
Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	471	1	—	1	—	1	—	1	4	11	15	13	19
VI. Laryngitis	39	5	1	4	6	1	—	—	2	1	1	—	3
Bronchitis	2206	101	127	285	349	139	71	42	64	16	20	24	30
Pleurisy	18	—	1	—	—	2	—	1	1	1	2	—	—
Pneumonia	538	24	30	72	75	33	23	13	21	15	22	20	22
Asthma	79	—	—	—	1	—	—	—	—	1	—	1	—
Lung Disease	114	3	1	3	6	6	4	3	4	3	7	3	12
VII. Teething	282	—	11	94	157	20	—	—	—	—	—	—	—
Quinsey	11	1	—	—	1	2	1	1	—	—	—	—	2
Gastritis	30	4	2	3	5	2	2	1	1	—	—	4	1
Enteritis	179	67	18	18	16	8	3	—	8	3	1	2	3
Peritonitis	36	6	1	—	—	—	—	—	1	2	3	2	2
Ascites	12	—	—	—	—	—	—	1	—	—	—	1	1
Ulceration of Intestines	11	—	—	—	—	—	1	—	—	—	—	1	3
Hernia	16	1	1	—	—	—	—	—	—	—	1	2	—
Ileus	40	14	—	3	—	1	—	—	1	2	2	1	1
Intussusception	5	—	1	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	5	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	137	16	16	13	18	6	4	5	9	1	—	1	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	18	1	—	—	2	—	1	—	—	—	—	1	—
Jaundice	33	9	—	—	—	1	—	—	1	—	—	—	—
Liver Disease	142	5	1	1	2	1	—	2	1	3	3	2	5
Spleen Disease	5	—	—	1	—	—	—	—	—	—	—	—	—
VIII. Nephritis	19	1	—	—	1	1	—	—	3	—	1	—	1
Nephria	50	—	—	—	—	—	—	—	1	—	—	3	5
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	19	—	—	—	1	—	—	—	—	—	1	1	2
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	11	—	—	—	—	—	—	—	—	1	—	3	—
Stricture of Urethra	2	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	57	—	1	—	1	—	2	—	1	1	3	5	6
IX. Paramenia	3	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	9	—	—	—	—	—	—	—	—	—	—	2	—
Childbirth	74	—	—	—	—	—	—	—	—	—	2	11	13
Organs of Generation	6	—	—	—	—	—	—	—	—	—	1	—	1
X. Bone Disease	13	—	—	—	—	—	—	—	2	1	5	3	—
Rheumatism	18	—	—	—	—	—	—	—	—	—	—	—	3
Joint Disease	42	—	—	—	—	—	1	1	9	11	6	2	2
XI. Carbuncle	3	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	—	—	—	1	—	—	1	—
Skin Disease	2	1	—	—	1	—	—	—	—	—	—	—	—
XVII. Intemperance	28	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	36	25	8	3	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	8	1	—	—	—	—	—	—	1	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	39	—	—	1	4	7	2	3	5	2	2	—	2
Hanging, etc.	5	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	30	11	7	3	1	—	2	—	1	—	—	—	1
Drowning	68	2	—	—	1	—	—	—	5	3	4	10	8
Fracture and Contusion	167	—	—	2	2	5	4	4	14	11	12	10	11
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	13	4	—	—	—	—	—	1	—	—	—	2	—
Not Specified	134	36	10	13	18	8	4	2	11	3	—	1	5

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1870.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6962	759	301	577	804	361	238	163	405	167	250	256	254
SPECIFIED CAUSES	6893	739	295	572	797	355	236	161	398	165	250	255	252
I. Zymotic Class	1407	81	71	148	252	136	92	54	152	31	41	44	37
II. Diseases of Uncertain Seat	127	7	1	3	2	2	2	—	7	3	5	4	5
III. Tubercular Class	1414	26	36	100	141	72	61	43	114	63	129	128	115
IV. Brain and Nervous System	560	52	30	29	48	21	9	17	30	19	12	13	9
V. Organs of Circulation	265	1	—	1	—	1	—	1	3	4	6	5	10
VI. Respiratory Organs	1504	75	86	197	214	90	58	33	43	13	27	23	31
VII. Organs of Digestion	512	76	30	72	117	24	8	6	13	7	7	7	9
VIII. Urinary Organs	88	1	—	—	2	—	—	—	4	2	1	7	8
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	40	—	—	—	—	—	—	1	6	6	5	3	5
XI. Skin, etc.	3	—	—	—	1	—	—	—	1	—	—	—	—
XII. Malformation	35	33	2	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	405	357	30	18	—	—	—	—	—	—	—	—	—
XIV. Atrophy	45	—	—	—	14	3	1	2	5	3	1	1	1
XV. Age	161	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	30	1	—	1	1	1	—	—	—	1	—	—	1
XVII. Violent Deaths	297	29	9	3	5	5	5	4	20	13	16	20	21
I. Small Pox	15	1	2	1	—	—	—	—	1	—	2	6	1
Measles	57	—	1	9	25	11	1	1	9	—	—	—	—
Scarlatina	238	4	2	22	38	36	31	23	68	8	2	2	—
Diphtheria	46	—	—	1	14	9	8	5	8	—	—	1	—
Hooping Cough	245	6	18	51	80	42	27	11	10	—	—	—	—
Croup	94	3	2	12	38	17	10	5	7	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	199	36	36	38	44	7	4	—	3	2	—	—	1
Dysentery	7	—	2	1	—	—	—	—	—	—	—	1	—
Cholera	9	1	2	—	—	1	—	—	—	—	—	—	—
Influenza	3	1	—	—	—	—	—	—	—	—	—	—	1
Purpura	3	—	—	—	—	1	—	—	2	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	269	1	—	3	4	1	3	1	14	7	25	26	26
Enteric Fever	71	—	—	4	4	5	3	3	20	9	4	4	3
Relapsing Fever	57	1	1	2	—	3	3	3	4	3	4	2	2
Simple Continued Fever	6	—	—	—	—	—	—	—	—	1	—	—	—
Infantile Remittent	14	—	—	1	3	2	2	2	4	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	10	—	—	—	—	—	—	—	—	1	2	1	2
Erysipelas	31	11	2	1	—	—	—	—	—	—	—	1	—
Pyæmia	6	—	—	1	—	—	—	—	1	—	2	—	1
Syphilis	24	15	3	1	2	—	—	—	—	—	—	—	—
Noma	2	—	—	—	—	1	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	11	3	—	—	—	—	1	—	1	—	—	—	1
Dropsy	44	—	—	—	—	1	1	—	4	2	3	—	2
Abscess	14	3	—	3	—	—	—	—	2	1	1	1	—
Ulcer	4	1	—	—	1	—	—	—	—	—	1	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	44	—	1	—	—	1	—	—	—	—	—	3	2
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	81	—	3	6	7	7	5	3	15	13	9	2	3
Tabes Mesenterica	161	14	5	16	45	22	16	9	22	4	4	2	—
Phthisis	907	—	10	12	28	18	12	16	46	41	114	123	112
Hydrocephalus	265	12	18	66	61	25	28	15	31	5	2	1	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1870.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	63	—	5	3	10	2	3	6	9	4	3	4	1
Apoplexy	109	2	5	1	2	4	—	2	3	4	—	1	—
Paralysis	110	—	—	1	1	—	—	—	—	—	1	2	3
Delirium Tremens	9	—	—	—	—	—	—	—	—	—	—	1	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	11	—	—	—	—	—	—	—	—	3	—	1	—
Tetanus	2	1	—	—	—	—	—	—	—	—	—	1	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	151	48	19	20	31	10	5	8	10	—	—	—	—
Brain Disease	104	1	1	4	4	5	1	1	8	8	8	3	4
V. Pericarditis	5	—	—	—	—	—	—	—	—	1	1	—	1
Aneurism	9	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	251	1	—	1	—	1	—	1	3	3	5	5	9
VI. Laryngitis	25	4	—	3	5	1	—	—	1	1	—	—	2
Bronchitis	1059	58	73	151	168	68	43	22	26	4	8	7	12
Pleurisy	10	—	—	—	—	1	—	1	1	1	1	—	—
Pneumonia	307	10	13	42	37	17	13	8	13	5	16	12	13
Asthma	41	—	—	—	—	—	—	—	—	1	—	1	—
Lung Disease	62	3	—	1	4	3	2	2	2	1	2	3	4
VII. Teething	171	—	8	61	90	12	—	—	—	—	—	—	—
Quinsey	9	1	—	—	—	1	—	1	—	—	—	—	2
Gastritis	14	3	2	—	3	—	1	1	1	—	—	1	—
Enteritis	87	38	10	5	7	4	1	—	4	2	1	1	2
Peritonitis	17	5	1	—	—	—	—	—	—	1	1	—	1
Ascites	5	—	—	—	—	—	—	1	—	—	—	1	—
Ulceration of Intestines	4	—	—	—	—	—	1	—	—	—	—	—	1
Hernia	8	—	1	—	—	—	—	—	—	—	1	1	—
Ileus	22	11	—	2	—	1	—	—	—	2	1	—	—
Intussusception	4	—	1	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	70	7	7	4	13	5	3	2	6	1	—	1	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	9	1	—	—	2	—	1	—	—	—	—	—	—
Jaundice	19	7	—	—	—	1	—	—	1	—	—	—	—
Liver Disease	69	3	—	—	2	—	—	1	1	1	3	1	2
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	12	1	—	—	1	—	—	—	3	—	1	—	1
Nephria	28	—	—	—	—	—	—	—	—	—	—	3	3
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	8	—	—	—	—	—	—	—	—	—	—	—	1
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	7	—	—	—	—	—	—	—	—	1	—	—	—
Stricture of Urethra	2	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	28	—	—	—	1	—	—	—	1	1	—	4	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	10	—	—	—	—	—	—	—	2	1	2	3	—
Rheumatism	10	—	—	—	—	—	—	—	—	—	—	—	3
Joint Disease	20	—	—	—	—	—	—	1	4	5	3	—	2
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	1	—	—	—	—
Skin Disease	1	—	—	—	1	—	—	—	—	—	—	—	—
XVII. Intemperance	15	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	21	18	3	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	5	—	—	—	—	—	—	—	1	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	25	—	—	1	3	3	2	2	4	1	1	—	2
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	22	9	6	2	—	—	1	—	—	—	—	—	—
Drowning	59	1	—	—	—	—	—	—	3	3	3	9	7
Fracture and Contusion	139	—	—	—	2	2	2	2	12	9	12	10	11
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	7	1	—	—	—	—	—	—	—	—	—	1	—
Not Specified	69	20	6	5	7	6	2	2	7	2	—	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6993	581	254	519	765	364	234	160	379	173	274	301	325
SPECIFIED CAUSES	6928	565	250	511	754	362	232	160	375	172	274	301	322
I. Zymotic Class	1526	60	59	148	249	154	114	81	160	38	46	52	56
II. Diseases of Uncertain Seat	179	—	—	1	4	4	2	1	7	—	3	2	7
III. Tubercular Class	1517	18	35	80	134	66	48	33	110	77	163	173	165
IV. Brain and Nervous System	489	55	18	25	38	16	16	10	25	9	8	5	12
V. Organs of Circulation	224	—	—	—	—	—	—	—	1	8	10	8	11
VI. Respiratory Organs	1490	58	74	167	223	91	40	26	49	24	25	25	36
VII. Organs of Digestion	450	48	21	61	84	17	4	4	9	4	3	11	12
VIII. Urinary Organs	74	—	1	—	1	1	2	—	1	—	4	5	6
IX. Organs of Generation	92	—	—	—	—	—	—	—	—	—	3	14	14
X. Organs of Locomotion	33	—	—	—	—	—	1	—	5	6	6	2	—
XI. Skin, etc.	5	1	—	—	—	—	—	—	—	—	—	1	—
XII. Malformation	10	9	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	359	301	35	23	—	—	—	—	—	—	—	—	—
XIV. Atrophy	58	—	—	—	18	6	2	1	1	1	1	1	1
XV. Age	308	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	15	1	—	—	—	—	—	—	1	2	—	—	—
XVII. Violent Deaths	99	14	6	6	3	7	3	4	6	3	2	2	2
I. Small Pox	10	—	2	3	—	—	—	1	1	—	1	—	1
Measles	63	1	1	5	21	14	2	9	7	1	—	—	2
Scarlatina	228	1	4	19	26	34	36	21	65	9	3	4	1
Diphtheria	71	3	—	7	15	10	7	7	20	1	—	—	—
Hooping Cough	318	8	16	61	114	50	31	20	18	—	—	—	—
Croup	75	—	—	10	27	11	13	8	6	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	160	31	28	27	25	8	4	1	1	—	1	—	—
Dysentery	16	1	1	—	2	1	—	—	—	—	—	—	—
Cholera	8	—	—	—	1	—	—	—	1	1	—	1	—
Influenza	8	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	275	—	—	2	5	9	6	3	13	10	24	24	28
Enteric Fever	94	—	—	2	4	8	4	8	11	11	11	10	5
Relapsing Fever	64	—	1	4	4	3	4	2	5	2	1	2	1
Simple Continued Fever	16	—	—	—	1	2	2	—	3	1	—	1	—
Infantile Remittent	16	—	—	2	1	3	2	1	7	—	—	—	—
Metria	47	—	—	—	—	—	—	—	—	—	4	9	14
Rheumatic Fever	3	—	—	—	—	—	1	—	—	1	—	—	—
Erysipelas	26	4	3	2	1	1	—	—	1	1	1	—	2
Pyæmia	2	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	21	8	3	4	2	—	1	—	—	—	—	1	1
Noma	1	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	1	—	1
Dropsy	60	—	—	—	—	3	—	1	4	—	2	—	2
Abscess	7	—	—	1	—	1	1	—	1	—	—	—	1
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	7	—	—	—	3	—	—	—	—	—	—	—	—
Cancer	100	—	—	—	1	—	1	—	2	—	—	2	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	69	2	—	7	6	4	7	3	15	7	6	6	1
Tabes Mesenterica	126	7	9	20	33	16	8	3	15	7	3	—	3
Phthisis	1123	5	4	16	38	22	16	18	54	61	154	166	161
Hydrocephalus	199	4	22	37	57	24	17	9	26	2	—	1	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1870.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	39	1	1	5	5	3	5	3	6	4	4	1	—
Apoplexy	111	1	4	3	3	1	1	1	—	1	1	2	7
Paralysis	111	—	—	—	—	—	—	—	1	2	—	—	2
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	3	—	—	—	—	2	—	—	1	—	—	—	—
Epilepsy	13	—	—	—	—	—	—	—	1	1	—	1	1
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	126	50	12	14	25	7	7	5	6	—	—	—	—
Brain Disease	83	2	1	3	5	3	3	1	10	1	3	1	1
V. Pericarditis	2	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	220	—	—	—	—	—	—	—	1	8	10	8	10
VI. Laryngitis	14	1	1	1	1	—	—	—	1	—	1	—	1
Bronchitis	1147	43	54	134	181	71	28	20	38	12	12	17	18
Pleurisy	8	—	1	—	—	1	—	—	—	—	1	—	—
Pneumonia	231	14	17	30	38	16	10	5	8	10	6	8	9
Asthma	38	—	—	—	1	—	—	—	—	—	—	—	—
Lung Disease	52	—	1	2	2	3	2	1	2	2	5	—	8
VII. Teething	111	—	3	33	67	8	—	—	—	—	—	—	—
Quinsey	2	—	—	—	1	1	—	—	—	—	—	—	—
Gastritis	16	1	—	3	2	2	1	—	—	—	—	3	1
Enteritis	92	29	8	13	9	4	2	—	4	1	—	1	1
Peritonitis	19	1	—	—	—	—	—	—	1	1	2	2	1
Ascites	7	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	7	—	—	—	—	—	—	—	—	—	—	1	2
Hernia	8	1	—	—	—	—	—	—	—	—	—	1	—
Ileus	18	3	—	1	—	—	—	—	1	—	1	1	1
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	67	9	9	9	5	1	1	3	3	—	—	—	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	9	—	—	—	—	—	—	—	—	—	—	1	—
Jaundice	14	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	73	2	1	1	—	1	—	1	—	2	—	1	3
Spleen Disease	4	—	—	1	—	—	—	—	—	—	—	—	—
VIII. Nephritis	7	—	—	—	—	1	—	—	—	—	—	—	—
Nephria	22	—	—	—	—	—	—	—	1	—	—	—	2
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	11	—	—	—	1	—	—	—	—	—	1	1	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	3	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	29	—	1	—	—	—	2	—	—	3	1	3	—
IX. Paramenia	3	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	9	—	—	—	—	—	—	—	—	—	—	2	—
Childbirth	74	—	—	—	—	—	—	—	—	—	2	11	13
Organs of Generation	6	—	—	—	—	—	—	—	—	—	1	—	1
X. Bone Disease	3	—	—	—	—	—	—	—	—	—	3	—	—
Rheumatism	8	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	22	—	—	—	—	—	1	—	5	6	3	2	—
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	—	—	—	—	—	—	—	—	1	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	13	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	15	7	5	3	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	14	—	—	—	1	4	—	1	1	1	1	—	—
Hanging, etc.	3	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	8	2	1	1	1	—	1	—	1	—	—	—	1
Drowning	9	1	—	—	1	—	—	—	2	—	1	1	1
Fracture and Contusion	28	—	—	2	—	3	2	2	2	2	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	6	3	—	—	—	—	—	1	—	—	—	1	—
Not Specified	65	16	4	8	11	2	2	—	4	1	—	—	3

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2157	199	79	172	190	97	57	38	95	58	86	107	103
SPECIFIED CAUSES	2126	193	77	171	186	95	55	33	95	57	86	106	103
I. Zymotic Class	464	19	18	45	71	46	27	14	41	10	9	19	21
II. Diseases of Uncertain Seat	38	—	1	—	—	—	1	—	2	—	1	—	—
III. Tubercular Class	473	11	9	38	44	18	12	8	27	27	55	38	50
IV. Brain and Nervous System	197	16	5	12	11	1	3	3	7	6	7	10	8
V. Organs of Circulation	75	—	—	—	—	—	—	—	1	—	4	2	1
VI. Respiratory Organs	325	17	21	50	37	21	3	5	7	3	3	7	7
VII. Organs of Digestion	135	24	7	15	12	6	5	1	5	3	2	11	3
VIII. Urinary Organs	21	—	—	2	—	—	—	—	1	1	2	3	1
IX. Organs of Generation	20	—	—	—	—	—	—	—	—	—	1	1	7
X. Organs of Locomotion	10	—	—	—	—	1	1	—	1	1	—	2	—
XI. Skin, etc.	2	1	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	7	7	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	114	93	14	7	—	—	—	—	—	—	—	—	—
XIV. Atrophy	25	—	—	—	5	—	3	—	—	1	—	1	—
XV. Age	149	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	—	—	—	—	—	—	—	—	—	1	—	1
XVII. Violent Deaths	67	5	2	1	6	2	—	2	3	5	1	12	4
I. Small Pox	4	1	1	—	—	—	—	—	—	—	—	—	1
Measles	11	—	—	1	2	3	3	—	1	—	1	—	—
Scarlatina	85	—	2	7	13	15	9	11	19	6	—	1	2
Diphtheria	18	—	—	1	5	1	3	1	3	—	1	1	—
Hooping Cough	58	2	4	13	21	11	5	—	2	—	—	—	—
Croup	29	—	—	2	9	10	3	2	3	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	66	12	9	16	16	2	—	—	—	—	—	—	—
Dysentery	3	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	7	—	—	—	1	—	1	—	2	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	6	—	—	—	—	—	—	—	2	—	—	1	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	99	—	—	—	—	—	1	—	2	2	3	10	11
Enteric Fever	34	—	—	3	2	2	1	—	5	1	1	3	2
Relapsing Fever	14	—	—	—	—	—	—	—	—	—	1	1	1
Simple Continued Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	3	—	—	—	1	1	1	—	—	—	—	—	—
Metria	4	—	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	4	—	—	—	—	—	—	—	—	—	1	2	1
Erysipelas	7	1	—	1	—	—	—	—	1	1	—	—	—
Pyæmia	1	—	—	—	—	1	—	—	—	—	—	—	—
Syphilis	7	2	2	1	—	—	—	—	—	—	1	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	12	—	—	—	—	—	1	—	2	—	1	—	—
Abscess	4	—	1	—	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	16	—	—	—	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	45	1	—	1	4	1	2	2	6	1	5	2	3
Tabes Mesenterica	30	4	1	4	9	2	3	—	3	3	—	—	—
Phthisis	312	1	2	2	11	8	2	1	11	23	50	36	47
Hydrocephalus	86	5	6	31	20	7	5	5	7	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	23	1	1	5	3	—	—	1	4	2	2	—	1
Apoplexy	42	3	—	1	1	—	1	—	—	—	1	2	2
Paralysis	47	—	—	—	—	—	1	—	2	1	—	2	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	10	—	—	—	—	—	—	—	—	1	2	1	1
Tetanus	2	2	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	30	10	4	5	6	1	1	2	1	—	—	—	—
Brain Disease	42	—	—	1	1	—	—	—	—	2	2	5	3
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	73	—	—	—	—	—	—	—	1	—	4	2	1
VI. Laryngitis	2	—	—	1	—	1	—	—	—	—	—	—	—
Bronchitis	215	14	15	36	27	14	2	3	5	2	—	3	4
Pleurisy	4	—	—	—	—	—	—	—	—	1	1	—	—
Pneumonia	91	3	6	13	10	6	1	2	2	—	2	3	3
Asthma	5	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	8	—	—	—	—	—	—	—	—	—	—	1	—
VII. Teething	23	—	2	9	8	3	1	—	—	—	—	—	—
Quinsey	2	—	—	1	—	—	—	—	1	—	—	—	—
Gastritis	3	—	—	—	—	—	1	—	—	—	—	—	—
Enteritis	24	6	—	4	2	2	—	—	1	1	—	2	—
Peritonitis	10	2	—	—	—	—	2	1	1	—	—	—	1
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	6	1	1	—	—	—	—	—	—	—	—	2	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	6	2	1	1	—	—	—	—	—	1	—	1	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	27	10	3	—	—	—	1	—	2	1	2	2	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	6	—	—	—	—	1	—	—	—	—	—	1	—
Jaundice	6	2	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	19	1	—	—	1	—	—	—	—	—	—	3	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	8	—	—	2	—	—	—	—	1	—	1	—	—
Nephria	8	—	—	—	—	—	—	—	—	1	1	3	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	16	—	—	—	—	—	—	—	—	—	1	1	5
Organs of Generation	3	—	—	—	—	—	—	—	—	—	—	—	1
X. Bone Disease	2	—	—	—	—	1	1	—	—	—	—	—	—
Rheumatism	5	—	—	—	—	—	—	—	1	—	—	1	—
Joint Disease	3	—	—	—	—	—	—	—	—	1	—	1	—
XI. Carbuncle	1	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	4	8	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	8	—	—	—	4	2	—	1	1	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	1	2	—	—	—	—	—	—	—	—	—	—
Drowning	17	—	—	—	—	—	—	—	1	2	—	2	2
Fracture and Contusion	28	—	—	—	2	—	—	1	—	3	1	10	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	4	1	—	—	—	—	—	—	1	—	—	—	—
Not Specified	31	6	2	1	4	2	2	5	—	1	—	1	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1870.—BOTH SEXES. (*Continued.*)

[illegible]

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1870.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1099	107	37	89	103	51	38	17	53	29	33	51	51
SPECIFIED CAUSES	1084	105	36	89	101	50	36	17	53	28	33	50	51
I. Zymotic Class	235	8	5	17	36	27	17	7	19	3	4	12	14
II. Diseases of Uncertain Seat	17	—	1	—	—	—	1	—	2	—	—	—	—
III. Tubercular Class	217	6	4	22	24	9	7	6	17	11	17	15	19
IV. Brain and Nervous System	125	10	4	8	6	1	3	1	4	4	5	3	8
V. Organs of Circulation	35	—	—	—	—	—	—	—	1	—	1	—	—
VI. Respiratory Organs	173	9	10	28	21	9	2	1	3	2	2	2	4
VII. Organs of Digestion	67	12	2	7	7	3	4	1	4	1	1	5	1
VIII. Urinary Organs	12	—	—	1	—	—	—	—	1	1	1	1	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	3	—	—	—	—	—	1	—	—	1	—	—	—
XI. Skin, etc.	1	—	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	5	5	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	67	53	10	4	—	—	—	—	—	—	—	—	—
XIV. Atrophy	11	—	—	—	2	—	1	—	—	—	—	1	—
XV. Age	57	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	—	—	—	—	—	—	—	—	—	1	—	1
XVII. Violent Deaths	55	2	—	1	5	1	—	1	2	5	1	11	4
I. Small Pox	2	—	—	—	—	—	—	—	—	—	—	—	1
Measles	8	—	—	1	2	2	2	—	1	—	—	—	—
Scarlatina	43	—	2	3	6	9	7	6	7	1	—	1	1
Diphtheria	12	—	—	—	4	1	3	—	1	—	1	1	—
Hooping Cough	25	1	—	5	9	6	2	—	2	—	—	—	—
Croup	17	—	—	2	6	6	—	1	2	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	27	6	2	5	7	1	—	—	—	—	—	—	—
Dysentery	2	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	3	—	—	—	—	—	—	—	1	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	—	—	—	—	1	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	59	—	—	—	—	—	1	—	2	1	1	7	9
Enteric Fever	14	—	—	1	—	1	1	—	—	1	—	1	1
Relapsing Fever	10	—	—	—	—	—	—	—	—	—	1	1	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	2	—	—	—	1	—	1	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	1	—	1
Erysipelas	2	—	—	—	—	—	—	—	1	—	—	—	—
Pyæmia	1	—	—	—	—	1	—	—	—	—	—	—	—
Syphilis	2	—	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	7	—	—	—	—	—	1	—	2	—	—	—	—
Abscess	3	—	1	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	3	—	—	—	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	25	—	—	—	3	1	1	2	4	1	3	2	1
Tabes Mesenterica	14	3	—	3	3	1	1	—	1	1	—	—	—
Phthisis	127	—	2	1	7	2	1	—	8	9	14	13	18
Hydrocephalus	51	3	2	18	11	5	4	4	4	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1870.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	37	55	47	47	35	40	64	36	42	16	12	5	2	—	—	2
SPECIFIED CAUSES .	37	55	46	47	33	40	63	36	42	16	12	5	2	—	—	1
Zymotic Class . . .	10	6	8	11	6	6	8	5	5	—	—	1	—	—	—	—
Uncertain Seat . . .	—	2	—	1	1	3	4	—	1	1	—	—	—	—	—	—
Tubercular Class . .	14	12	10	5	7	3	7	1	—	1	—	—	—	—	—	—
Brain, etc.	4	8	7	14	3	6	7	9	5	2	3	—	—	—	—	—
Heart, etc.	—	7	2	2	2	5	8	2	1	2	1	—	—	—	—	1
Respiratory Organs .	4	9	11	8	11	9	15	3	7	1	—	2	—	—	—	—
Digestive Organs . .	—	1	4	3	1	2	3	3	2	—	—	—	—	—	—	—
Urinary Organs . . .	—	2	—	2	—	—	1	1	1	—	—	—	—	—	—	—
Generative Organs .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	1	1	1	1	3	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	7	10	19	9	8	2	2	—	—	—
Sudden Deaths . . .	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	5	6	3	—	1	2	2	2	1	—	—	—	—	—	—	—
Small Pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	—	—	—	—	—	—	2	2	—	—	1	—	—	—	—
Dysentery	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	3	6	8	6	3	4	2	2	—	—	—	—	—	—	—
Enteric Fever	1	2	—	1	—	1	1	1	1	—	—	—	—	—	—	—
Relapsing Fever . . .	1	1	1	1	—	—	3	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Dropsy	—	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Scrofula	1	2	1	—	—	—	1	1	—	1	—	—	—	—	—	—
Tabes Mesenterica . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	13	9	9	5	7	3	6	—	—	—	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1870.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	—	1	1	2	—	—	—	2	—	2	—	1
Apoplexy	24	3	—	1	1	—	1	—	—	—	—	—	2
Paralysis	37	—	—	—	—	—	1	—	2	1	—	2	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	8	—	—	—	—	—	—	—	—	1	1	—	1
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	20	6	3	5	3	1	1	1	—	—	—	—	—
Brain Disease	25	—	—	1	—	—	—	—	—	2	2	1	3
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	34	—	—	—	—	—	—	—	1	—	1	—	—
VI. Laryngitis	1	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	112	7	7	19	17	6	1	1	2	1	—	1	3
Pleurisy	4	—	—	—	—	—	—	—	—	1	1	—	—
Pneumonia	49	2	3	8	4	3	1	—	1	—	1	1	1
Asthma	2	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	10	—	1	4	3	1	1	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	—	—	—	—	—	1	—	—	—	—	—	—
Enteritis	12	3	—	2	2	1	—	—	1	—	—	—	—
Peritonitis	5	1	—	—	—	—	1	1	1	—	—	—	—
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	4	1	—	—	—	—	—	—	—	—	—	1	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	1	—	—	—	—	—	1	—	1	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	12	5	1	—	—	—	1	—	2	—	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	5	—	—	—	—	1	—	—	—	—	—	1	—
Jaundice	2	1	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	10	1	—	—	1	—	—	—	—	—	—	2	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	4	—	—	1	—	—	—	—	1	—	1	—	—
Nephria	4	—	—	—	—	—	—	—	—	1	—	1	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	1	—	—	—	—	—	1	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	2	—	—	—	—	—	—	—	—	1	—	—	—
XI. Carbuncle	1	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	3	2	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	3	1	—	1	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	16	—	—	—	—	—	—	—	1	2	—	1	2
Fracture and Contusion	26	—	—	—	2	—	—	—	—	3	1	10	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	—	—	—	—	—	—	—	1	—	—	—	—
Not Specified	15	2	1	—	2	1	2	—	—	1	—	1	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1870.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1058	92	42	83	87	46	19	21	42	29	53	56	52
SPECIFIED CAUSES	1042	88	41	82	85	45	19	16	42	29	53	56	52
I. Zymotic Class	229	11	13	28	35	19	10	7	22	7	5	7	7
II. Diseases of Uncertain Seat	21	—	—	—	—	—	—	—	—	—	1	—	—
III. Tubercular Class	256	5	5	16	20	9	5	2	10	16	38	23	31
IV. Brain and Nervous System	72	6	1	4	5	—	—	2	3	2	2	7	—
V. Organs of Circulation	40	—	—	—	—	—	—	—	—	—	3	2	1
VI. Respiratory Organs	152	8	11	22	16	12	1	4	4	1	1	5	3
VII. Organs of Digestion	68	12	5	8	5	3	1	—	1	2	1	6	2
VIII. Urinary Organs	9	—	—	1	—	—	—	—	—	—	1	2	1
IX. Organs of Generation	20	—	—	—	—	—	—	—	—	—	1	1	7
X. Organs of Locomotion	7	—	—	—	—	1	—	—	1	—	—	2	—
XI. Skin, etc.	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	47	40	4	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	14	—	—	—	3	—	2	—	—	1	—	—	—
XV. Age	92	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	12	3	2	—	1	1	—	1	1	—	—	1	—
I. Small Pox	2	1	1	—	—	—	—	—	—	—	—	—	—
Measles	3	—	—	—	—	1	1	—	—	—	1	—	—
Scarlatina	42	—	—	4	7	6	2	5	12	5	—	—	1
Diphtheria	6	—	—	1	1	—	—	1	2	—	—	—	—
Whooping Cough	33	1	4	8	12	5	3	—	—	—	—	—	—
Croup	12	—	—	—	3	4	3	1	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	39	6	7	11	9	1	—	—	—	—	—	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	4	—	—	—	1	—	1	—	1	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	4	—	—	—	—	—	—	—	1	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	40	—	—	—	—	—	—	—	—	1	2	3	2
Enteric Fever	20	—	—	2	2	1	—	—	5	—	1	2	1
Relapsing Fever	4	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	—	1	—	—	—	—	—	—	—
Metria	4	—	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	—	2	—
Erysipelas	5	1	—	1	—	—	—	—	—	1	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	5	2	1	1	—	—	—	—	—	—	1	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	5	—	—	—	—	—	—	—	—	—	1	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	13	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	20	1	—	1	1	—	1	—	2	—	2	—	2
Tabes Mesenterica	16	1	1	1	6	1	2	—	2	2	—	—	—
Phthisis	185	1	—	1	4	6	1	1	3	14	36	23	29
Hydrocephalus	35	2	4	13	9	2	1	1	3	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1870.—FEMALES. (*Continued.*)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	14	1	—	4	1	—	—	1	2	2	—	—	—
Apoplexy	18	—	—	—	—	—	—	—	—	—	1	2	—
Paralysis	10	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	1	1	—
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	10	4	1	—	3	—	—	1	1	—	—	—	—
Brain Disease	17	—	—	—	1	—	—	—	—	—	—	4	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	39	—	—	—	—	—	—	—	—	—	3	2	1
VI. Laryngitis	1	—	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	103	7	8	17	10	8	1	2	3	1	—	2	1
Pleurisy	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	42	1	3	5	6	3	—	2	1	—	1	2	2
Asthma	3	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	—	—	—	—	—	—	—	—	—	—	1	—
VII. Teething	13	—	1	5	5	2	—	—	—	—	—	—	—
Quinsey	2	—	—	1	—	—	—	—	1	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	12	3	—	2	—	1	—	—	—	1	—	2	—
Peritonitis	5	1	—	—	—	—	1	—	—	—	—	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	1	—	—	—	—	—	—	—	—	1	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	2	1	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	15	5	2	—	—	—	—	—	—	1	1	2	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	4	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	9	—	—	—	—	—	—	—	—	—	—	1	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	4	—	—	1	—	—	—	—	—	—	—	—	—
Nephria	4	—	—	—	—	—	—	—	—	—	1	2	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	16	—	—	—	—	—	—	—	—	—	1	1	5
Organs of Generation	3	—	—	—	—	—	—	—	—	—	—	—	1
X. Bone Disease	1	—	—	—	—	1	—	—	—	—	—	—	—
Rheumatism	5	—	—	—	—	—	—	—	1	—	—	1	—
Joint Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	1	1	—	—	1	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	1	2	—	—	—	—	—	—	—	—	—	—
Drowning	1	—	—	—	—	—	—	—	—	—	—	1	—
Fracture and Contusion	2	—	—	—	—	—	—	1	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	16	4	1	1	2	1	—	5	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4715	445	159	287	328	152	133	86	209	82	151	168	207
SPECIFIED CAUSES	4682	438	156	285	321	151	133	86	209	81	150	168	206
I. Zymotic Class	872	63	32	86	114	77	72	50	117	18	28	18	25
II. Diseases of Uncertain Seat	170	8	1	1	—	—	—	1	4	2	1	3	2
III. Tubercular Class	884	17	38	58	75	31	36	9	42	30	71	87	84
IV. Brain and Nervous System	454	36	12	23	22	6	7	4	13	5	7	7	17
V. Organs of Circulation	370	5	—	1	—	—	—	—	3	7	12	12	12
VI. Respiratory Organs	760	57	43	86	74	28	11	8	10	2	4	11	11
VII. Organs of Digestion	271	27	9	13	24	—	3	1	6	2	4	6	16
VIII. Urinary Organs	130	—	1	—	1	—	—	2	3	4	5	6	8
IX. Organs of Generation	42	—	—	—	—	—	—	1	—	—	1	5	12
X. Organs of Locomotion	42	1	—	—	—	—	1	5	6	5	7	4	1
XI. Skin, etc.	4	1	—	—	—	—	—	—	—	—	1	—	—
XII. Malformation	26	22	1	1	1	—	—	—	—	—	—	1	—
XIII. Premature Debility	201	180	10	11	—	—	—	—	—	—	—	—	—
XIV. Atrophy	30	—	—	—	7	4	—	1	—	1	—	1	—
XV. Age	256	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	1	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	166	20	8	5	3	5	3	4	5	5	9	7	18
I. Small Pox	1	—	1	—	—	—	—	—	—	—	—	—	—
Measles	18	—	1	4	5	5	2	—	1	—	—	—	—
Scarlatina	179	3	1	7	17	17	29	24	65	4	5	1	2
Diphtheria	97	2	—	13	14	16	12	8	20	3	1	1	—
Hooping Cough	79	4	7	14	21	16	12	2	3	—	—	—	—
Croup	103	1	2	15	30	18	10	14	13	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	122	30	12	23	18	1	1	—	1	—	4	—	2
Dysentery	11	1	—	1	—	1	—	—	—	—	—	—	—
Cholera	7	3	—	2	1	—	—	—	—	—	—	—	1
Influenza	11	—	—	1	2	—	—	—	—	—	—	—	—
Purpura	3	—	—	1	—	—	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	91	—	1	—	1	1	—	1	6	6	8	3	7
Enteric Fever	55	—	—	—	—	1	6	1	6	4	6	5	2
Relapsing Fever	6	—	—	—	—	1	—	—	—	—	1	1	2
Simple Continued Fever	3	—	—	—	1	—	—	—	—	1	—	1	—
Infantile Remittent	4	1	—	1	2	—	—	—	—	—	—	—	—
Metria	16	—	—	—	—	—	—	—	—	—	1	4	5
Rheumatic Fever	11	—	—	—	—	—	—	—	2	—	1	1	2
Erysipelas	30	8	1	2	—	—	—	—	—	—	—	1	—
Pyæmia	2	—	—	—	—	—	—	—	—	—	1	—	—
Syphilis	20	9	6	2	1	—	—	—	—	—	—	—	—
Noma	2	—	—	—	1	—	—	—	—	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	5	1	—	—	—	—	—	—	—	—	1	—	—
Dropsy	18	—	—	—	—	—	—	—	1	—	—	—	—
Abscess	8	3	—	1	—	—	—	—	2	—	—	—	—
Ulcer	5	—	—	—	—	—	—	—	—	—	—	1	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	11	2	1	—	—	—	—	1	—	1	—	—	—
Cancer	123	2	—	—	—	—	—	—	1	—	—	2	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	66	1	4	7	8	4	7	1	5	6	6	5	2
Tabes Mesenterica	87	9	11	13	12	10	9	3	10	5	2	—	—
Phthisis	558	—	—	2	8	3	6	2	8	16	60	82	80
Hydrocephalus	173	7	23	36	47	14	14	3	19	3	3	—	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	35	3	—	6	4	3	2	1	3	—	3	2	2
Apoplexy	120	1	2	4	1	1	2	—	2	1	1	—	—
Paralysis	129	1	—	—	—	—	2	—	1	—	—	—	5
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	15	—	—	—	—	—	—	—	—	1	1	3	2
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	4	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	70	30	10	11	12	1	1	2	3	—	—	—	—
Brain Disease	73	—	—	2	5	1	—	1	4	3	2	1	7
V. Pericarditis	14	—	—	—	—	—	—	—	2	—	1	2	1
Aneurism	18	—	—	—	—	—	—	—	—	—	—	1	2
Heart Disease	338	5	—	1	—	—	—	—	1	7	11	9	9
VI. Laryngitis	9	—	—	2	—	—	—	1	1	—	—	1	—
Bronchitis	492	34	30	63	49	22	7	6	5	—	—	1	1
Pleurisy	21	1	—	—	—	—	1	—	—	—	—	1	1
Pneumonia	171	21	13	17	22	6	2	—	4	1	3	6	5
Asthma	25	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	42	1	—	4	3	—	1	1	—	1	1	2	3
VII. Teething	31	—	—	10	20	—	1	—	—	—	—	—	—
Quinsey	5	2	—	—	—	—	—	—	2	—	—	—	—
Gastritis	6	1	—	—	—	—	—	—	—	—	—	—	1
Enteritis	30	12	5	—	1	—	1	—	1	—	—	1	2
Peritonitis	28	2	—	1	—	—	1	—	3	1	—	2	7
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	16	—	—	—	—	—	—	—	—	—	1	1	2
Hernia	8	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	15	2	—	—	—	—	—	1	—	—	1	—	2
Intussusception	3	—	2	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	41	4	1	1	—	—	—	—	—	—	1	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	6	—	—	—	—	—	—	—	—	—	—	1	1
Jaundice	14	4	1	—	1	—	—	—	—	—	—	—	—
Liver Disease	60	—	—	—	1	—	—	—	—	1	1	—	—
Spleen Disease	3	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	5	—	—	—	—	—	—	—	1	—	—	1	1
Nephria	57	—	—	—	1	—	—	1	1	4	2	4	4
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	5	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	6	—	—	—	—	—	—	—	—	—	1	—	1
Stone	6	—	—	—	—	—	—	—	—	—	1	1	—
Cystitis	23	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	25	—	1	—	—	—	—	1	—	—	1	—	2
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	9	—	—	—	—	—	—	—	—	—	—	2	4
Childbirth	21	—	—	—	—	—	—	—	—	—	—	3	6
Organs of Generation	10	—	—	—	—	—	—	1	—	—	1	—	1
X. Bone Disease	9	—	—	—	—	—	1	2	—	1	2	1	—
Rheumatism	7	—	—	—	—	—	—	—	—	—	1	1	—
Joint Disease	26	1	—	—	—	—	—	3	6	4	4	2	1
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	1	—	—	—	—	—	—	—	—	1	—	—
XVII. Intemperance	15	—	—	—	—	—	—	—	—	—	1	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	19	14	3	2	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	9	1	—	—	—	—	—	—	—	—	—	1	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	17	—	—	2	1	3	1	1	1	2	1	1	—
Hanging, etc.	4	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	9	2	4	1	—	—	—	—	—	—	1	—	—
Drowning	4	—	—	—	—	—	—	—	1	—	—	—	1
Fracture and Contusion	66	—	—	—	1	—	2	3	3	3	4	4	11
Gunshot Wounds	3	—	—	—	—	—	—	—	—	—	1	1	1
Cuts and Stabs	7	—	—	—	—	—	—	—	—	—	1	—	1
Other Violent Causes	13	3	1	—	1	2	—	—	—	—	—	—	1
Not Specified	33	7	3	2	7	1	—	—	—	1	1	—	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1870.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2355	248	92	165	187	84	58	44	100	36	84	98	101
SPECIFIED CAUSES	2338	247	91	164	181	83	58	44	100	35	83	98	101
I. Zymotic Class	426	34	21	52	62	38	26	24	57	9	18	8	7
II. Diseases of Uncertain Seat	70	4	—	1	—	—	—	1	2	1	—	—	—
III. Tubercular Class	464	10	23	28	43	20	19	6	19	13	34	57	48
IV. Brain and Nervous System	243	24	9	13	15	4	3	2	6	3	2	4	10
V. Organs of Circulation	194	4	—	1	—	—	—	—	1	1	8	7	7
VI. Respiratory Organs	365	31	19	51	42	16	6	2	3	—	4	8	5
VII. Organs of Digestion	124	19	4	8	13	—	3	—	4	2	2	2	4
VIII. Urinary Organs	89	—	1	—	1	—	—	1	2	—	2	3	4
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	26	1	—	—	—	—	—	4	3	3	5	3	1
XI. Skin, etc.	2	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	14	11	1	1	—	—	—	—	—	—	—	1	—
XIII. Premature Debility	108	97	6	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	14	—	—	—	3	2	—	1	—	—	—	—	—
XV. Age	82	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	114	10	7	4	2	3	1	3	3	3	8	5	15
I. Small Pox	1	—	1	—	—	—	—	—	—	—	—	—	—
Measles	9	—	1	2	3	2	1	—	—	—	—	—	—
Scarlatina	83	2	1	2	7	6	9	14	34	2	3	1	1
Diphtheria	50	1	—	10	6	11	6	2	9	—	—	—	—
Hooping Cough	33	1	5	4	14	4	3	2	—	—	—	—	—
Croup	59	1	1	12	19	10	3	5	8	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	67	20	8	14	9	1	1	—	—	—	2	—	—
Dysentery	7	1	—	1	—	1	—	—	—	—	—	—	—
Cholera	3	1	—	1	1	—	—	—	—	—	—	—	—
Influenza	3	—	—	1	1	—	—	—	—	—	—	—	—
Purpura	2	—	—	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	45	—	—	—	—	1	—	1	3	3	6	2	4
Enteric Fever	27	—	—	—	—	1	3	—	2	3	6	2	1
Relapsing Fever	4	—	—	—	—	1	—	—	—	—	—	1	1
Simple Continued Fever	3	—	—	—	1	—	—	—	—	1	—	1	—
Infantile Remittent	3	1	—	1	1	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	4	—	—	—	—	—	—	—	1	—	1	—	—
Erysipelas	14	4	—	2	—	—	—	—	—	—	—	1	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	8	2	4	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	9	—	—	—	—	—	—	—	1	1	—	—	—
Abscess	6	2	—	1	—	—	—	—	1	—	—	—	—
Ulcer	4	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	5	1	—	—	—	—	—	1	—	—	—	—	—
Cancer	45	1	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	38	1	2	3	4	2	3	1	2	5	3	5	1
Tabes Mesenterica	47	4	7	4	6	6	6	3	5	3	—	—	—
Phthisis	278	—	—	1	4	1	3	1	3	4	30	52	45
Hydrocephalus	101	5	14	20	29	11	7	1	9	1	1	—	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1870.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	16	1	—	3	3	2	—	1	1	—	—	2	—
Apoplexy	57	—	1	2	1	1	1	—	1	—	1	—	—
Paralysis	64	1	—	—	—	—	2	—	—	—	—	—	2
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	12	—	—	—	—	—	—	—	—	1	—	1	2
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	48	22	8	6	9	1	—	1	1	—	—	—	—
Brain Disease	39	—	—	2	2	—	—	—	3	2	1	1	5
V. Pericarditis	7	—	—	—	—	—	—	—	1	—	1	1	—
Aneurism	11	—	—	—	—	—	—	—	—	—	—	1	2
Heart Disease	176	4	—	1	—	—	—	—	—	1	7	5	5
VI. Laryngitis	3	—	—	1	—	—	—	—	—	—	—	1	—
Bronchitis	218	18	14	37	28	12	5	2	1	—	—	1	—
Pleurisy	13	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia	92	12	5	10	11	4	1	—	2	—	3	4	3
Asthma	13	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	26	1	—	3	3	—	—	—	—	—	1	1	1
VII. Teething	18	—	—	6	11	—	1	—	—	—	—	—	—
Quinsey	4	2	—	—	—	—	—	—	1	—	—	—	—
Gastritis	4	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis	13	6	2	—	—	—	1	—	1	—	—	1	—
Peritonitis	15	2	—	1	—	—	1	—	2	1	—	1	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	7	—	—	—	—	—	—	—	—	—	1	—	1
Hernia	3	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	8	2	—	—	—	—	—	—	—	—	1	—	1
Intussusception	2	—	1	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	17	2	1	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	9	4	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	19	—	—	—	—	—	—	—	—	1	—	—	—
Spleen Disease	1	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	3	—	—	—	—	—	—	—	—	—	—	1	1
Nephria	35	—	—	—	1	—	—	1	1	—	1	1	2
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	5	—	—	—	—	—	—	—	—	—	—	—	1
Stone	6	—	—	—	—	—	—	—	—	—	1	1	—
Cystitis	22	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	13	—	1	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	6	—	—	—	—	—	—	2	—	1	1	1	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	18	1	—	—	—	—	—	2	3	2	4	2	1
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	8	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	12	7	3	2	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	6	1	—	—	—	—	—	—	—	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	8	—	—	1	—	1	1	1	1	1	1	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	5	—	3	1	—	—	—	—	—	—	1	—	—
Drowning	2	—	—	—	—	—	—	—	1	—	—	—	—
Fracture and Contusion	52	—	—	—	1	—	—	2	1	2	4	4	11
Gunshot Wounds	3	—	—	—	—	—	—	—	—	—	1	1	1
Cuts and Stabs	6	—	—	—	—	—	—	—	—	—	1	—	—
Other Violent Causes	10	2	1	—	1	2	—	—	—	—	—	—	1
Not Specified	17	1	1	1	6	1	—	—	—	1	1	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2360	197	67	122	141	68	75	42	109	46	67	70	106
SPECIFIED CAUSES	2344	191	65	121	140	68	75	42	109	46	67	70	105
I. Zymotic Class	446	29	11	34	52	39	46	26	60	9	10	10	18
II. Diseases of Uncertain Seat	100	4	1	—	—	—	—	—	2	1	1	3	2
III. Tubercular Class	420	7	15	30	32	11	17	3	23	17	37	30	36
IV. Brain and Nervous System	211	12	3	10	7	2	4	2	7	2	5	3	7
V. Organs of Circulation	176	1	—	—	—	—	—	—	2	6	4	5	5
VI. Respiratory Organs	395	26	24	35	32	12	5	6	7	2	—	3	6
VII. Organs of Digestion	147	8	5	5	11	—	—	1	2	—	2	4	12
VIII. Urinary Organs	41	—	—	—	—	—	—	1	1	4	3	3	4
IX. Organs of Generation	42	—	—	—	—	—	—	1	—	—	1	5	12
X. Organs of Locomotion	16	—	—	—	—	—	1	1	3	2	2	1	—
XI. Skin, etc.	2	—	—	—	—	—	—	—	—	—	1	—	—
XII. Malformation	12	11	—	—	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	93	83	4	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	16	—	—	—	4	2	—	—	—	1	—	1	—
XV. Age	174	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	52	10	1	1	1	2	2	1	2	2	1	2	3
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	9	—	—	2	2	3	1	—	1	—	—	—	—
Scarlatina	96	1	—	5	10	11	20	10	31	2	2	—	1
Diphtheria	47	1	—	3	8	5	6	6	11	3	1	1	—
Hooping Cough	46	3	2	10	7	12	9	—	3	—	—	—	—
Croup	44	—	1	3	11	8	7	9	5	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	55	10	4	9	9	—	—	—	1	—	2	—	2
Dysentery	4	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	4	2	—	1	—	—	—	—	—	—	—	—	1
Influenza	8	—	—	—	1	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	46	—	1	—	1	—	—	—	3	3	2	1	3
Enteric Fever	28	—	—	—	—	—	3	1	4	1	—	3	1
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	1	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	1	—	—	—	—	—	—	—	—
Metria	16	—	—	—	—	—	—	—	—	—	1	4	5
Rheumatic Fever	7	—	—	—	—	—	—	—	1	—	—	1	2
Erysipelas	16	4	1	—	—	—	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	1	—	—
Syphilis	12	7	2	1	1	—	—	—	—	—	—	—	—
Noma	2	—	—	—	1	—	—	—	—	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	1	—	—	—	—	—	—	—	—	1	—	—
Dropsy	9	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	2	1	—	—	—	—	—	—	1	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	1	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	1	1	—	—	—	—	—	—	1	—	—	—
Cancer	78	1	—	—	—	—	—	—	1	—	—	2	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	28	—	2	4	4	2	4	—	3	1	3	—	1
Tabes Mesenterica	40	5	4	9	6	4	3	—	5	2	2	—	—
Phthisis	280	—	—	1	4	2	3	1	5	12	30	30	35
Hydrocephalus	72	2	9	16	18	3	7	2	10	2	2	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	102	103	113	101	95	93	139	112	145	116	75	43	7	4	2	—
SPECIFIED CAUSES . .	102	103	112	100	94	92	138	112	145	116	75	43	7	4	2	—
Zymotic Class . . .	11	9	13	12	6	6	14	4	10	10	5	2	—	—	—	—
Uncertain Seat . . .	2	10	5	11	14	9	10	10	4	9	2	—	—	—	—	—
Tubercular Class . .	45	37	36	17	14	6	6	1	—	—	—	—	—	—	—	—
Brain, etc.	5	8	1	7	13	18	21	19	18	19	12	6	—	—	—	—
Heart, etc.	13	10	14	15	7	19	18	17	25	8	6	—	1	—	—	—
Respiratory Organs .	7	12	16	19	15	23	39	23	37	26	10	8	2	—	—	—
Digestive Organs . .	6	7	12	7	16	6	11	12	9	8	2	1	—	—	—	—
Urinary Organs . . .	6	2	4	1	1	1	5	4	1	—	—	—	—	—	—	—
Generative Organs . .	5	3	6	3	3	1	2	—	—	—	—	—	—	—	—	—
Locomotive Organs .	—	1	1	—	—	2	—	2	—	—	—	—	—	—	—	—
Skin	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	—	2	2	3	1	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	9	17	40	35	37	26	4	4	2	—
Sudden Deaths . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	2	4	2	5	2	—	3	3	1	1	1	—	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	—	—	2	—	1	2	—	5	3	4	—	—	—	—	—
Dysentery	—	—	1	—	—	—	—	—	—	3	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	3	—	3	1	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	2	4	7	1	4	6	—	1	2	—	1	—	—	—	—
Enteric Fever	2	—	3	2	2	—	2	4	—	—	—	—	—	—	—	—
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Erysipelas	—	1	1	1	3	1	1	—	1	—	1	1	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Dropsy	—	—	—	2	—	1	1	2	1	1	1	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—
Cancer	2	10	5	8	13	8	9	8	2	6	1	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	42	37	36	15	14	6	6	1	—	—	—	—	—	—	—	—
Hydrocephalus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1870.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	19	2	—	3	1	1	2	—	2	—	3	—	2
Apoplexy	63	1	1	2	—	—	1	—	1	1	—	—	—
Paralysis	65	—	—	—	—	—	—	—	1	—	—	—	3
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	—	1	2	—
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	4	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	22	8	2	5	3	—	1	1	2	—	—	—	—
Brain Disease	34	—	—	—	3	1	—	1	1	1	1	—	2
V. Pericarditis	7	—	—	—	—	—	—	—	1	—	—	1	1
Aneurism	7	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	162	1	—	—	—	—	—	—	1	6	4	4	4
VI. Laryngitis	6	—	—	1	—	—	—	1	1	—	—	—	—
Bronchitis	274	16	16	26	21	10	2	4	4	—	—	—	1
Pleurisy	8	1	—	—	—	—	1	—	—	—	—	—	1
Pneumonia	79	9	8	7	11	2	1	—	2	1	—	2	2
Asthma	12	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	16	—	—	1	—	—	1	1	—	1	—	1	2
VII. Teething	13	—	—	4	9	—	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	1	—	—	—	—
Gastritis	2	—	—	—	—	—	—	—	—	—	—	—	1
Enteritis	17	6	3	—	1	—	—	—	—	—	—	—	2
Peritonitis	13	—	—	—	—	—	—	—	1	—	—	1	6
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	9	—	—	—	—	—	—	—	—	—	—	1	1
Hernia	5	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	7	—	—	—	—	—	—	1	—	—	—	—	1
Intussusception	1	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	24	2	—	1	—	—	—	—	—	—	1	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	1	—
Jaundice	5	—	1	—	—	—	—	—	—	—	—	—	—
Liver Disease	41	—	—	—	1	—	—	—	—	—	1	—	—
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	1	—	—	—	—
Nephria	22	—	—	—	—	—	—	—	—	4	1	3	2
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	1	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	12	—	—	—	—	—	—	1	—	—	1	—	2
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	9	—	—	—	—	—	—	—	—	—	—	2	4
Childbirth	21	—	—	—	—	—	—	—	—	—	—	3	6
Organs of Generation	10	—	—	—	—	—	—	1	—	—	1	—	1
X. Bone Disease	3	—	—	—	—	—	1	—	—	—	1	—	—
Rheumatism	5	—	—	—	—	—	—	—	—	—	1	1	—
Joint Disease	8	—	—	—	—	—	—	1	3	2	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	1	—	—
XVII. Intemperance	7	—	—	—	—	—	—	—	—	—	1	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	7	7	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	9	—	—	1	1	2	—	—	—	1	—	1	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	4	2	1	—	—	—	—	—	—	—	—	—	—
Drowning	2	—	—	—	—	—	—	—	—	—	—	—	1
Fracture and Contusion	14	—	—	—	—	—	2	1	2	1	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	3	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	16	6	2	1	1	—	—	—	—	—	—	—	1

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	3185	376	157	248	324	142	112	76	193	67	93	119	131
SPECIFIED CAUSES	3167	373	156	246	323	141	112	76	191	67	92	119	130
I. Zymotic Class	813	69	54	90	149	79	62	43	96	23	17	13	15
II. Diseases of Uncertain Seat	105	1	—	1	2	2	3	—	2	2	2	1	3
III. Tubercular Class	575	9	13	27	44	18	24	16	33	18	49	78	62
IV. Brain and Nervous System	247	21	18	16	17	3	7	2	17	4	2	2	12
V. Organs of Circulation	161	1	—	—	—	—	1	—	2	5	4	5	11
VI. Respiratory Organs	540	50	41	74	68	28	11	12	22	4	5	1	7
VII. Organs of Digestion	169	11	7	25	35	5	2	—	6	3	1	6	8
VIII. Urinary Organs	26	1	1	—	—	1	—	1	—	1	1	—	2
IX. Organs of Generation	25	—	—	—	—	—	—	—	—	—	1	4	5
X. Organs of Locomotion	17	—	—	—	—	—	—	—	2	4	3	2	1
XI. Skin, etc.	3	2	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	10	10	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	217	191	17	9	—	—	—	—	—	—	—	—	—
XIV. Atrophy	21	—	—	—	7	—	1	—	2	1	—	1	—
XV. Age	140	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	9	1	2	1	—	—	—	—	1	—	—	—	—
XVII. Violent Deaths	89	6	3	3	1	5	1	2	8	2	7	6	4
I. Small Pox	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles	25	1	1	5	10	3	2	1	—	1	—	—	—
Scarlatina	249	3	3	15	36	34	33	28	72	13	5	3	3
Diphtheria	10	—	1	—	3	2	2	1	1	—	—	—	—
Hooping Cough	162	6	16	35	51	24	15	10	5	—	—	—	—
Croup	13	1	1	2	3	2	2	1	1	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	174	40	23	27	35	9	4	1	2	1	—	—	4
Dysentery	13	—	1	—	2	1	—	—	—	—	—	1	—
Cholera	15	4	2	—	2	1	1	—	1	—	—	1	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	54	—	—	—	—	1	1	—	2	3	6	4	3
Enteric Fever	39	—	—	—	1	1	1	1	9	4	5	1	2
Relapsing Fever	3	—	—	—	2	—	—	—	3	—	—	—	—
Simple Continued Fever	2	—	—	—	2	—	—	—	—	—	—	—	—
Infantile Remittent	4	—	1	—	2	1	—	—	—	—	—	—	—
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	4	—	—	—	—	—	—	—	—	1	—	—	1
Erysipelas	16	2	2	3	—	—	1	—	—	—	—	3	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	21	10	3	3	2	—	—	—	—	—	—	—	2
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	41	—	—	—	—	2	3	—	2	1	1	—	2
Abscess	8	—	—	1	2	—	—	—	—	—	1	1	1
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	1	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	49	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	19	1	—	1	5	—	1	3	4	1	1	1	1
Tabes Mesenterica	42	5	7	6	6	7	5	—	4	—	2	—	—
Phthisis	424	1	1	1	8	4	4	6	14	17	46	77	61
Hydrocephalus	90	2	5	19	25	7	14	7	11	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.		BOTH SEXES.											
		ALL AGES.	AGE UNDER										
			MONTHS.			2	3	4	5	10	15	20	25
3	6	12											
IV. Cephalitis	22	—	2	2	3	2	1	1	5	2	—	2	1
Apoplexy	59	1	2	—	2	—	1	—	6	—	—	—	7
Paralysis	75	—	—	—	1	—	—	—	—	1	—	—	1
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	7	—	—	—	—	—	—	—	—	1	—	—	1
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	67	19	14	14	10	1	5	1	3	—	—	—	—
Brain Disease	15	—	—	—	1	—	—	—	3	—	2	—	1
V. Pericarditis	4	—	—	—	—	—	—	—	—	—	1	1	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	157	1	—	—	—	—	1	—	2	5	3	4	11
VI. Laryngitis	3	—	—	2	1	—	—	—	—	—	—	—	—
Bronchitis	420	48	38	66	57	24	11	10	16	1	3	—	2
Pleurisy	5	—	—	—	—	—	—	—	—	—	—	1	1
Pneumonia	82	2	3	6	10	4	—	2	6	3	1	—	4
Asthma	26	—	—	—	—	—	—	—	—	—	1	—	—
Lung Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	61	—	4	22	33	2	—	—	—	—	—	—	—
Quinsey	2	—	—	—	—	—	1	—	1	—	—	—	—
Gastritis	7	—	—	1	—	—	—	—	1	—	—	2	—
Enteritis	11	3	2	—	1	1	1	—	1	—	—	1	—
Peritonitis	15	1	—	—	—	—	—	—	1	2	—	—	4
Ascites	1	—	—	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	6	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	14	2	—	—	—	—	—	—	1	—	—	2	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	15	3	1	1	—	—	—	—	—	—	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	7	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	6	2	—	1	1	—	—	—	—	—	—	—	—
Liver Disease	17	—	—	—	—	2	—	—	—	1	—	—	—
Spleen Disease	3	—	—	—	—	—	—	—	—	—	—	—	1
VIII. Nephritis	6	1	1	—	—	1	—	—	—	1	—	—	—
Nephria	9	—	—	—	—	—	—	—	—	—	—	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	—	1	—	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	5	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	1	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	1	—	—
Childbirth	21	—	—	—	—	—	—	—	—	—	—	4	5
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	4	—	—	—	—	—	—	—	—	1	1	—	—
Joint Disease	13	—	—	—	—	—	—	—	2	3	2	2	1
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	2	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	10	—	—	1	—	1	—	1	4	—	—	—	1
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	12	6	2	2	—	—	1	—	—	—	—	—	—
Drowning	14	—	—	—	1	2	—	—	2	1	2	—	—
Fracture and Contusion	40	—	—	—	—	1	—	1	2	1	5	6	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	5	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	18	3	1	2	1	1	—	—	2	—	1	—	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1870.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	—	1	2	6	2	3	3	8	8	4	3	—	—	—	—	—
Paralysis	4	1	5	2	2	11	17	10	7	4	7	2	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	1	1	1	2	—	2	—	—	1	—	—	—	—	—	—	—
Pericarditis	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	6	11	11	19	16	17	19	15	10	2	4	—	—	—	—	—
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	6	12	13	14	20	18	22	13	13	4	7	2	—	—	—	—
Pleurisy	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—
Pneumonia	6	5	3	1	5	5	7	5	2	1	1	—	—	—	—	—
Asthma	—	1	3	5	7	3	3	2	1	—	—	—	—	—	—	—
Lung Disease	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Peritonitis	—	—	2	1	1	2	1	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—
Ileus	—	—	1	1	—	—	2	2	2	1	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	2	1	—	1	4	1	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	2	1	—	2	1	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Liver Disease	4	—	3	—	3	3	—	1	—	—	—	—	—	—	—	—
Spleen Disease	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Nephria	1	1	—	1	1	1	—	3	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	2	—	—	2	1	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Childbirth	7	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Joint Disease	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Drowning	1	1	—	2	—	—	1	—	—	—	—	—	—	—	—	1
Fracture and Contusion	3	3	1	1	8	3	2	2	—	—	—	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	2

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1870.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES	1567	215	86	136	171	62	64	33	111	33	44	52	48
SPECIFIED CAUSES	1562	214	86	135	171	62	64	33	110	33	44	52	48
I. Zymotic Class	395	34	29	46	72	32	34	16	49	12	9	6	7
II. Diseases of Uncertain Seat	42	1	—	—	1	1	2	—	1	2	2	1	—
III. Tubercular Class	264	9	7	14	27	8	14	7	21	7	20	30	21
IV. Brain and Nervous System	125	8	11	10	11	2	3	—	13	3	—	2	4
V. Organs of Circulation	86	—	—	—	—	—	—	—	1	—	1	3	6
VI. Respiratory Organs	267	25	19	44	40	15	8	8	13	1	3	1	1
VII. Organs of Digestion	87	7	5	13	16	3	1	—	3	2	—	4	4
VIII. Urinary Organs	14	—	1	—	—	—	—	1	—	—	1	—	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	7	—	—	—	—	—	—	—	1	3	2	—	—
XI. Skin, etc.	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	6	6	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	137	120	10	7	—	—	—	—	—	—	—	—	—
XIV. Atrophy	13	—	—	—	4	—	1	—	1	1	—	—	—
XV. Age	50	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	6	1	2	—	—	—	—	—	1	—	—	—	—
XVII. Violent Deaths	62	2	2	1	—	1	1	1	6	2	6	5	4
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	14	—	1	3	6	2	1	—	—	1	—	—	—
Scarlatina	129	1	1	10	21	15	20	15	37	5	1	1	1
Diphtheria	2	—	—	—	—	1	1	—	—	—	—	—	—
Hooping Cough	60	1	10	14	23	7	4	—	1	—	—	—	—
Croup	9	1	—	—	3	1	2	1	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	86	23	12	15	14	5	2	—	1	1	—	—	1
Dysentery	5	—	1	—	1	—	—	—	—	—	—	—	—
Cholera	8	2	2	—	1	1	1	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	1	—
Purpura	1	—	—	—	—	—	—	—	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	30	—	—	—	—	—	1	—	1	1	2	4	2
Enteric Fever	25	—	—	—	1	—	1	—	6	3	5	—	1
Relapsing Fever	2	—	—	—	—	—	—	—	2	—	—	—	—
Simple Continued Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	1	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Erysipelas	8	1	1	2	—	—	1	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	11	5	1	2	—	—	—	—	—	—	—	—	2
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	19	—	—	—	—	1	2	—	1	1	1	—	—
Abscess	4	—	—	—	1	—	—	—	—	—	1	1	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	1	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	15	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	12	1	—	—	4	—	1	2	3	—	1	—	—
Tabes Mesenterica	30	5	4	5	5	3	4	—	3	—	1	—	—
Phthisis	176	1	—	1	5	2	1	3	8	7	18	30	21
Hydrocephalus	46	2	3	8	13	3	8	2	7	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1870.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	17	—	2	2	2	1	1	—	4	1	—	2	1
Apoplexy	22	—	1	—	1	—	—	—	5	—	—	—	—
Paralysis	38	—	—	—	1	—	—	—	—	1	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	1	—	—	1
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	35	7	8	8	7	1	2	—	2	—	—	—	—
Brain Disease	7	—	—	—	—	—	—	—	2	—	—	—	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	86	—	—	—	—	—	—	—	1	—	1	3	6
VI. Laryngitis	2	—	—	2	—	—	—	—	—	—	—	—	—
Bronchitis	204	24	18	39	34	14	8	6	8	—	2	—	—
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia	41	1	1	3	6	1	—	2	5	1	1	—	1
Asthma	14	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	32	—	8	13	15	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	—	—	—	—	—	—	—	—	—	—	1	—
Enteritis	6	2	1	—	—	—	1	—	1	—	—	—	—
Peritonitis	8	1	—	—	—	—	—	—	1	1	—	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	7	1	—	—	—	—	—	—	1	—	—	2	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	6	2	1	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	6	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	3	1	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	14	—	—	—	—	2	—	—	—	1	—	—	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	1
VIII. Nephritis	1	—	1	—	—	—	—	—	—	—	—	—	—
Nephria	5	—	—	—	—	—	—	—	—	—	—	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	—	1	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	1	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	1	1	—	—
Joint Disease	5	—	—	—	—	—	—	—	1	2	1	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	—	—	—	1	—	—	2	—	—	—	1
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	6	2	1	1	—	—	1	—	—	—	—	—	—
Drowning	8	—	—	—	—	—	—	—	2	1	1	—	—
Fracture and Contusion	32	—	—	—	—	—	—	1	2	1	5	5	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	5	1	—	1	—	—	—	—	1	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1618	161	71	112	153	80	48	43	82	34	49	67	83
SPECIFIED CAUSES	1605	159	70	111	152	79	48	43	81	34	48	67	82
I. Zymotic Class	418	35	25	44	77	47	28	27	47	11	8	7	8
II. Diseases of Uncertain Seat	63	—	—	1	1	1	1	—	1	—	—	—	3
III. Tubercular Class	311	—	6	13	17	10	10	9	12	11	29	48	41
IV. Brain and Nervous System	122	13	7	6	6	1	4	2	4	1	2	—	8
V. Organs of Circulation	75	1	—	—	—	—	1	—	1	5	3	2	5
VI. Respiratory Organs	273	25	22	30	28	13	3	4	9	3	2	—	6
VII. Organs of Digestion	82	4	2	12	19	2	1	—	3	1	1	2	4
VIII. Urinary Organs	12	1	—	—	—	1	—	—	—	1	—	—	1
IX. Organs of Generation	25	—	—	—	—	—	—	—	—	—	1	4	5
X. Organs of Locomotion	10	—	—	—	—	—	—	—	1	1	1	2	1
XI. Skin, etc.	2	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	4	4	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	80	71	7	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	—	—	3	—	—	—	1	—	—	1	—
XV. Age	90	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	27	4	1	2	1	4	—	1	2	—	1	1	—
I. Small Pox	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles	11	1	—	2	4	1	1	1	—	—	—	—	—
Scarlatina	120	2	2	5	15	19	13	13	35	8	4	2	2
Diphtheria	8	—	1	—	3	1	1	1	1	—	—	—	—
Hooping Cough	102	5	6	21	28	17	11	10	4	—	—	—	—
Croup	4	—	1	2	—	1	—	—	—	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	88	17	11	12	21	4	2	1	1	—	—	—	3
Dysentery	8	—	—	—	1	1	—	—	—	—	—	—	—
Cholera	7	2	—	—	1	—	—	—	1	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	24	—	—	—	—	1	—	—	1	2	4	—	1
Enteric Fever	14	—	—	—	—	1	—	1	3	1	—	1	1
Relapsing Fever	1	—	—	—	—	—	—	—	1	—	—	—	—
Simple Continued Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Infantile Remittent	3	—	1	—	1	1	—	—	—	—	—	—	—
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	1
Erysipelas	8	1	1	1	—	—	—	—	—	—	—	3	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	10	5	2	1	2	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	22	—	—	—	—	1	1	—	1	—	—	—	2
Abscess	4	—	—	1	1	—	—	—	—	—	—	—	1
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	34	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	1	1	—	—	1	1	1	—	1	1
Tabes Mesenterica	12	—	3	1	1	4	1	—	1	—	1	—	—
Phthisis	248	—	1	—	3	2	3	3	6	10	28	47	40
Hydrocephalus	44	—	2	11	12	4	6	5	4	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1870.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	5	—	—	—	1	1	—	1	1	1	—	—	—
Apoplexy	37	1	1	—	1	—	1	—	1	—	—	—	7
Paralysis	37	—	—	—	—	—	—	—	—	—	—	—	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	32	12	6	6	3	—	3	1	1	—	—	—	—
Brain Disease	8	—	—	—	1	—	—	—	1	—	2	—	—
V. Pericarditis	4	—	—	—	—	—	—	—	—	—	1	1	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	71	1	—	—	—	—	1	—	1	5	2	1	5
VI. Laryngitis	1	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	216	24	20	27	23	10	3	4	8	1	1	—	2
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	1
Pneumonia	41	1	2	3	4	3	—	—	1	2	—	—	3
Asthma	12	—	—	—	—	—	—	—	—	—	1	—	—
Lung Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	29	—	1	9	18	1	—	—	—	—	—	—	—
Quinsey	2	—	—	—	—	—	1	—	1	—	—	—	—
Gastritis	5	—	—	1	—	—	—	—	1	—	—	1	—
Enteritis	5	1	1	—	1	1	—	—	—	—	—	1	—
Peritonitis	7	—	—	—	—	—	—	—	—	1	—	—	3
Ascites	1	—	—	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	5	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	7	1	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	9	1	—	1	—	—	—	—	—	—	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	3	1	—	1	—	—	—	—	—	—	—	—	—
Liver Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	5	1	—	—	—	1	—	—	—	1	—	—	—
Nephria	4	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	1	—	—
Childbirth	21	—	—	—	—	—	—	—	—	—	—	4	5
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	8	—	—	—	—	—	—	—	1	1	1	2	1
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	—	—	1	—	—	—	1	2	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	6	4	1	1	—	—	—	—	—	—	—	—	—
Drowning	6	—	—	—	1	2	—	—	—	—	1	—	—
Fracture and Contusion	8	—	—	—	—	1	—	—	—	—	—	1	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	13	2	1	1	1	1	—	—	1	—	1	—	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1870.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy . . .	—	1	2	5	2	1	1	4	2	4	3	—	—	—	—	—	
Paralysis . . .	2	—	1	—	1	6	10	6	5	1	3	1	—	—	—	—	
Delirium Tremens . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . .	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	
Pericarditis . . .	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Aneurism . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease . . .	5	7	5	9	6	5	7	6	3	2	—	—	—	—	—	—	
Laryngitis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis . . .	2	9	9	9	15	14	11	11	4	2	6	1	—	—	—	—	
Pleurisy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pneumonia . . .	2	3	2	1	2	2	4	3	2	1	—	—	—	—	—	—	
Asthma . . .	—	—	1	—	5	3	2	—	—	—	—	—	—	—	—	—	
Lung Disease . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . .	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Enteritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis . . .	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	
Ascites . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia . . .	1	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	
Ileus . . .	—	—	1	—	—	—	2	1	2	—	—	—	—	—	—	—	
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stomach Disease . . .	—	1	—	—	—	4	1	—	—	—	—	—	—	—	—	—	
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Jaundice . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Liver Disease . . .	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spleen Disease . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Nephria . . .	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Childbirth . . .	7	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bone Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism . . .	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
Joint Disease . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion . . .	—	—	—	—	3	1	1	1	—	—	—	—	—	—	—	—	
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified . . .	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	1	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1927	201	78	118	156	72	54	42	90	50	69	67	63
SPECIFIED CAUSES	1915	200	74	118	156	72	53	42	90	50	68	67	63
I. Zymotic Class	368	37	15	38	51	28	27	24	41	10	12	6	10
II. Diseases of Uncertain Seat	64	2	—	—	1	2	1	—	—	1	2	1	—
III. Tubercular Class	307	5	6	22	27	5	7	10	27	18	30	44	23
IV. Brain and Nervous System	245	37	12	3	11	6	7	4	11	9	7	1	6
V. Organs of Circulation	125	1	—	—	1	—	1	—	2	1	3	6	3
VI. Respiratory Organs	312	30	21	32	36	19	8	4	4	2	3	4	6
VII. Organs of Digestion	150	11	7	15	22	8	1	—	1	2	3	1	3
VIII. Urinary Organs	44	—	—	1	—	—	—	—	—	1	3	—	2
IX. Organs of Generation	13	—	—	—	—	—	—	—	—	—	—	1	2
X. Organs of Locomotion	10	—	—	—	—	—	—	—	1	1	1	1	—
XI. Skin, etc.	9	2	3	1	—	—	—	—	—	—	—	—	1
XII. Malformation	10	6	1	1	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	61	55	3	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	4	1	—	—	1	—	—	—	—
XV. Age	124	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	65	14	6	2	3	3	1	—	1	5	4	2	6
I. Small Pox	3	—	1	—	—	—	—	—	—	—	—	—	—
Measles	1	1	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	84	—	—	6	8	10	12	16	25	1	3	—	1
Diphtheria	12	—	—	—	2	2	3	4	1	—	—	—	—
Hooping Cough	60	5	1	11	28	7	5	1	2	—	—	—	—
Croup	20	1	—	—	6	3	4	1	5	—	—	—	—
Thrush	11	7	2	1	1	—	—	—	—	—	—	—	—
Diarrhoea	59	12	8	15	5	1	—	—	—	—	—	—	—
Dysentery	14	2	1	—	1	—	—	—	1	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	1	—	—	—	—
Influenza	7	—	—	—	—	—	—	—	1	—	1	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	29	—	—	—	—	—	1	—	2	1	1	2	4
Enteric Fever	31	—	—	1	—	1	1	1	2	5	5	2	3
Relapsing Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	7	—	—	2	—	3	—	1	1	—	—	—	—
Metria	3	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatic Fever	6	—	—	1	—	—	—	—	—	1	1	2	—
Erysipelas	8	2	—	1	—	—	1	—	1	—	—	—	2
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	10	7	2	—	—	1	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	2	—	—	—	—	—	—	—	—	1	—	—
Dropsy	10	—	—	—	—	—	1	—	—	1	1	—	—
Abscess	2	—	—	—	—	1	—	—	—	—	—	1	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	44	—	—	—	1	1	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	19	2	—	—	—	—	1	2	1	5	2	1	1
Tabes Mesenterica	22	2	—	4	7	1	—	4	2	1	1	—	—
Phthisis	211	—	1	6	4	1	3	2	11	12	27	43	22
Hydrocephalus	55	1	5	12	16	3	3	2	13	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	52	68	55	52	52	71	105	110	116	80	59	35	8	4	—	—
SPECIFIED CAUSES . . .	52	65	54	52	52	70	105	110	116	80	59	35	8	4	—	—
Zymotic Class . . .	6	11	4	8	3	5	4	7	6	10	2	1	1	1	—	—
Uncertain Seat . . .	2	4	3	—	6	4	8	11	8	6	—	2	—	—	—	—
Tubercular Class . . .	21	15	18	5	6	9	8	—	1	—	—	—	—	—	—	—
Brain, etc.	4	8	7	6	6	11	19	21	19	15	10	4	1	—	—	—
Heart, etc.	4	4	2	11	7	10	22	18	17	7	4	1	—	—	—	—
Respiratory Organs . . .	6	9	8	9	12	19	20	22	20	9	5	4	—	—	—	—
Digestive Organs . . .	4	5	7	6	6	4	13	11	12	4	2	2	—	—	—	—
Urinary Organs . . .	3	3	2	3	2	4	2	6	7	3	1	1	—	—	—	—
Generative Organs . . .	2	2	1	1	2	1	—	—	1	—	—	—	—	—	—	—
Locomotive Organs . . .	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	—
Skin	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Malformation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	6	9	19	26	35	20	6	3	—	—
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	—	2	2	2	2	2	1	5	2	—	—	—	—	—	—	—
Small Pox	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	1	1	1	—	—	1	1	2	3	6	1	—	1	—	—	—
Dysentery	—	—	—	—	1	2	1	2	2	1	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	1	1	—	—	1	—	—	1	—	—	—	1	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	2	6	—	4	1	2	—	1	1	—	—	1	—	—	—	—
Enteric Fever	2	1	—	2	1	—	1	2	—	1	—	—	—	—	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	—	—	—	1	—	1	2	2	—	—	1	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—
Cancer	1	3	3	—	5	4	6	9	5	5	—	1	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	21	15	16	5	5	8	8	—	1	—	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	21	1	—	1	6	2	1	2	3	3	1	—	—
Apoplexy	43	—	—	—	—	—	—	—	—	2	—	—	2
Paralysis	68	—	1	—	—	1	1	1	1	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	1	—	1	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	4	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	59	36	9	2	5	1	3	1	2	—	—	—	—
Brain Disease	46	—	2	—	—	2	2	—	5	3	6	—	3
V. Pericarditis	2	—	—	—	—	—	—	—	1	1	—	—	—
Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	119	1	—	—	1	—	1	—	1	—	3	6	3
VI. Laryngitis	7	—	—	1	1	—	1	2	—	—	—	—	1
Bronchitis	232	25	15	24	32	17	7	2	3	2	2	4	2
Pleurisy	6	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	52	4	6	7	3	2	—	—	1	—	1	—	3
Asthma	9	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	6	1	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	41	—	1	12	21	7	—	—	—	—	—	—	—
Quinsey	4	—	1	—	1	—	—	—	—	—	—	1	—
Gastritis	5	1	1	—	—	—	—	—	—	—	—	—	—
Enteritis	10	1	2	2	—	1	—	—	—	—	—	—	—
Peritonitis	6	—	—	—	—	—	—	—	—	1	—	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	6	—	—	—	—	—	—	—	—	—	1	—	—
Hernia	6	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	14	1	1	—	—	—	—	—	1	—	—	—	1
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	23	4	1	1	—	—	1	—	—	1	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	6	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	8	4	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	18	—	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease	2	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	8	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	—	1	—	—
Stone	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	5	—	—	—	—	—	—	—	—	—	1	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	20	—	—	1	—	—	—	—	—	1	1	—	1
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	7	—	—	—	—	—	—	—	—	—	—	1	2
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	2	—	—	—	—	—	—	—	—	1	—	1	—
Rheumatism	4	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	4	—	—	—	—	—	—	—	1	—	1	—	—
XI. Carbuncle	1	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	7	2	3	—	—	—	—	—	—	—	—	—	1
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	4	2	1	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	1	1	1	1	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	19	12	5	—	1	—	—	—	—	—	—	—	—
Drowning	6	—	—	—	1	1	—	—	—	1	1	1	1
Fracture and Contusion	26	—	—	—	—	1	—	—	1	4	1	1	4
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	1	—	—
Cuts and Stabs	3	—	—	—	—	—	—	—	—	—	1	—	1
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	12	1	4	—	—	—	1	—	—	—	1	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1870.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Apoplexy	1	3	4	1	3	4	3	3	10	5	1	1	—	—	—	—	
Paralysis	3	2	2	3	2	5	7	15	5	8	8	2	1	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	3	1	1	—	1	7	2	4	2	1	1	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	
Heart Disease	4	3	2	10	6	10	21	18	17	7	4	1	—	—	—	—	
Laryngitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	4	1	3	7	3	12	17	19	15	7	5	4	—	—	—	—	
Pleurisy	1	2	—	—	1	1	—	—	1	—	—	—	—	—	—	—	
Pneumonia	—	2	3	2	5	6	2	3	1	1	—	—	—	—	—	—	
Asthma	1	1	2	—	1	—	1	—	2	1	—	—	—	—	—	—	
Lung Disease	—	3	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Gastritis	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
Enteritis	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	
Peritonitis	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	1	—	2	1	1	—	—	—	—	—	—	—	
Hernia	—	—	1	—	—	—	1	1	2	—	—	1	—	—	—	—	
Ileus	—	—	—	1	—	—	2	3	1	2	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	1	2	1	1	—	—	5	3	1	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	1	—	1	1	—	1	—	—	2	—	—	—	—	—	—	—	
Jaundice	1	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
Liver Disease	1	2	1	1	1	1	5	1	2	1	—	1	—	—	—	—	
Spleen Disease	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
Nephria	2	2	—	2	1	1	—	—	—	—	—	—	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	
Diabetes	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	1	2	—	1	2	—	2	4	3	1	—	—	—	—	—	
Paramenia	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	1	—	—	1	1	—	—	1	—	—	—	—	—	—	—	
Childbirth	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Skin Disease	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	—	2	2	2	1	1	—	5	1	—	—	—	—	—	—	—	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	—	3	1	—	—	1	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1870.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	947	123	39	65	89	29	30	20	42	26	38	38	30
SPECIFIED CAUSES	943	123	39	65	89	29	30	20	42	26	38	38	30
I. Zymotic Class	187	26	9	21	32	11	13	13	20	4	6	4	5
II. Diseases of Uncertain Seat	23	1	—	—	—	2	1	—	—	—	1	1	—
III. Tubercular Class	150	4	4	14	12	1	4	4	14	8	16	22	12
IV. Brain and Nervous System	123	21	8	2	6	1	4	3	5	5	4	1	2
V. Organs of Circulation	55	—	—	—	—	—	1	—	1	1	1	4	1
VI. Respiratory Organs	155	17	10	18	22	9	6	—	2	—	2	2	1
VII. Organs of Digestion	75	7	2	8	12	3	1	—	—	1	1	1	1
VIII. Urinary Organs	35	—	—	1	—	—	—	—	—	1	3	—	2
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	2	—	—	—	—	—	—	—	—	1	—	1	—
XI. Skin, etc.	3	—	2	—	—	—	—	—	—	—	—	—	—
XII. Malformation	5	3	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	36	36	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	3	—	—	—	3	—	—	—	—	—	—	—	—
XV. Age	42	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	49	8	3	1	2	2	—	—	—	5	4	2	6
I. Small Pox	2	—	1	—	—	—	—	—	—	—	—	—	—
Measles	1	1	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	47	—	—	4	6	5	6	9	12	1	2	—	—
Diphtheria	5	—	—	—	—	1	1	3	—	—	—	—	—
Hooping Cough	32	3	—	7	16	2	3	—	1	—	—	—	—
Croup	10	1	—	—	4	1	2	—	2	—	—	—	—
Thrush	9	7	1	—	1	—	—	—	—	—	—	—	—
Diarrhœa	28	7	5	6	4	—	—	—	—	—	—	—	—
Dysentery	7	1	1	—	1	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	1	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	11	—	—	—	—	—	—	—	1	—	—	2	2
Enteric Fever	15	—	—	1	—	1	1	—	1	2	4	2	1
Relapsing Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	5	—	—	2	—	1	—	1	1	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	5	—	—	1	—	—	—	—	1	—	—	—	2
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	7	6	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	5	—	—	—	—	—	1	—	—	—	1	—	—
Abscess	2	—	—	—	—	1	—	—	—	—	—	1	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	15	—	—	—	—	1	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	12	1	—	—	—	—	1	1	1	2	1	1	1
Tabes Mesenterica	13	2	—	1	5	1	—	1	1	1	1	—	—
Phthisis	95	—	—	4	2	—	—	1	5	5	14	21	11
Hydrocephalus	30	1	4	9	5	—	3	1	7	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1870.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	23	34	32	23	25	33	48	52	44	33	17	12	2	—	—	—	
SPECIFIED CAUSES .	23	31	31	23	25	33	48	52	44	33	17	12	2	—	—	—	
Zymotic Class . .	1	4	2	—	1	3	1	4	3	3	1	—	—	—	—	—	
Uncertain Seat . .	—	1	1	—	3	1	2	7	2	—	—	—	—	—	—	—	
Tubercular Class . .	10	5	8	3	1	4	4	—	—	—	—	—	—	—	—	—	
Brain, etc. . . .	3	4	5	2	3	7	7	12	9	4	3	1	1	—	—	—	
Heart, etc. . . .	1	2	—	4	6	3	11	6	7	3	2	1	—	—	—	—	
Respiratory Organs . .	1	7	5	7	6	10	10	8	5	4	2	1	—	—	—	—	
Digestive Organs . .	4	4	6	3	2	1	7	4	3	1	1	2	—	—	—	—	
Urinary Organs . .	3	1	2	2	1	3	2	4	6	3	—	1	—	—	—	—	
Generative Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Malformation . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	2	3	7	15	8	6	1	—	—	—	
Sudden Deaths . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths . .	—	2	2	2	2	1	1	4	2	—	—	—	—	—	—	—	
Small Pox	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	1	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—	
Dysentery	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	—	2	—	—	—	2	—	1	1	—	—	—	—	—	—	—	
Enteric Fever	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer	—	1	1	—	2	1	2	5	2	—	—	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	10	5	6	3	1	3	4	—	—	—	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1870.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	980	78	39	53	67	43	24	22	48	24	31	29	33
SPECIFIED CAUSES	972	77	35	53	67	43	23	22	48	24	30	29	33
I. Zymotic Class	181	11	6	17	19	17	14	11	21	6	6	2	5
II. Diseases of Uncertain Seat	41	1	—	—	1	—	—	—	—	1	1	—	—
III. Tubercular Class	157	1	2	8	15	4	3	6	13	10	14	22	11
IV. Brain and Nervous System	122	16	4	1	5	5	3	1	6	4	3	—	4
V. Organs of Circulation	70	1	—	—	1	—	—	—	1	—	2	2	2
VI. Respiratory Organs	157	13	11	14	14	10	2	4	2	2	1	2	5
VII. Organs of Digestion	75	4	5	7	10	5	—	—	1	1	2	—	2
VIII. Urinary Organs	9	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	13	—	—	—	—	—	—	—	—	—	—	1	2
X. Organs of Locomotion	8	—	—	—	—	—	—	—	1	—	1	—	—
XI. Skin, etc.	6	2	1	1	—	—	—	—	—	—	—	—	1
XII. Malformation	5	3	—	1	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	25	19	3	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	4	—	—	—	1	1	—	—	1	—	—	—	—
XV. Age	82	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	16	6	3	1	1	1	1	—	1	—	—	—	—
I. Small Pox	1	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	37	—	—	2	2	5	6	7	13	—	1	—	1
Diphtheria	7	—	—	—	2	1	2	1	1	—	—	—	—
Hooping Cough	28	2	1	4	12	5	2	1	1	—	—	—	—
Croup	10	—	—	—	2	2	2	1	3	—	—	—	—
Thrush	2	—	1	1	—	—	—	—	—	—	—	—	—
Diarrhoea	31	5	3	9	1	1	—	—	—	—	—	—	—
Dysentery	7	1	—	—	—	—	—	—	—	1	—	—	—
Cholera	1	—	—	—	—	—	—	—	1	—	—	—	—
Influenza	5	—	—	—	—	—	—	—	—	—	1	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	18	—	—	—	—	—	1	—	1	1	1	—	2
Enteric Fever	16	—	—	—	—	—	—	1	1	3	1	—	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	2	—	—	—	—	2	—	—	—	—	—	—	—
Metria	3	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatic Fever	6	—	—	1	—	—	—	—	—	1	1	2	—
Erysipelas	3	2	—	—	—	—	1	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	1	1	—	—	1	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	1	—	—	—	—	—	—	—	—	1	—	—
Dropsy	5	—	—	—	—	—	—	—	—	1	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	29	—	—	—	1	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	1	—	—	—	—	—	1	—	3	1	—	—
Tabes Mesenterica	9	—	—	3	2	—	—	3	1	—	—	—	—
Phthisis	116	—	1	2	2	1	3	1	6	7	13	22	11
Hydrocephalus	25	—	1	3	11	3	—	1	6	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1870.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	10	—	—	1	3	1	—	1	1	2	—	—	—
Apoplexy	22	—	—	—	—	—	—	—	—	1	—	—	1
Paralysis	36	—	—	—	—	1	—	—	1	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	24	16	3	—	2	1	2	—	—	—	—	—	—
Brain Disease	25	—	1	—	—	2	1	—	4	1	3	—	2
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	70	1	—	—	1	—	—	—	1	—	2	2	2
VI. Laryngitis	4	—	—	—	—	—	1	2	—	—	—	—	1
Bronchitis	123	11	19	11	12	8	1	2	2	2	1	2	1
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	23	2	1	3	2	2	—	—	—	—	—	—	3
Asthma	5	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	22	—	1	7	10	4	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	4	1	1	—	—	—	—	—	—	—	—	—	—
Enteritis	4	1	2	—	—	1	—	—	—	—	—	—	—
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	5	—	—	—	—	—	—	—	—	—	1	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	4	—	—	—	—	—	—	—	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	16	2	1	—	—	—	—	—	—	1	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	8	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	2	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	7	—	—	—	—	—	—	—	—	—	—	1	2
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	4	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	4	—	—	—	—	—	—	—	1	—	1	—	—
XI. Carbuncle	1	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	5	2	1	—	—	—	—	—	—	—	—	—	1
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	1	—	—	1	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	8	5	3	—	—	—	—	—	—	—	—	—	—
Drowning	2	—	—	—	1	1	—	—	—	—	—	—	—
Fracture and Contusion	2	—	—	—	—	—	—	—	1	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	8	1	4	—	—	—	1	—	—	—	1	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1352	120	41	100	121	57	37	25	62	37	52	51	48
SPECIFIED CAUSES	1305	99	39	95	113	56	34	25	61	37	51	51	48
I. Zymotic Class	291	10	7	37	45	31	18	18	26	10	4	10	8
II. Diseases of Uncertain Seat	52	—	—	1	3	—	—	—	2	3	2	—	1
III. Tubercular Class	258	3	10	18	23	8	9	6	20	13	34	29	26
IV. Brain and Nervous System	99	4	3	3	3	3	—	—	1	2	2	1	—
V. Organs of Circulation	44	—	—	—	—	—	—	—	—	—	1	1	2
VI. Respiratory Organs	189	4	8	17	10	8	4	—	4	2	2	4	4
VII. Organs of Digestion	113	13	6	14	25	3	1	1	3	1	1	2	2
VIII. Urinary Organs	17	—	—	—	—	—	1	—	1	1	1	—	1
IX. Organs of Generation	10	—	—	—	—	—	—	—	—	—	—	1	1
X. Organs of Locomotion	10	—	—	—	—	—	1	—	—	2	3	1	1
XI. Skin, etc.	2	—	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	5	3	1	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	65	60	3	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	9	—	—	—	4	—	—	—	—	—	—	—	—
XV. Age	92	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	8	—	1	1	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	41	2	—	—	—	3	—	—	4	3	1	2	2
I. Small Pox	4	—	—	1	—	—	—	—	1	1	—	—	—
Measles	52	—	1	11	19	9	4	4	3	—	—	—	—
Scarlatina	49	—	—	9	4	11	4	5	13	2	—	1	—
Diphtheria	10	—	1	—	4	1	1	2	1	—	—	—	—
Whooping Cough	14	—	—	5	5	2	—	2	—	—	—	—	—
Croup	20	—	—	2	8	4	4	1	1	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	32	5	3	6	4	2	1	—	—	1	—	—	—
Dysentery	5	—	—	—	1	—	—	—	—	—	—	—	1
Cholera	4	—	—	—	—	—	—	—	—	—	—	1	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	38	—	—	—	—	—	—	—	1	1	2	4	3
Enteric Fever	20	—	—	—	—	2	—	2	—	2	2	2	1
Relapsing Fever	13	1	—	—	—	—	—	1	2	1	—	—	—
Simple Continued Fever	4	—	—	—	—	—	—	—	1	—	—	—	—
Infantile Remittent	8	—	—	1	—	—	3	1	3	—	—	—	—
Metria	3	—	—	—	—	—	—	—	—	—	—	2	1
Rheumatic Fever	2	—	—	—	—	—	—	—	—	2	—	—	—
Erysipelas	4	1	—	—	—	—	—	—	—	—	—	—	1
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	1
Syphilis	6	2	2	2	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	23	—	—	1	1	—	—	—	2	2	1	—	—
Abscess	3	—	—	—	1	—	—	—	—	1	1	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	20	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	19	—	—	—	—	1	2	1	6	3	3	—	1
Tabes Mesenterica	25	—	5	6	5	1	1	2	5	—	—	—	—
Phthisis	165	1	—	2	4	3	1	—	5	8	30	29	25
Hydrocephalus	49	2	5	10	14	3	5	3	4	2	1	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	—	—	—	—	—	—	—	—	1	—	—	—
Apoplexy	23	2	—	2	2	2	—	—	—	—	—	—	—
Paralysis	53	—	—	—	—	—	—	—	—	—	—	1	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	—	—	—	—	—	—	—	—	—	2	—	—
Tetanus	1	—	—	—	—	—	—	—	—	1	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	8	2	3	1	1	1	—	—	—	—	—	—	—
Brain Disease	6	—	—	—	—	—	—	—	1	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	43	—	—	—	—	—	—	—	—	—	1	1	1
VI. Laryngitis	1	—	1	—	—	—	—	—	—	—	—	—	—
Bronchitis	134	4	7	13	7	5	4	—	2	1	—	1	1
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	41	—	—	4	3	3	—	—	2	1	2	2	3
Asthma	10	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	—	—	1	—
VII. Teething	31	—	1	10	20	—	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	1	—	—	—	—
Gastritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	37	11	4	2	5	2	1	1	1	—	1	2	1
Peritonitis	4	—	—	—	—	—	—	—	—	—	—	—	1
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	9	2	1	2	—	—	—	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	7	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	3	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	10	—	—	—	—	1	—	—	—	1	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	1	—	—	1
Nephria	10	—	—	—	—	—	1	—	1	—	1	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	8	—	—	—	—	—	—	—	—	—	—	1	1
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	3	—	—	—	—	—	—	—	—	—	2	—	—
Rheumatism	4	—	—	—	—	—	—	—	—	1	1	—	1
Joint Disease	3	—	—	—	—	—	1	—	—	1	—	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	—	2	—	—	—	1	—	—	1
Hanging, etc.	5	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	—	—	—	—	—	—	—	—	—	—	—	1
Drowning	8	—	—	—	—	1	—	—	2	1	—	—	—
Fracture and Contusion	17	—	—	—	—	—	—	—	2	1	1	2	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	47	21	2	5	8	1	3	—	1	—	1	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.										
		AGE UNDER										30
		MONTHS.			2	3	4	5	10	15	20	
		3	6	12								
ALL CAUSES	1674	166	75	142	189	118	60	36	93	35	63	80
SPECIFIED CAUSES	1612	139	66	134	185	114	59	36	90	35	63	79
I. Zymotic Class	436	21	30	45	67	64	30	20	37	7	11	14
II. Diseases of Uncertain Seat	40	—	—	1	2	—	—	1	2	3	—	1
III. Tubercular Class	289	2	10	13	28	12	15	8	28	9	23	31
IV. Brain and Nervous System	106	7	1	13	8	5	3	—	8	—	3	2
V. Organs of Circulation	68	—	—	—	—	—	—	—	2	4	—	4
VI. Respiratory Organs	241	11	10	38	46	22	8	3	10	5	4	5
VII. Organs of Digestion	118	14	3	20	27	7	2	—	1	2	3	3
VIII. Urinary Organs	25	—	—	—	1	—	—	—	—	—	3	1
IX. Organs of Generation	15	—	—	—	—	—	—	—	—	—	—	9
X. Organs of Locomotion	10	—	—	—	—	—	—	—	—	—	3	1
XI. Skin, etc.	4	—	1	1	—	—	—	—	—	2	—	—
XII. Malformation	4	4	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	87	76	8	3	—	—	—	—	—	—	—	—
XIV. Atrophy	18	—	—	—	4	4	1	1	1	—	1	—
XV. Age	77	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	7	1	—	—	—	—	—	—	1	—	1	1
XVII. Violent Deaths	67	3	3	—	2	—	—	3	—	3	11	7
I. Small Pox	34	2	7	1	2	2	—	1	4	2	2	3
Measles	81	—	2	7	25	25	8	6	8	—	—	—
Scarlatina	44	—	1	4	5	10	6	5	11	—	—	1
Diphtheria	11	—	—	—	2	4	1	1	2	1	—	—
Hooping Cough	59	4	4	16	13	16	4	1	1	—	—	—
Croup	16	1	1	3	3	4	2	2	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	62	10	12	12	14	1	4	—	2	—	—	—
Dysentery	3	—	—	—	—	—	—	—	—	—	—	—
Cholera	6	1	—	2	1	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	65	—	1	—	1	1	1	—	2	1	5	5
Enteric Fever	27	—	—	—	—	1	3	2	5	3	3	2
Relapsing Fever	8	—	—	—	—	—	—	—	1	—	1	—
Simple Continued Fever	1	—	—	—	—	—	1	—	—	—	—	—
Infantile Remittent	2	—	—	—	1	—	—	1	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	1	3
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	5	1	2	—	—	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	1	—	—	—	—
Syphilis	3	2	—	—	—	—	—	—	—	—	1	—
Noma	1	—	—	—	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	1	—	—
Dropsy	16	—	—	—	1	—	—	—	2	2	—	—
Abscess	1	—	—	1	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	1	—	—	—	—	—	—	—
Cancer	17	—	—	—	—	—	—	1	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	26	1	4	2	6	1	—	2	2	2	1	—
Tabes Mesenterica	8	—	—	1	2	1	—	—	3	—	—	1
Phthisis	201	—	1	2	4	5	9	3	14	6	22	30
Hydrocephalus	54	1	5	8	16	5	6	3	9	1	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	17	—	1	4	2	2	1	—	3	—	1	2	1
Apoplexy	29	—	—	1	2	—	—	—	—	—	—	—	1
Paralysis	20	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	2	1	—	1	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	18	4	—	5	4	2	2	—	1	—	—	—	—
Brain Disease	15	2	—	2	—	1	—	—	4	—	2	1	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	65	—	—	—	—	—	—	—	2	4	—	3	4
VI. Laryngitis	1	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	156	9	10	25	34	20	3	1	6	—	1	—	2
Pleurisy	7	—	—	—	—	—	2	—	—	2	—	—	1
Pneumonia	63	2	—	12	11	2	3	2	4	3	3	2	—
Asthma	8	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	6	—	—	—	1	—	—	—	—	—	—	—	2
VII. Teething	44	—	1	13	23	6	1	—	—	—	—	—	—
Quinsey	3	—	—	3	—	—	—	—	—	—	—	—	—
Gastritis	3	3	—	—	—	—	—	—	—	—	—	—	—
Enteritis	21	6	2	3	2	—	—	—	1	—	1	—	1
Peritonitis	12	—	—	1	—	—	—	—	—	2	1	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	1	—	—	—	—	—	—	—	—	—	—	—
Hernia	5	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	5	2	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	2	—	—	—	2	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	7	2	—	—	—	1	—	—	—	—	—	—	1
Liver Disease	14	—	—	—	—	—	1	—	—	—	1	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	5	—	—	—	—	—	—	—	—	—	1	—	1
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone	2	—	—	—	—	—	—	—	—	—	1	—	—
Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	11	—	—	—	1	—	—	—	—	—	1	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth	14	—	—	—	—	—	—	—	—	—	—	2	8
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	2	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatism	5	—	—	—	—	—	—	—	—	—	1	—	1
Joint Disease	3	—	—	—	—	—	—	—	—	—	1	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	1	—	—	—
Skin Disease	3	—	1	1	—	—	—	—	—	1	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	5	2	3	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	13	—	—	—	2	—	—	2	—	—	7	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	10	—	—	—	—	—	—	—	—	—	—	4	2
Fracture and Contusion	28	—	—	—	—	—	—	1	—	3	4	1	5
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	62	27	9	8	4	4	1	—	3	—	—	1	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1059	130	51	88	111	61	40	21	64	27	16	31	44
SPECIFIED CAUSES	1052	128	50	88	111	61	40	21	64	27	16	29	44
I. Zymotic Class	239	21	12	23	41	29	19	13	40	7	2	5	6
II. Diseases of Uncertain Seat	37	—	—	—	—	1	—	—	1	1	—	1	2
III. Tubercular Class	221	16	11	22	31	15	7	2	12	9	8	10	19
IV. Brain and Nervous System	87	10	3	11	8	1	4	1	1	3	1	2	—
V. Organs of Circulation	53	—	—	1	—	—	—	—	1	1	1	3	5
VI. Respiratory Organs	180	19	13	21	25	9	9	2	3	—	—	1	5
VII. Organs of Digestion	57	8	5	7	3	2	—	—	—	3	—	—	1
VIII. Urinary Organs	17	—	—	—	—	—	1	1	—	1	1	—	—
IX. Organs of Generation	6	—	—	—	1	—	—	—	—	—	2	—	1
X. Organs of Locomotion	3	—	—	—	—	—	—	—	—	1	—	—	—
XI. Skin, etc.	3	—	2	—	—	1	—	—	—	—	—	—	—
XII. Malformation	6	4	—	1	—	1	—	—	—	—	—	—	—
XIII. Premature Debility	54	49	4	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	—	—	1	1	—	1	1	—	1	—	—
XV. Age	36	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	45	1	—	1	1	1	3	1	5	1	—	7	5
I. Small Pox	1	—	—	—	—	—	—	—	1	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	87	2	1	2	10	17	11	8	29	5	—	—	2
Diphtheria	7	—	—	2	1	—	1	—	2	1	—	—	—
Hooping Cough	35	1	3	8	11	4	3	2	3	—	—	—	—
Croup	18	1	—	—	6	4	3	2	2	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	44	14	7	8	10	—	1	—	—	—	—	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	3	—	1	1	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	12	—	—	—	—	1	—	1	—	—	1	2	—
Enteric Fever	8	—	—	—	—	1	—	—	3	1	1	1	1
Relapsing Fever	4	—	—	—	1	—	—	—	—	—	—	—	—
Simple Continued Fever	3	—	—	—	1	1	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	1	—	—	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	1	1
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	1	—
Erysipelas	4	1	—	—	—	1	—	—	—	—	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	1	—	2	—	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	13	—	—	—	—	—	—	—	1	1	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	1
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	1	—	—	—	—	—	—	—
Cancer	21	—	—	—	—	—	—	—	—	—	—	1	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	5	—	—	1	1	1	—	—	2	—	—	—	—
Tabes Mesenterica	24	5	1	3	7	5	1	—	2	—	—	—	—
Phthisis	112	—	1	—	2	2	1	—	3	8	7	10	19
Hydrocephalus	80	11	9	18	21	7	5	2	5	1	1	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1870.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES	641	38	21	34	45	18	16	17	38	19	21	28	20
SPECIFIED CAUSES	627	30	20	33	44	18	16	17	37	17	21	28	20
I. Zymotic Class	135	3	5	16	18	10	10	11	23	3	4	6	5
II. Diseases of Uncertain Seat	26	—	—	—	—	—	—	—	1	—	—	—	—
III. Tubercular Class	115	2	4	5	6	2	3	4	5	7	14	15	8
IV. Brain and Nervous System	50	1	—	—	3	—	1	—	1	1	—	2	1
V. Organs of Circulation	55	—	—	—	—	—	—	—	1	1	2	1	—
VI. Respiratory Organs	78	2	6	9	9	3	1	1	2	—	—	—	3
VII. Organs of Digestion	35	2	1	2	4	2	—	—	1	—	1	—	1
VIII. Urinary Organs	6	—	—	—	1	—	—	—	—	—	—	1	1
IX. Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	3	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	20	15	4	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	16	—	—	—	3	—	1	—	1	1	—	1	—
XV. Age	59	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	23	3	—	—	—	1	—	1	2	4	—	2	1
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	11	—	—	2	3	2	3	1	—	—	—	—	—
Scarlatina	49	—	—	6	5	5	5	6	17	1	2	—	—
Diphtheria	2	—	—	—	—	1	—	—	—	—	—	—	—
Hooping Cough	18	—	1	4	8	1	1	—	3	—	—	—	—
Croup	7	—	2	1	1	—	1	2	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	11	—	1	2	1	—	—	—	2	—	1	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	1	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	16	—	—	—	—	—	—	1	—	1	—	6	1
Enteric Fever	4	—	—	—	—	—	—	—	—	1	—	—	3
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	1	—	—	—	—	—	—	—	1	—	—	—	—
Infantile Remittent	1	—	—	—	—	1	—	—	—	—	—	—	—
Metria	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	1	—	1
Erysipelas	4	1	—	1	—	—	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	2	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	6	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	18	—	—	—	—	—	—	—	1	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	2	—	1	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	11	2	2	2	1	1	1	—	—	1	—	—	—
Phthisis	85	—	—	1	—	—	2	—	2	5	14	15	8
Hydrocephalus	17	—	1	2	5	1	—	4	3	1	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1870.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	—	—	—	—	—	1	—	—	—
Apoplexy	17	—	—	—	—	—	—	—	—	—	—	1	1
Paralysis	17	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	1	—	—	—	—	—	1	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	1	—	—	3	—	—	—	1	—	—	—	—
Brain Disease	6	—	—	—	—	—	—	—	—	—	—	1	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	53	—	—	—	—	—	—	—	1	1	2	1	—
VI. Laryngitis	4	—	—	1	—	—	—	—	—	—	—	—	2
Bronchitis	52	2	6	7	8	3	1	1	—	—	—	—	1
Pleurisy	1	—	—	—	1	—	—	—	—	—	—	—	—
Pneumonia	16	—	—	1	—	—	—	—	2	—	—	—	—
Asthma	4	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	7	1	—	1	—	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	1
Enteritis	3	—	1	1	—	1	—	—	—	—	—	—	—
Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	6	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	4	—	—	—	—	—	—	—	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	1	—	—	—	—	—	—	—	—	1	—	—
Liver Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	1	—	—	—	—	—	—	1	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	2	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	7	—	—	—	—	1	—	—	2	3	—	—	—
Fracture and Contusion	9	—	—	—	—	—	—	1	—	—	—	1	1
Gunshot Wounds	1	—	—	—	—	—	—	—	—	1	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	2	—	—	—	—	—	—	—	—	—	—	—
Not Specified	14	8	1	1	1	—	—	—	1	2	—	—	—

TABLE showing the Distribution of DEATHS according to MONTHS,
or the Influence of SEASON on the MORTALITY.

		DEATHS in 1870.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
MEAN TEMPERATURE in 1870		35°·9	35°·2	39°·5	46°·9	50°·5	55°·6	59°·6	58°·0	53°·6	46°·3	39°·1	33°·5	46°·1
SCOTLAND		7764	6958	7476	6416	6017	5594	5328	6083	5162	5101	5583	6683	74,165
INSULAR DISTRICTS . . .		256	220	334	260	217	218	200	185	146	150	170	212	2,568
MAINLAND DISTRICTS . .		3635	3359	3651	3083	2964	2707	2544	2831	2491	2494	2604	3014	35,377
TOWN DISTRICTS		3873	3379	3491	3073	2836	2669	2584	3067	2525	2457	2809	3457	36,220
DIVISIONS.														
1	Northern	187	159	217	154	176	150	132	125	113	125	130	176	1,844
2	North-Western	280	230	288	264	216	223	203	207	190	195	205	218	2,719
3	North-Eastern	630	603	669	575	567	523	465	550	460	463	492	666	6,663
4	East-Midland	1303	1189	1251	1114	948	899	904	897	860	836	901	1071	12,173
5	West-Midland	567	453	578	460	423	417	374	442	337	363	392	436	5,242
6	South-Western	3314	2964	3126	2694	2543	2255	2231	2679	2135	2090	2350	2883	31,264
7	South-Eastern	1073	983	930	784	809	788	739	825	792	750	842	913	10,228
8	Southern	410	377	417	371	335	339	280	358	275	279	271	320	4,032
COUNTIES.														
I. NORTHERN.														
1	Shetland	45	39	52	36	39	37	23	29	29	28	32	40	429
2	Orkney	42	48	68	48	45	39	36	29	25	24	37	50	491
3	Caithness	59	39	63	49	60	45	48	49	40	48	42	57	599
4	Sutherland	41	33	34	21	32	29	25	18	19	25	19	29	325
II. NORTH-WESTERN.														
5	Ross and Cromarty . . .	117	105	147	129	114	98	94	94	77	109	100	108	1,292
6	Inverness	163	125	141	135	102	125	109	113	113	86	105	110	1,427
III. NORTH-EASTERN.														
7	Nairn	18	12	15	16	13	14	15	12	11	6	8	16	156
8	Elgin (or Moray)	67	67	78	66	58	39	40	63	51	44	49	73	695
9	Banff	86	103	100	93	78	65	55	75	60	72	70	94	951
10	Aberdeen	410	366	405	365	380	366	297	356	313	305	321	432	4,316
11	Kincardine	49	55	71	35	38	39	58	44	25	36	44	51	545
IV. EAST-MIDLAND.														
12	Forfar	632	585	623	545	416	422	439	447	413	397	389	499	5,807
13	Perth	297	269	269	246	241	218	204	187	198	189	224	230	2,772
14	Fife	307	278	304	280	241	219	225	219	206	200	227	285	2,991
15	Kinross	18	21	9	10	11	5	5	5	11	6	8	15	124
16	Clackmannan	49	36	46	33	39	35	31	39	32	44	53	42	479
V. WEST-MIDLAND.														
17	Stirling	256	183	217	154	156	170	133	150	141	148	160	176	2,044
18	Dumbarton	118	118	134	127	126	101	90	121	72	102	114	110	1,333
19	Argyll	158	124	185	141	112	113	121	129	97	92	101	119	1,492
20	Bute	35	28	42	38	29	33	30	42	27	21	17	31	373
VI. SOUTH-WESTERN.														
21	Renfrew	536	473	521	435	368	322	355	473	346	337	382	499	5,047
22	Ayr	483	472	462	400	449	351	355	407	335	316	343	381	4,754
23	Lanark	2295	2019	2143	1859	1726	1582	1521	1799	1454	1437	1625	2003	21,463
VII. SOUTH-EASTERN.														
24	Linlithgow	91	94	100	80	76	69	62	88	74	88	70	92	984
25	Edinburgh	814	688	663	565	602	587	541	622	574	546	639	695	7,536
26	Haddington	73	89	60	54	49	51	45	55	68	40	61	42	687
27	Berwick	62	73	67	41	49	35	45	36	44	39	45	55	591
28	Peebles	13	19	19	14	12	25	26	10	13	22	11	14	198
29	Selkirk	20	20	21	30	21	21	20	14	19	15	16	15	232
VIII. SOUTHERN.														
30	Roxburgh	99	96	99	95	91	94	70	84	69	65	67	86	1,015
31	Dumfries	174	134	144	126	128	132	112	148	98	106	103	111	1,516
32	Kirkcudbright	73	81	88	73	66	63	58	73	64	50	57	59	805
33	Wigtown	64	66	86	77	50	50	40	53	44	58	44	64	996

CONSTITUTION OF THE COMPOUND DISTRICTS, 1870.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86 <i>b</i>	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and Part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155 <i>b</i>	Glenriness	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222 <i>b</i>	Millbren	Parts of Fyvie and Monquhitter.
227 <i>a</i>	New Machar	New Machar, and part of Udney.
227 <i>b</i>	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237 <i>b</i>	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Forthingall, Kenmore, Logierait, and Weem.
331	Balquhitter	Balquhitter, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355 <i>a</i>	Forthingall	Parts of Forthingall and Weem.
355 <i>b</i>	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Forthingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowles-Wester, Little Dunkeld, Methven, Monzie, and
379	Meikle	Meikle, and part of Coupar-Angus.
386 <i>a</i>	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386 <i>b</i>	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394 <i>b</i>	Strathfillan	Part of Killin.
394 <i>c</i>	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c. . . .	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilthead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelve	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c. . . .	Parts of Newton-upon-Ayr, and St Quivox.
626 <i>b</i>	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
787 <i>b</i>	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813 <i>b</i>	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853 <i>b</i>	Wanlockhead	Part of Sanquhar.
857 <i>b</i>	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigtown).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, 559	Auldearn, 121	Bressay, 1	Collessie, 416	Daviot, 1877
Abbey St Bath- ans, 726	Avoch, 59	Bridgeton, 644	Colmonell, 582	Daviot & Dun- lichty, 955
Abbotshall, 399	Avondale, 621	Brodict, 553	Colonsay, 539	Deerness, 144
Abdie, 400	Ayr, 578	Broughton, 758	Colvend, 861	Delting, 22
Abercorn, 661	Ayton, 727	Brydekirk, 813b	Comrie, 341	Denny, 4766
Aberdalgie, 323	Baldernock, 471	Buchanan, 474	Contin, 60	Deskford, 1511
Aberdeen, 168	Balfroun, 472	Buittle, 859	Cookney, 258	Dingwall, 622
Aberdour (Aber- deen), 169	Ballachulish & Cor- ran of Ardgour, 506	Bunkle and Preston, 728	Corsock-Bridge, 862	Dirleton, 7055
Aberdour (Fife), 401	Ballantrae, 579	Burra & Quarff, 1	Corstorphine, 678	Dollar, 4677
Aberfeldy, 324	Ballingry, 408	Cabrach, 177	Cortachy and Clova, 278	Dolphington, 6400
Aberfoyle, 325	Balmacellan, 856	Cadder, 626	Coupar-Angus, 279	Dores, 966
Aberlady, 702	Balmaghie, 857	Cairney, 178	Covington and Thankerton, 634	Dornoch (Suth- erland), 477
Aberlemno, 269	Balmerino, 409	Calderhead, 626	Coylton, 583	Dornock (Dum- fries), 819
Aberlour, 145	Balquhider, 331	Callander, 336	Craig, 280	Douglas, 6411
Abernethy, 326	Banchory-Deve- nick, 251	Calton, 644	Craigie, 584	Dowally, 3444
Abernethy and Kincardine, 124	Banchory-Ter- nan, 252	Cambuslang, 627	Craighish, 508	Drainie, 1300
Abernyte, 327	Banff, 147	Cambusnethan, 628	Crail, 417	Dreghorn, 589
Aboyne, 170	Bargrennan, 857b	Cameron, 412	Crailing, 786	Dron, 345
Aharacle, 505	Barony, 622	Campbelltown, 507	Cramond, 679	Drumblade, 1884
Airdrie, 651	Barr, 580	Campsie, 475	Cranshaws, 734	Drumelzier, 759
Airlie, 270	Barra (Inver- ness), 108	Canisbay, 35	Cranston, 680	Drum oak, 189
Airth, 469	Barrhead, 572	Canonbie, 814	Crathie and Braemar, 183	Dryfesdale, 820
Alford, 171	Barry (Forfar), 274	Canongate, 685	Crawford, 635	Drymen, 477
Alloa, 465	Barvas, 86a	Caputh, 337	Crawfordjohn, 636	Duddingston, 684
Alness, 57	Bathgate, 662	Cardross, 494	Creich (Suther- land), 46	Duffus, 131
Alva (Stirling), 470	Beath (Fife), 410	Careston, 277	Crichton, 681	Dairinish, 110
Alvah (Banff), 146	Bedrule, 782	Cargill, 338	Criech (Fife), 418	Dull, 346
Alves, 125	Beith (Ayr), 581	Carlaverock, 815	Crieff, 342	Dumbarton, 496
Alvie, 90	Belhelvie, 174	Carlaway, 866	Crimond, 184	Dumfries, 821
Alyth, 328	Bellie, 126	Carluk, 629	Cromarty, 61	Dun, 281
Ancrum, 780	Benbecula, 118	Carmichael, 630	Cromdale and Inverallan, 93	Dunbar, 706
Anderston, 644	Bendochy, 332	Carmunnock, 631	Crossmichael, 863	Dunbarney, 347
Annan, 812	Bendholm, 253	Carmylie, 276	Croy & Dalcross, 94	Dunblane, 348
Anstruther- Easter, 402	Bernera, 111	Carnbee, 413	Cruden, 185	Dunbog, 423
Anstruther- Wester, 403	Bervie, 254	Carnock, 414	Cullen, 150	Dundee, 282
Anwoth, 855	Biggar, 623	Carnwath, 632	Culross, 343	Dundonald, 590
Appin, 525	Birnie, 127	Carriden, 664	Culsamond, 186	Dunfermline, 424
Applecross, 58	Birse, 175	Carrington, 675	Culter, 637	Dunino, 425
Applegarth, 813a	Blackford, 333	Carsphairn, 860	Cults, 419	Dunipace, 478
Arbirlot, 271	Blair-Athol, 334	Castles, 863	Cumbernauld, 495	Dunkeld, 349
Arbroath, 272	Blairgowrie, 335	Castleton, 784	Cumbræ, 552	Dunlop, 591
Arbuthnott, 250	Blantyre, 624	Cathcart, 560	Cumlodden, 509	Dunnet, 36
Ardochattan, 504	Blythswood, 644	Cavers, 785	Cummertrees, 817	Dunnichen, 283
Ardclach, 120	Boharm, 128	Cawdor, 122	Cupar, 420	Dunning, 350
Ardiesier, 91	Boisdale, 118	Ceres, 415	Currie, 682	Dunnottar, 255
Ardnamurchan, 505	Boleskine, 92	Chanelkirk, 729	Dailly, 585	Dunoon & Kil- mun, 510
Ardrossan, 576	Bolton, 704	Chapel-of-Gari- och, 179	Dairsie, 421	Dunrossness, 3
Arisaig, 505	Bonar, 46	Chirnside, 730	Dalavich, 517	Dunscore, 822
Armadaie, 662	Bonhill, 493	Clackmannan, 466	Dalbeattie, 864	Dunse, 735
Arngask, 404	Borgue, 858	Clatt, 180	Dalgetty, 422	Dunsyre, 642
Arrocher, 492	Bo'ness, 663	Cleish, 460	Dalkeith, 683	Durness, 48
Ashkirk, 781	Borthwick, 674	Closeburn, 816	Dallas, 129	Duror, 525
Assynt, 44	Bothkennar, 473	Clunie (Perth), 339	Dalmellington, 586	Durris, 256
Athelstaneford, 703	Bothwell, 625	Cluny (Aberd'n), 181	Dalmeny, 665	Durrisdeer, 823
Auchindoir, 172	Botriphnie, 148	Clyde, 644	Dalrymple, 588	Duthil, 132
Auchinleck, 577	Bourtie, 176	Clyne, 45	Dalserf, 638	Dyce, 190
Auchterarder, 329	Bowden, 783	Cockburnspath, 731	Dalton, 818	Dyke, 133
Auchterderran, 405	Bower, 34	Cockpen, 676	Dalziel, 639	Dysart, 426
Auchtergaven, 330	Bowmore, 536	Coigach, 75		Eaglesham, 561
Auchterhouse, 273	Boyndie, 149	Coldingham, 732		Earlsferry, 436
Auchterless, 173	Bracadale, 109	Coldstream, 733		Earlston, 734
Auchtermuchty, 406	Brechin, 275	Colinton, 677		Eassie & Nevay, 286
Auchtertool, 407		Coll, 551		East Kilbride, 643
		Collace, 340		

* The actual number of Districts is 1016—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.

Eastwood, . . . 562	Garvock, . . . 260	Inveresk, . . . 689	Kilwinning, . . . 599	Ladykirk, . . . 746
Eccles, . . . 737	Gigha, . . . 537	Inverkeillor, . . . 293	Kincardine	Laggan, . . . 104
Ecclesmachan, . . . 666	Girthon, . . . 866	Inverkeithing, . . . 432	(Perth), . . . 364	Lairg, . . . 53
Echt, . . . 191	Girvan, . . . 594	Inverkeithny, . . . 158	Kincardine	Lanark, . . . 648
Eckford, . . . 787a	Gladsmuir, . . . 708	Inverness, . . . 98	(Ross), . . . 71	Langholm, . . . 839
Eday & Pharay, . . . 15	Glammis, . . . 289	Inverurie, . . . 204	Kincardine	Langton, . . . 747
Edderton, . . . 63	Glasgow, . . . 644	Iona, . . . 538	O'Neil, . . . 209	Larbert, . . . 485
Eddleston, . . . 760	Glass, . . . 199	Irongray, . . . 867	Kinclaven, . . . 365	Largo, . . . 443
Eddrachillis, . . . 49	Glassary, . . . 511	Irvine, . . . 595	Kinfauns, . . . 366	Largs, . . . 602
Edgerston, . . . 787b	Glasserton, . . . 885	Jedburgh, . . . 792	Kingarth, . . . 555	Larkhall, . . . 638
Edinburgh, . . . 685	Glassford, . . . 645	Johnstone	King-Edward, . . . 210	Lasswade, . . . 691
Edinkillie, . . . 134	Glenbervie, . . . 261	(Dumfries), . . . 832	Kinghorn, . . . 439	Latheron, . . . 38
Ednam, . . . 788	Glenbucket, . . . 200	Johnstone (Ren-	Kinglassie, . . . 440	Lauder, . . . 748
Edrom, . . . 738	Glencairn, . . . 826	frew), . . . 559	Kingoldrum, . . . 295	Laurencekirk, . . . 263
Edzell, . . . 285	Glencoe and	Jura, . . . 539	Kingsbarns, . . . 441	Leadhills, . . . 635
Elgin, . . . 135	Ballachulish, . . . 525	Keig, . . . 205	Kingussie, &c., . . . 102	Lecropt, . . . 371
Elie, . . . 427	Glencross, . . . 687	Keir, . . . 833	Kinloch, . . . 372	Legerwood, . . . 749
Ellon, . . . 192	Glendevon, . . . 358	Keith, . . . 159	Kinlochbervie, . . . 49	Leith, . . . 692
Enzie, . . . 152	Glenelg, . . . 97	Keith-hall, . . . 206	Kinloch-Ran-	Leochel-Cush-
Errol, . . . 351	Glangarry, . . . 99	Kells, . . . 868	noch, . . . 367	nie, . . . 214
Erskine, . . . 563	Glenholm, . . . 761	Kelso, . . . 793	Kinlochspelve, . . . 545	Lerwick, . . . 5
Eskdalemuir, . . . 824	Glenisla, . . . 290	Kelton, . . . 869	Kinloss, . . . 138	Leslie (Aber-
Ettrick, . . . 774	Glenlivat, . . . 157	Kemback, . . . 433	Kinnaird, . . . 368	deen), . . . 215
Evie & Rendall, . . . 16	Glenmoriston, . . . 107	Kemnay, . . . 207	Kinneff and	Leslie (Fife), . . . 444
Ewes, . . . 825	Glenmuick, Tul-	Kenmore, . . . 360	Catterline, . . . 262	Lesmahagow, . . . 649
Eyemouth, . . . 739	lich, &c., . . . 201	Kennoway, . . . 434	Kinnell, . . . 296	Leswalt, . . . 891
Fair Isle, . . . 3	Glenorchy and	Kettins, . . . 294	Kinnellar, . . . 211	Lethendy, . . . 372
Fala & Soutra, . . . 686	Inishail, . . . 512	Kettle, . . . 435	Kinnethmont, . . . 212	Lethnott and
Falkirk, . . . 479	Glenriannes, . . . 155b	Kilbarchan, . . . 568	Kinnettles, . . . 297	Navar, . . . 300
Falkland, . . . 428	Glenshee, . . . 370	Kilberry, . . . 516	Kinnoull, . . . 369	Leuchars, . . . 445
Farnell, . . . 286	Glenshiel, . . . 67	Kilbirnie, . . . 596	Kinross, . . . 462	Libberton (Lan-
Farr, . . . 50	Golspie, . . . 51	Kilbrandon and	Kintail, . . . 72	ark), . . . 650
Fearn (Forfar), . . . 287	Gordon, . . . 742	Kilchattan, . . . 515	Kintore, . . . 213	Liberton (Edin-
Fearn (Ross), . . . 64	Gourock, . . . 567	Kilbride, . . . 553	Kippen, . . . 484	burgh), . . . 693
Fenwick, . . . 592	Govan, . . . 646	Kilbucko, . . . 763	Kirkbean, . . . 870	Liff, Benzie, and
Ferry-Port-on-	Graitney (or	Kilcalmonell, . . . 516	Kirkcaldy, . . . 442	Invergowrie, . . . 301
Craig, . . . 429	Gretna), . . . 827	Kilchoman, . . . 540	Kirkcolm, . . . 887	Lilliesleaf, . . . 795
Fetlar, . . . 4	Grange, . . . 156	Kilchrennan, . . . 517	Kirkconnel, . . . 834	Linthgow, . . . 668
Fettercairn, . . . 257	Greenlaw, . . . 743	Kilconquhar, . . . 463	Kirkcowan, . . . 888	Linton, . . . 796
Fetteresso, . . . 258	Greenock, . . . 564	Kildalton, . . . 541	Kirkcudbright, . . . 871	Lintrathen, . . . 302
Findo-Gask, . . . 352	Guthrie, . . . 291	Kildonan, . . . 52	Kirkden, . . . 298	Lismore, . . . 525
Fintray (Aber-	Haddington, . . . 709	Kildrummy, . . . 208	Kirkgunzeon, . . . 872	Little Dunkeld, . . . 373
deen), . . . 193	Halfmorton, . . . 828	Kilfinan, . . . 518	Kirkhill, . . . 103	Livingstone, . . . 669
Fintry (Stirling), . . . 480	Halkirk, . . . 37	Kilfinichen and	Kirkhope, . . . 776	Lochaber, . . . 99
Firth & Stennes, . . . 17	Hamilton, . . . 647	Kilvickeon, . . . 542	Kirkinner, . . . 889	Lochalsh, . . . 74
Flisk, . . . 430	Harray, . . . 18	Killeen and	Kirkintilloch, . . . 498	Lochbroom, . . . 75
Flotta, . . . 32	Harris, . . . 111	Kilchenzie, . . . 519	Kirkliston, . . . 667	Lochcarron, . . . 76
Fodderty, . . . 65	Hawick, . . . 789	Killearn, . . . 482	Kirkmabreck, . . . 873	Lochee, . . . 282
Fogo, . . . 740	Heriot, . . . 688	Killearnan, . . . 68	Kirkmahoe, . . . 835	Lochgilphead, . . . 526
Fordoun, . . . 259	Hobkirk, . . . 790	Killin, . . . 361	Kirkmaiden, . . . 890	Lochgailhead, . . . 527
Fordyce, . . . 153	Hoddam, . . . 829	Kilmadock, . . . 362	Kirkmichael	Lochlee, . . . 303
Forfar, . . . 288	Holm & Paplay, . . . 19	Kilmalcolm, . . . 569	(Ayr), . . . 600	Lochmaben, . . . 840
Forgan, . . . 431	Holytown, . . . 625	Kilmalie, . . . 520	Kirkmichael	Lochranza, . . . 556
Forgandenny, . . . 356	Hollywood, . . . 830	Kilmarnock, . . . 597	(Banff), . . . 160	Lochrutton, . . . 875
Forglen, . . . 154	Houston and	Kilmarnock, . . . 597	Kirkmichael	Lochs, . . . 87
Forgue, . . . 194	Killellan, . . . 565	Kilmarnock, . . . 497	(Dumfries), . . . 836	Lochwinnoch, . . . 570
Forres, . . . 137	Howmore, . . . 118	Kilmartin, . . . 521	Kirkmichael	Logie (Fife), . . . 446
Fort-Augustus	Hownam, . . . 791	Kilmaurs, . . . 598	(Perth), . . . 370	Logie (Perth), . . . 374
(or Abertarff), . . . 92	Hoy & Græmsay, . . . 20	Kilmelford, . . . 524	Kirknewton and	Logiealmond, . . . 375
Forteviot, . . . 354	Humbie, . . . 710	Kilmeny (Ar-	East Calder, . . . 690	Logie-Buchan, . . . 216
Fortingal, . . . 355a	Hume, . . . 744	gyll), . . . 543	Kirkoswald, . . . 601	Logie-Cold-
Fortrose, . . . 80	Huntly, . . . 202	Kilmodan, . . . 522	Kirkpatrick-	stone, . . . 217
Foss, . . . 355b	Hutchesontown, . . . 644	Kilmonivaig, . . . 99	Durham, . . . 874	Logie-Easter, . . . 77
Fossaway and	Hutton (Ber-	Kilmorack, . . . 100	Kirkpatrick-	Logie-Pert, . . . 304
Tulliebole, . . . 461	wick), . . . 745	Kilmore & Kil-	Fleming, . . . 837	Logierait, . . . 376
Foula, . . . 12	Hutton (Dum-	bride, . . . 523	Kirkpatrick-	Longforan, . . . 377
Foulden, . . . 741	fries), . . . 831	Kilmorich, . . . 527	Juxta, . . . 838	Longformacus, . . . 750
Foveran, . . . 195	Inch (Wigtown), . . . 886	Kilmory, . . . 554	Kirkton (As-	Longside, . . . 218
Fowlis-Easter	Inchinnan, . . . 566	Kilmuir, . . . 112	synt), . . . 44	Lonmay, . . . 219
Fowlis-Western, . . . 356	Inchture, . . . 359	Kilmuir-Easter, . . . 69	Kirkton (Farr), . . . 50	Loth, . . . 54
Fraserburgh, . . . 196	Innerkip, . . . 567	Kilmun, . . . 509	Kirktown (Rox-	Loudoun, . . . 603
Fyvie, . . . 197	Innerleithen, . . . 762	Kilninan and	burgh), . . . 794	Lumphanan, . . . 220
Gairloch, . . . 66	Innerwick, . . . 711	Kilmore, . . . 544	Kirkurd, . . . 764	Lunan, . . . 305
Galashiels, . . . 775	Insch (Aberdn), . . . 203	Kilniver, . . . 524	Kirkwall & St Ola	Lundie, . . . 306
Galston, . . . 593	Inverallen, . . . 93	Kilrenny, . . . 438	21	Lunnasting, . . . 7
Gamrie, . . . 155	Inveraray, . . . 513	Kilspindie, . . . 363	Kirriemuir, . . . 299	Luss, . . . 499
Gargunnock, . . . 481	Inverarity, . . . 292	Kilsyth, . . . 483	Knockando, . . . 139	Lyne, . . . 765
Gartly, . . . 198	Inveravon, . . . 157	Kiltarlity, . . . 101	Knockbain, . . . 73	Madderty, . . . 770
Garvald, . . . 707	Inverchaolain, . . . 514	Kiltearn, . . . 70	Knoydart, . . . 97	Mains, . . . 833
			Ladhope, . . . 799	

Makerston,	797	New Pitsligo,	227b	Ratho,	698	Shapinshay,	28	Tillicoultry,	468
Manor,	766	New Spynie,	136	Rathven,	164	Shettleston,	622	Tingwall,	10
Markinch,	447	Newton,	696	Rattray,	389	Shieldaig,	58	Tinwald,	849
Marnoch,	161	Newtyle,	314	Rayne,	236	Shotts,	655	Tobermory,	549
Maryculter,	264	Nigg (Kincard.),	266	Reay,	40	Skene,	238	Tomintoul,	160
Maryhill,	622	Nigg (Ross),	78	Redgorton,	390	Skipness,	531	Tongland,	881
Marykirk,	265	North Berwick,	713	Renfrew,	575	Skirling,	769	Tongue,	56
Marytown,	308	North Bute,	557	Rerrick,	879	Slains,	239	Torosay,	550
Mauchline,	604	North Knapdale,	530	Rescobie,	317	Slamannan,	489	Torphichen,	671
Maxton,	798	North Leith,	692	Resolis,	79	Sleat,	115	Torryburn,	458
Maybole,	605	Northmavine,	8	Rhynd,	391	Smailholm,	805	Torthorwald,	850
Mearns,	571	North Morar,	97	Rhynie,	237	Small Isles,	116	Tough,	244
Megget,	765	North Ronaldshay,	22	Riccarton,	611	Snizort,	117	Towie,	245
Meikle,	379	North Uist,	113	Roberton,	777	Sorbie,	897	Tradeston,	644
Melrose,	799	North Yell,	4	Rogart,	55	Sorn,	613	Tranent,	722
Menmuir,	309	Oa,	546	Rosehall,	46	Southdean,	806	Traquair,	771
Merton,	751	Oathlaw,	315	Rosemarkie,	80	Southend,	532	Trinity-Gask,	396
Methlic,	221	Oban,	523	Roseneath,	502	South Knapdale,	533	Troqueer,	882
Methven,	380	Ochiltree,	609	Roskeen,	81	South Leith,	692	Tulliallan,	397
Mid-Calder,	694	Old Ardrossan,	576	Rothiesay,	141	South Ronaldshay and Bur-		Tullynessle and	
Middlebie,	841	Old Cumnock,	610	Rothiemay,	165	ray,	29	Forbes,	246
Midmar,	222	Old Deer,	228	Rothiemurchus,	132	South Uist,	118	Tundergarth,	851
Mid & S. Yell,	6	Oldhamstocks,	714	Rousay and Egilshay,	24	Speymouth,	143	Turriff,	247
Millbren,	222b	Old, or West, Kilpatrick,	501	Row,	503	Spott,	720	Tweedsmuir,	772
Milton,	644	Old Luce,	894	Roxburgh,	803	Springburn,	622	Twynholm,	883
Minnigaff,	876	Old Machar,	168	Rutherglen,	654	Sprouston,	807	Tynron,	852
Minto,	800	Old Meldrum,	229	Ruthven,	318	Stair,	614	Tyree,	551
Mochrum,	892	Old Monkland,	652	Ruthwell,	846	Stenscholl,	112	Tyrie,	248
Moffat,	842	Olrig,	39	Saddell,	531	Stenton,	721	Udny,	249
Moneydie,	381	Ordiquhill,	163	St Andrews (Dundee),	282	Stevenston,	615	Uig,	89
Monifieth,	310	Ormiston,	715	St Andrew (Edinburgh),	685	Stewarton,	616	Unst,	11
Monikie,	311	Orphir,	23	St Andrews (Orkney),	25	Stirling,	490	Uphall,	672
Monimail,	448	Orwell,	463	St Andrews Lhanbryde,	142	Stitchel,	868	Urquhart (Elgin),	144
Monkton and Prestwick,	606	Oxnam,	802	St Andrews and St Leonards (Fife),	453	Stobo,	770	Urquhart (Inverness),	107
Monquhitter,	223	Oyne,	230	St Boswells,	804	Stoer,	44	Urquhart and Logie-Wester,	84
Montrose,	312	Paisley,	573	St Clements,	282	Stonehouse,	656	Urr,	884
Monymusk,	224	Panbride,	316	St Cyrus,	267	Stoneykirk,	898	Urray,	85
Monzie (Perth),	382	Papa-Stour,	12	St Fergus,	166	Stornoway,	88	Walls (Shetland),	12
Monzievaire,	383	Papa-Westray,	33	St George,	685	Stow,	699	Walls (Orkney),	32
Moonzie (Fife),	449	Partick,	646	St Giles,	685	Stracathro,	320	Walston,	658
Mordington,	752	Pearce,	768	St Kilda,	111	Strachan,	268	Wamphray,	853a
Morebattle,	801	Pencaitland,	716	St Madoes,	392	Strathblane,	491	Wandell and Lamington,	659
Morham,	712	Penicuik,	697	St Martins,	393	Strathdon,	240	Wanlockhead,	853b
Mortlach,	162	Penninghame,	895	St Monance (or Abercrombie),	454	Strathfillan,	394b	Watten,	42
Morton,	843	Penpont,	845	St Mungo,	847	Strathmartine,	307	Weem,	398
Morvern,	528	Persie,	386b	St Nicholas,	168	Strathmiglo,	457	Wemyss,	459
Moulin,	384	Perth,	387	St Ninians,	488	Strathoykell,	71	West Calder,	701
Mousewald,	844	Peterculter,	231	St Peters,	282	Strathy,	50	Westerkirk,	854
Moy and Dalacroissie,	105	Peterhead,	232	St Quivox, &c.,	612	Strichen,	241	West Kilbride,	620
Muckairn,	529	Pettinain,	653	St Vigeans,	319	Stromness,	30	West Linton,	773
Muckhart,	385	Petty,	106	Salen (Argyll),	548	Stronsay,	31	Westray,	33
Muiravonside,	486	Pitsligo,	233	Saline (Fife),	455	Sunart,	505	Westruther,	756
Muirkirk,	607	Pittenweem,	452	Salton,	719	Swinton,	755	Whalsay and Skerries,	7
Murroes,	313	Polmont,	487	Sanday,	26	Symington (Ayr),	618	Whitburn,	673
Musselburgh,	689	Polwarth,	754	Sandness,	12	Symington (Lazark),	657	Whitekirk and Tynninghame,	723
Muthill,	386	Port-Glasgow,	574	Sandsting and Aithsting,	9	Tain,	82	Whiteness and Weisdale,	10
Nairn,	123	Portlethen,	251	Sandwich,	27	Tannadice,	321	Whithorn,	900
Neilston,	572	Port of Men-teith,	388	Sandwich & Cunningsburgh,	3	Tarbat,	83	Whitsome,	757
Nenthorn,	753	Portmoak,	464	Sanquhar,	848	Tarbert,	535	Whittinghame,	724
Nesting,	7	Portnahaven,	547	Savoch,	237b	Tarbolton,	619	Wick,	43
New Abbey,	877	Portobello,	684	Scone,	394a	Tarland,	242	Wigtown,	901
Newbattle,	695	Portpatrick,	896	Scoonie,	456	Tarves,	243	Wilton,	810
Newburgh,	450	Portree,	114	Scourie,	49	Tealing,	322	Wiston and Robertson,	660
Newburn,	451	Premnay,	234	Seafeld,	167	Temple,	700	Yarrow,	779
New Cumnock,	608	Prestonkirk,	717	Selkirk,	778	Tenandry,	394c	Yester (or Gifford),	725
New Deer,	225	Prestonpans,	718			Terregles,	880	Yetholm,	811
New Galloway,	868	Queensferry,	670			Teviothead,	809		
New Kilpatrick,	500	Rafford,	140			Thurso,	41		
Newhills,	226	Raasay,	114			Tibbermore,	395		
Newington,	685	Rathen,	235						
Newlands,	767								
New Ardrossan,	576								
New Luce,	893								
New Machar,	227a								
New Monkland,	651								

